

CANADIAN JOURNAL OF CHEMISTRY / JOURNAL CANADIEN DE CHIMIE

VOLUME 53

SUBJECT INDEX / INDEX DES MATIERES

Acetal(s), reductive cleavage by BH_3 , kinetics and mechm., 2818

Acetaldehyde, CIDNP, 2548; effect on liq. N_2O radiol., 1521

Acetaldehyde enolate anion, SCF-MO calcns. to deduce confign., 3365

Acetamide, app. V_m and C_p in H_2O , 3263; app. V_m and C_p of electrolytes in mixed aq. solvents, 3263

Acetic acid, *trans*-esterifcn. with vinyl propionate catd. by $\text{Pd}(\text{II})$, kinetics, effect of NaOAc , 2223

Acetolysis, $\text{Ph}_2\text{C}=\text{CPhBr}$ catd. by $\text{HOAc}-\text{AgOAc}$, mechm. from ^{13}C labelling and ^{13}C nmr, 314; trianisylvinyl bromide by $\text{HOAc}-\text{AgOAc}$, mechm. from ^{13}C labelling and ^{13}C nmr, 320; tricyclo[4.4.1.1^{2,5}]-dodecan-11-yl alcohol derivs., kinetics and mechm., 3078

Acetone, app. V_m and C_p in H_2O , 3263; app. V_m and C_p of electrolytes in mixed aq. solvents, 3263; effect on liq. N_2O radiol., 1521; thermo. quantities of mixts. with H_2O , 455

Acetonitrile, hydrol. catd. by $\text{Hg}(\text{II})$, kinetics and mechm., 427; solvent for conduct. studies of MBF_4 and MPF_6 (M = alkali metal), ion assocn. in, 3448

Acetophenone(s), effect of *m*- and *p*-substitn. on ν_{CO} in ir, 993; 2,3,5,6-tetramethyl-, dipole moments and conformns., 2024

2-Acetylbutane-1,3-dionatobis(ethylenediamine)cobalt-(III), prepn., characterizn. by ir, uv, and nmr, kinetics and mechm. of reacn. with $\text{Cr}(\text{OH})_6^{2+}$, 1154

2-Acetyl-4,5-dimethyl-4-nitro-1,4-dihydrophenyl acetate, formn. and aromatizn., mechms., 1570

Acetylene, prepn. of complex with Mg in liq. NH_3 , 2157

Acetyl-3-hydroxy-6H-dibenzo[*b,d*]pyrans, synth., nmr, 350

Acid-catalyzed methyl migration, 3498

Acidity, *N*-(*p*-substd.)benzyl-2'-hydroxy-4-stilbazolium betaines, Hammett correlns., 2162

Actinide ions, trivalent, semi-empirical calcn. of ΔG_{hyd} and ΔH_{hyd} , 2695

Activation energy, horseradish peroxidase, formn. of compd. I, 1928

Activity coefficients, derivn. for $\text{C}_6\text{H}_5\text{NO}_2$ in C_6H_6 from stat. mechl. model, 2608

Acylals, acid (H_2SO_4) catd. hydrol., kinetics and mechm., 2763

N-Acyl imines, formn. from α -azido ketones and lactones, 463

5-Acyl-1,2,3,4,5-pentamethylcyclopentadiene(s), site of protonation in FSO_3H from nmr, 3425

Acyl silanes, photoelectron spect. and bonding in trimethylsilyl ketone, 2446; photol., photoisomerizn. to siloxycarbenes, 2874

Addition, conjugate, to α,β -unsatd. ketones, to cross-conjugd. dienones, 1291

Adenine, cryst. struct. of adeninium trichloromercurate-(II), 2345

Adenosine 5'-triphosphate, complex with $\text{Mn}(\text{II})$, ligand exch. kinetics from nmr line widths, 926

Adriamycin, synth. of amino sugars, 3144

Adsorption, H atoms interstitially in Pd wire, 694; H_2 on Pt, mechm., 298; inert gases on type A zeolite, Henry's law const., 996; metal ions to humic acid, MnO_2 , and bentonite, use to develop chem. model of distribn. metals between sol. and particulate matter in natural waters, 661; polar org. molec. at oil/ H_2O and air/ H_2O interfaces, 916; on porous substrates, derivn. of dielec. const. for models of adsorbent-adsorbate systems, 2252

Affinity, proton, electron, and hydride for SH_n molec. and ions, MO calcn., 3747

Alcohols, reacn. with HCl in HMPT, 3620; tertiary, prepn. and characterizn. of chromic esters, 3087

Aldoses, and derivd. Me glycosides, assign. of ^{13}C nmr signals, 1212

Aldoxime carbonates, pyrol., kinetics and mechm., prepn. of nitriles, 3481

Alkali metals, solns. in CH_3NH_2 , pulse radiol., kinetics, 3571

Alkaline degradation, 2-furfurylidene-10-methyl-*trans*-1-decalone, prod. struct., 3359

Alkaloids, biosynth. of lycopodine, 41; ^{13}C nmr of *Nuphar* derivs., 1714; cularine, synth., 125; *Lycopodium*, confign. from ^{13}C nmr, 1936; molec. struct. of paniculatine isold. from *Lycopodium paniculatum*, 2513; synth. approaches to delphinine type, 2140; *Veratrum*, synth. of *C*-nor-*D*-homo steroids, 1775; *Veratrum*, synth. of verarine, veratramine, jervine, veratrosidine, 1796

Alkenes, exptl. and semi-empirically calcd. effects of struct. of substs. on ir $\nu_{\text{C}=\text{C}}$ for substtd. ethylenes, 2580

Alkoxy carbonyl thiocyanates, and isothiocyanates, pyrol. to yield alkyl thiocyanates and isothiocyanates, 907

cyclo-Alkylamine hydrobromides, app. V_m and C_p in H_2O , 716

Alkyl(aryl)hydridophosphoranes, prepn. from alkyl(aryl)phosphines and XeF_2 , 3044

Alkylation, cyc. amides, 1601

O-Alkylation, regioselective in steroidal carbinols, 2971

Alkyl chlorides, prepn. from alcohols and HCl in HMPT, 3620

Alkyl halides, reacns. $\text{Na} + \text{MeX}$ ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) and $+ \text{EtBr}$ in diffn. flames, kinetics, theor. of data treatment, 1726; reacn. with thin Ti films, kinetics and mechm., 2619

Alkylisoxazoles, redn. with LiAlH_4 , 3011

Alkylperoxy radicals, abstracn. of H from α -tetralin hydroperoxide by t-ROO^\cdot , kinetics and mechm., 623

Alkyl sulfides, formn. of complexes with WCl_6 and WCl_5 , mechm., 383

D-Allose-4-*d*, synth., 1424

Allylic acetals, rearr. to vinyl ethers, 2005

Aluminum, hydroxylated species in aq. soln., 2811

Amide radicals, as intermeds. in electrochem. redn. of *N*-haloamides, 3060

Amine complexes, mixed, of Cr(III), synth. and spect. props., 3388

Aminium radical, from nitrosamine photol., 3014, 3022

Amino acids, mag. susceptibilities of alkali metal salts of several amino acids, 3167

4 α -Aminoalkyl-1,2,3,4,4a,9-hexahydrophenanthrenes, synth., 237

1-Aminoalkyl-1-hydroxy-2,2-tetramethylene-1,2,3,4-tetrahydronaphthalenes, synth., 237

2-Aminobenzimidazoles, reacn. with epoxy bromides, 894

4-(2-Aminobenzyl)-2-pyrazolin-5-ones, prepn. and props., 3637

Aminoethylhexahydrophenanthrenes, synth., 2515

4 α -Aminomethyl-1,2,3,4,4a,9-hexahydrophenanthrenes, rearr., synth., 245

4 α -Aminomethyl-4a,10a-*cis*-1,2,3,4,4a,10a-hexahydrophenanthrenes, synth., 245

syn-7-Aminonorbornan-2-one, synth., 1019

2-*exo*-Aminonorbornan-3-one, synth., 1019

N-Amino-2-pyridone(s), synth. via isomerizn. of bicyc. azetidine esters, 1973

Ammonia, ir of species in solid state system with $SO_2 + H_2O$, 2646

Ammonium bisulfite, ir in solid state system of $NH_3 + SO_2 + H_2O$, 2646

Ammonium compounds, ir in crysts., 3394

Ammonium disulfatoplumbate(II), ir and struct., 3394

Ammonium hexachloroplatinate(IV), struct. from ir, 2675

Ammonium hexachlorotellurate(IV), struct. from ir, 2675

Ammonium hexafluorogermanate(IV), ir and struct., 3394

β -Ammonium hexafluorosilicate(IV), ir and struct., 3394

Ammonium ion in crystals, struct. of $(NH_4)_2PtCl_6$ and $(NH_4)_2TeCl_6$ from ir, 2675

Ammonium metavanadate, therm. decomprn., anal. of prods. by X-ray, ir, and esr, 2917

Analgesics, 5,6-benzomorphinans, 5,6-butanomorphinans, synth., 3681; non-addicting, synth. of 3,14-dihydroxymorphinans, 3094

DL-2,5-Anhydroallose derivatives, synth., 131

Aniline, effect of solvent on band intens. and position in ir, 1461

Anilinium ion, struct. and locn. in anisotropic soap solns., 2755

Anisole, pyrol. in gas phase in presence of excess $C_6H_5CH_3$, detn. of $D(C_6H_5O-CH_3)$, 3330

Anthracene(s), ^{13}C nmr of methylated derivs., 1958; reactivity of Li salt towards nitriles, 3158

9,10-Anthraquinone-2-sulfonate, photol. of aq. soln., kinetics and mechm. of formn. of hydroxy deriv., 826; redox behavior, 3757

9,10-Anthrasemicquinone radical, formn., 3757

Antibiotics, antitumor, synth., 2891; antitumor of the mitosane class, synth. approaches, 960

Antimony, bromobis(dialkylthiocarbamate) complexes, prepn., spect. props., struct., 1530; redn. of *t*-BuO₂H to *t*-BuOH by Ph_3Sb , kinetics and mechm., 559

Antimony(III), chloro complexes, equil. in soln. from electronic and Raman spect., 888

Antitumor antibiotics, bifunctional aziridinoquinone analogs of mitomycin, synth., 2891

Antitussive agents, synth. of 3,14-dihydroxymorphinans, 3094

Aquation (see Hydration)

Argon, sorpt. on type A zeolite, Henry's law consts., 996

Aril monoazines, hydrogrn. prods. and mechm., 748

Aromatic acids, ionizn. consts. and Hammett relationships, 3622

Aromatic amides, photorearr., prods. and mechm., 2337

Aromatic halides, stabil. towards $NaBH_3S_3$, 1480

Aromaticity, benzo[*d*]aceheptylene from MO calcns., 3777; rules for detn. of aromatic stabil. of non-alternant polycyc. conjd. hydrocarbons, 945

Aromatic pi-*phosphine* oxides, nitr. in H_2SO_4 , prods., kinetics and mechm., implicns. regarding P-O bonding, 1468

Aromatization, adds. of substd. aryl ketones with CH_3CONO_3 , mechm., 1570

5-Aroyl-4,5-dihydropyrazol-4-ols, formn. from aril monoazines, 748

Arsenic, bromobis (dialkylthiocarbamate) complexes, prepn., spect. props., struct., 1530; prepn. and use of tantalum arsenates in ion exch. for sepn. of lanthanide ions, 2586; Ph_3AsF_2 , cryst. and molec. struct., 1647; redn. of *t*-BuO₂H to *t*-BuOH by Ph_3As , kinetics and mechm., 559

Arsine(s), complexes of $(CH_3)_2AsCH_2CH_2As(CH_3)_2$ and various derivs. with Mo, Cr, and Mn carbonyls and halocarbonyls, conformns. from variable temp. nmr, 1038; diteriary-, metal carbonyl derivs., prepn. and props., 3401; substd., derivs. with $Fe(CO)_6$, prepn., spect. props., 2232; triphenyl-, cryst. and molec. struct. of $Hg(SCN)_2As(C_6H_5)_3$, 3383

Arsine complexes of metal carbonyls, isomerizn. kinetics, 1735

Aryl(alkyl)amines, therm. rearr., 3831

3-Aryl-2-benzyl-4(3H)-quinazolinones, hindered int. rotn. from 1H nmr, 3431

ent-Atis-13-ene derivatives, prepn., 1172

Atomic absorption spectrophotometry, detn. of solv. of $Zn(OH)_2$ in H_2O , 3841

Atomic orbitals, quant. mech. reln. between vol. and energy of orbital, 3739

1-Azatwistane, synth. via a *t*-amine, 3613

α -Azidosulfones, synth., 276

Aziridines, by redn. of cyclohexenone oximes, spect. studies, 3227

Aziridinoquinones, antineoplastic activity and synth., 2891

Azocines, 6-aza-1,4-cyclooctadienes, inversion barriers by 1H nmr, 167

Azodicarbonyl compounds, Diels-Alder adds. with cyc. 1,3-dienes, solvent and substit. effects on therm. rearrs. to 1,3,4-oxidiazines, 535

Azulene, ^{13}C and 1H nmr in struct. proof of derivs. from *Eriocephalea punctulactus*, 2911

Barium, cryst. struct. $BaNaPO_4$, 1849

Basicity, 9-aryl-9-fluorens and 10-aryl-10-hydroxyanthracen-9-ones, substit. effects, Hammett correlns., 1635

Benzaldehyde, oxidn. by NaCr_2O_7 , kinetics and mechm., 3709

Benzaldehyde dimethyl acetal, reductive cleavage by BH_3 , kinetics and mechm., 2818

Benzanilide, and other aromatic amides, photol. in EtOH soln., prods. and mechm., 2337

Benzene, redetr. of C_p of aq. solns. by improved tech., 3634

Benz[d]indeno[1,2-*b*]azepine, synth., 3824

Benzisoquinoline, synth., intermed. in morphinan prepns., 3681

2,1-Benzisothiazoles, synth. and props., 1336

2,1-Benzisoxazoles, synth. and props., 1336

Benz[d]aceheptylene, MO calcn. and aromaticity, 3777

Benzodioxepins, synth. of 3-substd. dihydro derivs., 2279

Benzomorphans, synth. of 5-allyl-9-oxo derivs., 1189

6,7-Benzomorphans, 5-allyl-2'-methoxy-9-oxo-, synth., 3276

Benzomorphinans, synth., 3681

Benzopolycyclic hydrocarbons, synth., 256

Benz[a]pyrene, ^{13}C nmr, D-isotope effect, 1829

p-Benoquinone, photoaddn. with alkenes, 3240

Benzothiaazaphosphorinethiones, synth. and props., 1336

1,3,4-Benzothiadiazines, rearr. and synth., 1484

Benzothiazole, 1-phenyl-2-one, 1-phenyl-2-thione, and 2-(phenylthio)-, pyrol. and mass spect., 2293

1,2,3-Benzotriazenes, 4-methylene-, synth., thermol., 3714

1-Benzoyl-3,4-dihydroisoquinoline, synth., 3824

2-Benzoyl-4,5-dimethyl-4-nitro-1,4-dihydrophenyl acetate, formn. and aromatizn., mechms., 1570

N-Benzoyl-2-hydroxylalkylamines, mass spect., fragmnt. mechm. and rearr., 3175

2-Benzoyl-3-methylthiophene, photoenolizn. and photocycloaddn. to olefins, mechm., 1

Benzoylphenylcyclopropanecarboxylic acids, synth., 195

Benzyl alcohol, oxidn. by NaCr_2O_7 , kinetics and mechm., 3709; radiol., spin trapping of intermeds., 3128

N-Benzylaniline, therm. rearr., 3831

Benzylidene acetals, ozonol., 1204

Benzyl nitrate(s), *p*-substd., reacn. with EtO^- , mechm. from kinetic isotope (H/D , $^{14}\text{N}/^{15}\text{N}$) and substit. effects, 1319

Betaines, *N*-(*p*-substd.)benzyl-2'-hydroxy-4-stilbazolium, synth., electronic spect., acidity, linear free energy relationships, 2162

Bicyclic diazettidine esters, isomerizn. to *N*-amino-2-pyridones, 1973

Bicyclic ketones, ^{13}C nmr, effect of struct. and Me substit. on ^{13}C shieldings, 1351

Bicyclo[3.1.1]heptan-2-ones, photol. in CH_3OH , formn. of unsatd. aldehydes, 1657

Bicyclo[2.2.1]heptenones, ^{13}C nmr, ^{13}C shieldings, 581

Bicyclo[3.3.1]nonanes, synth., noradamantanes, 2671

Bicyclooctane systems, conversion to tricyclooctanes, 143

Bicyclo[2.2.2]octenones, ^{13}C nmr, ^{13}C shieldings, 581; synth. from phenols, 2054

Bicyclo[3.2.1]octenones, ^{13}C nmr, ^{13}C shieldings, 581

Biosynthesis, prodigiosins by ^{13}C Fourier transform nmr, 148

Biradicals, probable formn. of 1,4-birads. in photol. of thiétane and derivs. in vap. and liq. phases and in matrix, 1744

Bis(μ -chloro- O - β -ketoenolatotricarbonylrhodium(I)) complexes, prepns. and phys. props., 2481

Bis(π -cyclopentadienyl)titanium dichloride, cryst. and molec. struct., 1622

4,4'-Bis(dimethylamino)triphenylmethyl carbonium ion, reacn. with alkoxide ions, kinetics, 1537

2,5-Bis(2'-hydroxyethylamino)-1,4-benzoquinone, cryst. struct., 777

Bis(μ -*O*- β -ketoenolatotricarbonylrhenium(I)) complexes, prepns. and phys. props., 2481

Bismuth, bromobis(dialkylthiocarbamate) complexes, prepns., spect. props., struct., 1530

1,7-Bis(phenylglyoxyloyl)-*m*-carborane, prepns. and reacns., 2955

Bond dissociation energy, $D(\text{C}_6\text{H}_5\text{O}-\text{CH}_3)$ from pyrol. of anisole, 3330; hydrides of 2nd and 3rd period, calcn. from Morse potl. force consts. and SCF wavefn., 3599

Bonding, in org. peroxides from photoelectron spect., 3439

Bond order, ionic, correln. with overlap populations in C-Y bonds (Y = O, S), explan. of short C-P bond in phosphonium ylides, 3040

Borane, mono-adds. of $(\text{C}_2\text{H}_5)_3\text{N}$ and piperazine with BH_2F , BHF_2 , and BF_3 , synth. and props., 723; reductive cleavage of acetals, kinetics and mechm., 2818

Boron, cryst. and molec. struct. *B*-phenyl-*diptych*-borazolidine, 1393; prepns. of BH_4 and CNBH_3 phosphine complexes of Rh(I) and (II), 3669

Boron trihalides, add. with Me_3P , Me_3PO , and Me_3PS , prepn. and nmr, halogen exch., 326

Bromination, ketones, selective, 1189; photo-, vap. phase of $n\text{-C}_4\text{H}_9\text{Cl}$, genl. method to det. rate consts. for attack at various positions, polar effects on consts., 2202

Bromine atom, H-abstrn. from various positions in $n\text{-C}_4\text{H}_9\text{Cl}$, polar effect on rate consts., 2202

2-Bromo-2-butene, *E*- and *Z*-, synth., 3820

Bromocyclization, γ, δ -unsatd. alcohols, 1189

2-Bromolaudanosine, aryne formn., synth. of glaucine, 3660

4-Bromo-3-methylbut-2-enoic acid, methyl ester, *Z*- and *E*-isomers, reacn. with β -cyclocitral, 1943

Bromosteroids, synth., nmr and opt. spect., 1693

Bronsted correlation(s), in carbonyl elimn. from 9-fluorenyl nitrate catd. by amines, detn. of mechm., 263

Bucherer-Bergs reaction, 4-*t*-butylcyclohexanone, stereochem., 3339

n-Butane, ionic reacns. in radn. initd. therm. decomprn., 92

t-Butanol, thermo. quantities of mixts. with H_2O , 455

4-*t*-Butylcyclohexanone, Strecker and Bucherer-Bergs reacns., 3339

4-*t*-Butyl-2,2-dimethyl-1-methylene cyclohexane, hydroboration, 2033

t-Butyldiphenylsilyl ethers, protecn. of hydroxyl grps., 2975

t-Butyl hydroperoxide, redn. to *t*-BuOH by Ph_3Sb and Ph_3As , kinetics and mechm., 559

t-Butyllithium, lithiation of organosilylchloride and ether, 3103

t-Butyl perbenzoate, substd., substit. effects on rate of thermol., 976

5-*t*-Butyl-2,3,3-trimethylcyclohexanols, synth. and configns., 556

5-*t*-Butyl-2,3,3-trimethylcyclohexanone, synth., redn., 556

5-*t*-Butyl-2,3,3-trimethylcyclohexene, hydroboration, 556

5-*t*-Butyl-2,3,3-trimethylcyclohexene oxide, redn., 556

(\pm)-Cadinene hydrochloride, synth., 1281

Cadmium, Raman spect. $\text{Cd}(\text{NO}_2)_2$ sol. and aq. soln., $K_{x-2}\text{Cd}(\text{NO}_2)_x$ ($x = 3, 4, 5$) sol., evidence for complexes of NO_2^- with Cd^{2+} and solvn. of NO_2^- , 1414

Cadmium(II), anionic trihalogen complexes, Raman spect. and struct. in solid state, 3487; complexes with EDTA and homologs, stability consts. from nmr, 787

Cadmium ammonium sulfate, cryst. and molec. struct. from X-ray and esr, 1449

Calliternopene, struct., 1181

Calorimetry, exptl. tech. to improve detns. of C_p of solns. of volatile solutes, applicn. to aq. solns. of C_6H_6 , 3634

Camphephenhydro cation, stereospecific rearrs. monitored by nmr line shapes, 1067

Camphorsulfonic acid-*d*-10, *n*-Pr and *n*-Bu ammonium salts as stds. for calibrn. in circ. dichroism, 2351

Carbamate esters, hindered rotn. by ^1H and ^{13}C nmr, 3732

Carbanions, geom. and electrocyclzn. of a 2-azapenta-dienyl anion, 355

Carbene complexes, of $\text{Pt}(\text{II})$, conformnl. anal. by ^{13}C nmr, 186

Carbocations, rearr. mechms. for dimethyl-2-norbornyl cations, 1891; rearr. mechms. for 2-norbornyl cations, 1876; rearr. and cleavage of norbornyl series, kinetics and mechm., 1056; stereospecific rearrs. monitored by nmr line shapes, 1067; struct. and rearr. mechms. for substd. and unsubstd. 2-norbornyl cations, 1901

Carbohydrates, base-catd. decompr. of 3,6-di-*O*-substd. hexoses, 2171; base-catd. degradns., 2178, 2182, 2189; ^{13}C nmr of furanose derivs., 2748; cleavage of epoxides with LiMe_2Cu , 2017; stereochem. effects on $^{13}\text{C}-^1\text{H}$ coupling consts. from nmr using ^{13}C -labelled compds., 1872; synth. of 1 \rightarrow 6 linked disaccharides, 1970

Carbohydrates with sulfur in the ring, synth., 1362

2-(4'-Carbomethoxy-2'-nitrobenzoyl)-1,3,5-trimethylbenzene, cryst. and molec. struct., 2127

2-(4'-Carbomethoxy-2'-nitrobenzyl)-1,3,5-trimethylbenzene, cryst. and molec. struct., 2121

2-(4'-Carbomethoxy-2'-nitrophenoxy)-1,3,5-trimethylbenzene, cryst. and molec. struct., 2084

2-(4'-Carbomethoxy-2'-nitrophenylsulfonyl)-1,3,5-trimethylbenzene, cryst. and molec. struct., 2108

2-(4'-Carbomethoxy-2'-nitrophenylsulfonyl)-1,3,5-trimethylbenzene, cryst. and molec. struct., 2115

2-(4'-Carbomethoxy-2'-nitrothiophenyl)-1,3,5-trimethylbenzene, cryst. and molec. struct., 2102

Carbon, formn. of excited states of C_2 in reacn. of H atoms with halomethanes, mechm. of chemiluminesc., 2419

Carbon dioxide, insertion into Li salts of *S*-heterocycloalkanes to form carboxylic acid Li salts, 3720; radiol., free ion yield and electron range in liq., 2822

Carbon disulfide, radiol., free ion yield and electron range in liq., 2822

Carbon monoxide, adsd. on Cu, vibrnl. spect. by wavelength moduln. ir and Raman, 3313

Carbonyl sulfide, radiol., free ion yield and electron range in liq., 2822

Carbonyl ylides, intermeds. in thermol. 2,3-divinyloxirane, 1367

Carboxylic acids, ionizn. and hydrn. in dil. solns. of H_2O in sulfolane, 2683

Carboxymethylcellulose, conduct. of aq. solns. of alkali metal salts, comparison of concn. dependence with theory, 792

Carboxypeptidase A, cat. for hydrol. of esters, kinetics and mechm., 283; revers. inhibn. of esterase activity by amino acid derivs., 1993; revers. inhibn. of esterase activity by benzoate and related anions, 1984

Catalysis, exch. of H_2 , O_2 with H_2O on Pt, mechm., 298; general. acid and base, of proton exch. in creatinine, 224; general. base, H^+ exch. in glycocynamidinium ions, kinetics and mechm., 2906; general base, promoted by Mg^{2+} , of iodination of Me acetylolphosphonate via enolate formn., 2354; heterogen. dehydrogn. and dehydrn. of *n*- $\text{C}_3\text{H}_7\text{OH}$ over MgO , mechm. from effects of temp., Li dopant, and pretreatment, 2729; heterogen. hydrodesulfurizn., effects of prepn. procedures on selectivity and activity of MoS_2 , 3567; heterogen., promotion by Co of MoS_2 in hydrodesulfurizn. of thiophene, effect of Co content, 2542; H_2 -HDO exch. over promoted Ni, 3257; homog., math. anal. of enzyme kinetics of special mechm., 644; homog., $\text{Rh}(\text{I})$ complexes for hydrogn., kinetics, 797; homog., of H_2 - D_2 exch. by $\text{Ru}(\text{II})$ complex, 106; homog., by $\text{Ru}(\text{Ph}_3\text{P})_3\text{Cl}_2$ for exch. $\text{D}_2 + \text{EtOH}$, kinetics, 1402; hydrogn. by Urushibara nickel A of 5α -cholest-3-one to yield -3α -ol, 1700; by model of enzymes in enolizn. of ketones, kinetics and mechm., 2150

Cesium, cryst. struct. of Cs_2MgCl_4 , 114

Cetyltrimethylammonium bromide, use as additive during electrodepos. of PbO_2 on graphite, 3327

Chelocardin, transformn. to 2-deacetyl deriv. under ketalizn. condns., 1434

Chemical kinetics, effect on rate const. of vibrnl. anharmonicity in transn. state, theory, 3069

Chemically induced dynamic nuclear polarization, during photol. of aliphatic aldehydes in soln., effect of solvent, 2548; during photol. of D_2O solns. of phenols in presence of aliphatic amides, 2459

Chemical reaction theory, entropy prodn. in various systems, 1756

Chemiluminescence, during thermol. of 1,2-dioxetanes, mechm., 1103; from three electronic states of C_2 formed in reacns. of H atoms with halomethanes, mechm., 2419

Chloramine solvolysis and intramolecular cyclization, synth. of substd. hexahydrophenanthrenes, 245

Chloranil dehydrogenation of 2,5-dihydrothiophenes, thiophene synth., 209

Chlorination, α -methylsulfonyl sulfides, 2664

Chloroantimonate(III) complexes, equil. in soln. from electronic and Raman spect., 888

1-Chlorobutane, photobromn. in vap. phase, genl. method to det. rate consts. for attack at various positions, polar effects on consts., 2202

Chloroform, vp of mixts. with $(\text{C}_2\text{H}_5)_3\text{N}$ at 298.15 K, thermo. fns. for mixing and for formn. of complexes, 3299

Chlorosulfuric acid, ionizn. const. in sulfolane, 2989

3-Chloro-2,2,4-trimethoxy-3,4-dihydro-1,2-pyrans, synth., 201

5 α -Cholestan-3 α -ol, synth. from -3-one by catd. hydrogenation, 1700

$\Delta^{8(14)}$ -Cholestenyl esters, dipole moments, possible correln. with strucns. and mp, 578

Chromate esters, prepns., mechm. of corrosion inhibitn., 3702

Chromic esters of tertiary alcohols, synth. and characterizn., 3087

Chromium, anionic complexes with grp. IV elements, prepns. and reactivity, 467; ditertiary arsine derivs. of carbonyls, prepns. and props., 3401; fluoroarene tricarbonyl complexes, ^{19}F nmr, ligand substit. effects on spect. and bonding, 1525

Chromium(II), 3-formylpentane-2,4-dionatobis(ethylene-diamine)- and linkage isomer 2-acetylbutane-1,3-dionatobis(ethylenediamine)-, prepns. and characterizn. by ir, uv, and nmr, kinetics and mechm. of reacn. with $\text{Cr}(\text{OH})_6^{2+}$, 1154

Chromium(III), hydrol. of $\text{Cr}(\text{H}_2\text{O})_3\text{I}^{2+}$, kinetics, effect of press., mechm., 3697; photol. of ammine and amino complexes in aq. soln., quantum yields and mechm., 419

Chromium amine complexes, synth. and spect. props., 3388

Chromium tetracarbonyl, complexes with $(\text{CH}_3)_2\text{AsCH}_2\text{CH}_2\text{As}(\text{CH}_3)_2$ and various derivs., conformns. from variable temp. nmr, 1038

Chymotrypsins, substbd., kinetics and mechm. of deacyln., substit. effects, 513

Circular dichroism, complexes of DNA with polypeptides, conformns. of DNA, 542; detn. of effect of pH and chain length on struct. in soln. of alternating co-oligopeptides, 1861; use of *n*-Pr and *n*-Bu ammonium salts of *d*-10-camphorsulfonic acid as calib. stds., 2351

Claisen condensation, intramolec. in synth. of bicyclo-[3.2.1]octadienes, 2827

Clathrate hydrates, of $\text{CH}_2\text{CH}_2\text{O}$ and cyc.- C_3H_8 , struct. from ir and X-ray powder data, 71; of dioxane, dielec. absorptn., nmr and cryst. struct., 2215; hexamethylenetetramine hexahydrate and isotopic modifcns., struct. from far ir, 2642; hexamethylenetetramine hexahydrate, molec. struct. and H bond(s) from X-ray powder and ir, 2624

Cobalt, π -perfluoroallyl- tricarbonyl, synth., spect. props., reacn. with Ph_3P , spect. props. of prods., 2537; as promoter of MoS_2 cat. in hydrodesulfurizn. of thiophene, effect of Co content, 2542

Cobalt(II), complexes with thiazolidine-2-thione, thiomorpholin-3-one, and thiomorpholin-3-thione, prepns., spect. and phys. props., struct., 177; low spin Schiff base complexes, single cryst. esr and bonding, 3791; methylsulfates, trifluoromethylsulfates and paratolylsulfates, spect. and mag. props., 3812; theory for esr of low spin complexes, 2498

Cobalt(III), 3-formylpentane-2,4-dionatobis(ethylenediamine)- and linkage isomer 2-acetylbutane-1,3-dionatobis(ethylenediamine)-, prepns. and characterizn. by ir, uv, and nmr, kinetics and mechm. of reacn. with $\text{Cr}(\text{OH})_6^{2+}$, 1154

Cobalt(III) complexes, ligand field photochem., 3121

Cobalt(II) succinate, anhyd. and tetrahydrate, prepns., spect., mag. and thermograv. props., X-ray powder data, struct., 98

Cochliodinol, identifcn. as 2,5-dihydroxy-3,6-di(5'-(2'-methylbut- $\Delta^{2''}$ -ene)-indolyl-3')-cyclohexadiene-1,4-dione from uv, ir, nmr, and mass spect., 727

Conductance, aq. soln. of alkali metal salts of carboxy- methylcellulose, comparison of concn. dependence with theory, 792; conc. aq. solns. of InCl_3 , 1761; MBF_4 and MPF_6 (M = alkali metal) in CH_3CN , ion assocn., 3448; MeOH solns. of ethereal complexes of polyethylene glycols with monovalent cations, detn. assocn. consts. of complexes, 2240

Configurations, chelate rings in Ni, Pd, and Pt complexes from nmr, 366; organometallic complexes of Ge(IV) from nmr, 448

Conformations, *N*-alkyl 5,6-dihydro-7*H*,12*H*-dibenzo-[*c,f*]azocines by ^1H nmr, 167; $\text{CH}_3\text{OC(O)OCH}_3$ from vibrnl. spect., 1378; DNA in complexes with polypeptides from circ. dichroism, 542; fluorophenol derivs. from nmr, buttressing effect by neighboring atoms, 986; of helix in β -D-1,4'-xylan, explanation in terms of virtual bonds, 3563; inversion barriers for hexahydro-3,3,7,7-tetramethyl-1,2-oxazepine-5-one from ^1H nmr, 414; *N*-nitrosopiperidines, 2465; semi-empirical MO calcn. for ethylene glycol diacetate as model for biopolymers, 3557; thymine photodimer, 1193

(+)-Copaborneol, synth., 2838

(-)-Copacamphe, synth., 2849

(+)-Copacamphor, synth., 2838

(+)-Copaisoborneol, synth., 2838

Cope rearrangement substrates, stereochem. assign. of substbd. double bond, 3591

Copper, system with Se, compd. formn., phase diagrams, cryst. struct., 878

Copper(I), complexes with Me isonicotinate, prepns., phys. props. and struct., 2657; and (II), complexes with thiazolidine-2-thione, thiomorpholin-3-one, and thiomorpholin-3-thione, prepns., spect. and phys. props., struct., 177; $\text{Cu}((\text{C}_6\text{H}_{11})_3\text{P})\text{ClO}_4$, synth., ir, cryst. and molec. struct., synth. and spect. of other Cu(I) complexes, 1949

Copper(II), distribn. between sol. and particulate matter in natural waters, 661; interacn. with hematoporphyrin IX, kinetics and mechm., 2375; ligand exch., kinetics and mechm., 710; methylsulfates, trifluoromethylsulfates, and paratolylsulfates, spect. and mag. props., 3812; prepn. of resolved optically act. complexes with resolved perfluoro(2,3-diphenylbutane-2,3-diol), 817; Schiff base complexes, single cryst. esr and bonding, 3791; square-planar complexes with perfluoropinacol dianion, prepn., struct. and spect. props., 809

Coprecipitation, to concentrate trace amts. metal ions for anal., 311

Corrosion, chromate esters as inhibitors for, mechm., 3702

Coupling constants, $^{13}\text{C}-^1\text{H}$ in ^{13}C -labelled carbohydrates, stereochem. effects, 1872; 1,3-dioxole and bis-1,3-dioxolyl, conformml. dependence, 2734; long-range in isothiazoles, comparison between exptl. and theoret. values, 1677; nucl. quadrupole of ^7Li , ^{23}Na , ^{133}Cs in ions and ^2H in D_2O , use in detn. of nematic phase formn. in system alkali metal sulfates + decyl alcohol + water, 2998

Creatinine, general acid and base catd. proton exch., 224

Crotonanilides, α -thio- β -amino-, *N,S*-substbd., synth. and fungicidal activity, 1327

Crystal structure, adeninium trichloromercurate(II), 2345; alkaloid paniculatine isold. from *Lycopodium paniculatum*, 2513; BaNaPO_4 , 1849; 2,5-bis(2'-hydroxy-

ethylamino)-1,4-benzoquinone, 777; 2-(4'-carbo-methoxy-2'-nitrobenzoyl)-1,3,5-trimethylbenzene, 2127; 2-(4'-carbomethoxy-2'-nitrobenzyl)-1,3,5-trimethylbenzene, 2121; 2-(4'-carbomethoxy-2'-nitro-phenoxy)-1,3,5-trimethylbenzene, 2084; 2-(4'-carbo-methoxy-2-nitrophenylsulfinyl)-1,3,5-trimethylbenzene, 2108; 2-(4'-carbomethoxy-2'-nitrophenylsulfonyl)-1,3,5-trimethylbenzene, 2115; 2-(4'-carbomethoxy-2'-nitrothiophenyl)-1,3,5-trimethylbenzene, 2102; Cd₂(NH₄)₂SO₄ from X-ray and esr data, 1449; (C₅H₅)₂TiCl₂, 1622; Cs₂MgCl₄, 114; Cu(C₆H₁₁)₂PClO₄, 1949; 9-cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin, 192; *cis*-dichlorobis(dimethylsulfoxide)platinum(II), 2371; diethylhexamethylcyclotetraphosphazene dihydrochloride, 2413; 5,5-dimethylcyclohexane-1,3-dione (dimedone), 1046; 1,1-dimethyl-1-germa-6,7-cyclo-undecanediol and 1-sila deriv., 3596; (±)-7,7-(2',2'-dimethyl)pentamethylene-1-methylnorbornane-2-oxime, 765; 3,5-dimethylpyrazolylgallium dimethyl dimer and of Me₂Ga(OH)(N₂C₅H₇)GaMe₂·2N₂C₅H₈, 2944; 2-(2',6'-dinitrophenoxy)-1-butylbenzene, 2093; dioxane hydrate, 2215; dithiocyanato(triphenylarsine)mercury(II), 3383; ethylene glycol di-p-chlorobenzoate, 3551; FePO₄, 2064; (GaH)₆(GaH₂)₂(μ₃-O)₂(μ₃-NCH₂CH₂NMe₂)₂(μ-NHCH₂CH₂NMe₂)₂, 753; hydrobromide salt of 10-hydroxy-2-methyl-1,11-propano-9*H*-indeno-1,2,10,11-tetrahydro[2,1-c]pyridine, 3276; K₂FeCl₅·H₂O, evidence from ir, 51; K₂MgCl₄, 114; (Me₂NCH₂CH₂OGaH₂)₂ and (Me₂NCH₂CH₂OGaMe₂)₂, 58; Ni₃P₂O₈, 1516; (NO)₂·[Ho(No₃)₃], 831; oxodichloropentane-2,4-dionato-triphenylphosphorhenium(V), 1548; pentacyclo-[12.4.0.1^{2,11}.1^{6,13}.0^{5,10}]2,4,11,13-tetrazaeicosane, 1933; pentane-2,4-dionato-(2,3,5,6-tetrahapto-2,3-dicarbomethoxy[2.2.1]bicycloheptadiene)rhodium(I), 2707; Ph₃AsF₂, 1647; *B*-phenyl-diptychboroxazolidine, 1393; [Pt(C₆H₁₃N₃)Br]⁺Br⁻, 1139; pyrazolyl-, 3-methylpyrazolyl-, and indazolylgallium dimethyl dimers, 2930; S₃N₂⁺AsF₆⁻, 3147; sulthiamine (*N*(4'-sulfamylphenyl)-butansultam), 2194; tetracyclo-[6.4.0.0^{2,11}.0^{4,9}]dodec-6-ene-3,10-dione, 2068; Ti₂CO₃, 2454; Zn₃V_{0.5}P_{1.5}O₈, 3665

Cucurbitanes, 3β-acetoxy-11-keto-9β-methyl-19-norlanostenes, synth. from lanosterol, 3498

(±)-Cularicine, synth., 125

Cularine alkaloids, synth., 125

Cuprate, lithium dimethyl, cleavage of carbohydrate epoxides, 2017

Cyanation, stereospecific of octalones, 2441

9-Cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin, cryst. struct., 192

Cyclization, γ,δ-unsatd. alcohols, acid catd., 1189

Cyclobutadienes, effect of substit. on ionizn. potls. as detd. by photoelectron spect., 972

(-)-Cyclocopacamphe, synth., 2849

Cycloheptatriene-norcaradiene equilibrium, interconversn. of cations, 1818

7-Cycloheptatrienylmethyl cation, struct., 1818

Cyclohexane, Me derivs., MO calcn. of charge distribns. and ¹³C chem. shifts in PCIL0 and STO-3G approxns., 2400; reacns. of *c*-C₆H₁₂⁺ with unsatd. and cyc. C₃ and C₄ hydrocarbons, kinetics, 680

Cyclohexenone oximes, redn. and formn. of aziridines, 3227

Cyclopentanols, ¹³C nmr, 1424

Cyclopropane, cleavage of ring in Me trachylobanate with Tl(OAc)₃, prods. and mechm., 20; struct. of clathrate hydrate from ir and X-ray powder data, 71

Cyclopropylcarbonyl chloride, debenzyln. of *t*-amine, 3681

Cyclopropyl ketones, acid catd. rearr. to dihydrofuran, 1708

(+)-Cyclosativene, synth., 2849

Cyclosteroids, A-ring derivs., synth., nmr and opt. spect., 1693

Cysteine, flash photol. in aq. soln., formn. and lifetimes of free rad. and ionic transients, 3153; radiol. in aq. soln., mechm. of free rad. reacns., 1475

Daunorubicin, synth. of amino sugars, 3144

Daunosamine triacetate, synth., 3144

2-Deacetylchelocardin, struct., 1434

Dehydrohalogenation, at Ti surfaces of alkyl halides, kinetics and mechm., 2619

Δ⁴-Dehydrojuvabione, isoln. from *Abies balsamea*, confign., 1579

Delignification of wood, effect on rate and mechm. of prior removal of hemicellulose by alk. treatment, 952

Delphinine, synth. approaches to struct. types, 2140

Denitrogenation, quinoline under petroleum hydro-treating conditions, kinetics, 2575

Density, alkali metal sulfates and carbonates in H₂O at 25 °C, 1134; binary mixts. of EtCOOH with org. bases, 1258

3-Deoxy-6-O-β-D-glucopyranosyl-D-ribo-hexose, synth. of derivs., 2178

2-Deoxy-5-O-β-D-glucopyranosyl-D-erythro-pentose, synth. and base catd. decompn., 2178

3-Deoxyglycals, synth., 2005

Deoxyhexulothiopyranosidononitriles, synth., 1362

Deuterium, exch. with EtOH ¹homog. catd. by Ru(Ph₃P)₃Cl₂, kinetics, 1402; tracer study of homoenolizn. of fenchone, 212

Deuterium exchange, geom. of enolate anion by SCF-MO calcns., 3365

Deuterium isotope effects, in formn. of hydrogen polyoxides in dischd. H₂O and H₂O₂, in subsequent decompn. of hydrogen polyoxides, 2490

N,N'-Diacetyl-1,4-diazocine, conformnl. anal. by nmr, 3768

2,2-Dialkoxy-3-chloro-3,4-dihydro-1,2-pyrans, synth., 195

5,5-Dialkoypenta-2,4-dien-1-als, synth., 195

Dialkylthiocarbamato complexes, of As, Sb, and Bi, prepn., spect. props., struct., 1530

Dialysis, in purifcn. of porphyrins, 1554

Diazepines, redn. of 1-acyl-1,2(1*H*)-derivs. and iron tricarbonyl complexes, 519

Diazetidine esters, bicyc., isomerizn. to *N*-amino-2-pyridones, 1973

Diazomethane, cat. for transesterifcn. of oxalic acid esters with alcohols, 2530

Dibenzo-1,5-cyclooctadiene, conformnl. anal. by nmr, 3768

Dibenzo[*a,e*]fluoranthene, oxidn. by OsO₄, struct. of prod., 1670

6*H*-Dibenzo[*b,d*]pyrans, synth., nmr, 343

Dibenzo[*b,f*]oxepins, synth., 125

1,1-Di-*t*-butyl-2-pentafluorosulfuryl ethyl radical, kinetics of decompr., 2361

1,2-Dichlorohexafluorocyclopentene, reacn. with phenol, *p*-nitrothiophenol, 2302

α -Dichloro- α -sulfonyl sulfonyl chlorides, synth., 2664

Dichlorotris(triphenylphosphine)ruthenium(II), homog. cat. for exch. D_2 + EtOH, kinetics, 1402

Dielectric absorption, dioxane hydrate, 2215

Dielectric constant, derivn. for models of porous adsorbent-adsorbate systems, 2252

Diels-Alder adducts of azodicarbonyl compounds, effect of substituents and solvent on therm. isomerizn., 535

Diels-Alder reaction, with 3,4-dihydroxanthene, 2045; 2,5-dimethylfuran with Et propiolate, 1496; intramolec., synth. of bridged xanthenes, 2054; orientn. reversal with alkyl quinones and subst. 1,3-butadienes on Lewis acid dat., 619; synth. of deoxyhexulotriopyranosidonitriles, 1362; use in synth. of stereochem. correct intermed. for synth. of quassin, 616; with Me nitroacrylate, 131; synth. of subst. benzopolycyclic hydrocarbons, 256

1,3-Dienes, in cat. Diels-Alder reacns., 619

Diethylenetriamine, complex with Pt(II), cryst. struct. of $[\text{Pt}(\text{C}_4\text{H}_{13}\text{N}_3)\text{Br}]^+\text{Br}^-$, 1139

Diethyl ether, vp of mixts. with $(\text{C}_2\text{H}_5)_3\text{N}$ at 298.15 K, thermo. fns. for mixing and for formn. of complexes, 3299

Diethylhexamethylcyclotetraphosphazene dihydrochloride, cryst. and molec. struct., 2413

Diethyl phosphonate anion, ambident character, 474

Diffusion flames, theor. of data treatment, reacns. Na + MeX (X = Cl, Br, I) and + EtBr, kinetics, 1726

Diglycyl-L-histidine, exch. with Cu(II)-L-histidine complex, kinetics and mechms., 710

3,4-Dihydro-2H-1,5-benzodioxepins, 3-subst. aminomethyl derivs., synth., 2279

2,3-Dihydro-1,2(1*H*)-diazepines, reacns., Diels-Alder add., photol., 519

Dihydrofuran, from acid catd. rearr. of α -cyclopropyl ketones, 1708

1,2-Dihydrofurans, synth. by addn. of functionalized 1,3-dipoles with reactive olefins, 3782

3,14-Dihydroisomorphinans, synth., 2515

Dihydropyridine, 1-lithio-2-phenyl-, reacns., 2305

Dihydrothiophenes, synth. of thiophenes by dehydrogen., 209

3,4-Dihydroxanthene, synth. and Diels-Alder reacn., 2045

3,4-Dihydro-1(2*H*)-xanthenones, synth., 2045

3,14-Dihydroxymorphinans, synth., narcotic antagonists and non-addicting analgesics, 3094

1,4-Diketone, cyclzn. and synth. in prepn. of hydrindanones, 1504

β -Diketones, bicyc., selectively protected bicyc. for synth. of noradamantanes, 2671

Dilatometer, detn. of excess vols. of liq. mixts., 2262

Dimedone (5,5-dimethylcyclohexane-1,3-dione), cryst. struct., H bonding, 1046

2,2-Dimethoxypyrans, synth., 201

3,4-Dimethylacetophenone, aromatizn. of add. with CH_3CONO_3 , mechms., 1570

3,4-Dimethylbenzophenone, aromatizn. of add. with CH_3CONO_3 , mechms., 1570

Dimethylcarbamic acid, prepn. and spect. props. of trimethylgermyl and trimethylplumbyl esters, 3727

Dimethyl carbonate, ir of solid and liq. and Raman of liq., conformns. in liq., 1378

5,5-Dimethylcyclohexane-1,3-dione (dimedone), cryst. struct., H bonding, 1046

6,6-Dimethyl-6H-dibenzo[b,d]pyran, AlCl_3 catd. rearr. to 4-hydroxy-9,9-dimethyl-fluorene, 350

N,N-Dimethyllethanolaminogallane, cryst. struct. of dimer, 58

N,N-Dimethyllethanolaminogallium dimethyl, cryst. struct. of dimer, 58

Dimethyl ether, therm. decompr., kinetics and mechm., 2742

N,N-Dimethylformamide, protonation equil., detn. from uv and vibrnl. spect., 442

1,1-Dimethyl-1-germa (and 1-sila) -6,7-cycloundecanediol, cryst. and molec. struct., 3596

Dimethyl indium(III), complexes with subst. pyrroles, prepn. and spect. props., 3492

Dimethyl-2-norbornyl cations, rearr. mechms., 1891

(\pm) 7,7-(2',2'-Dimethyl)pentamethylene-1-methylnorbornane-2-oxime, cryst. struct., 765

2,6-Dimethylphenols, *p*-substid., detn. of and substit. effect on $\Delta H_{\text{dimerizn}}$ from nmr, 1129

N,N-Dimethyl-*N'*-phenylformamidine, H-bonded complexes with alcohol and phenols, detn. stability consts. from ir, 604

3,5-Dimethylpyrazolylgallium dimethyl dimer, cryst. and molec. struct., 2944

Dimethyl sulfoxide, app. molal vols. and heat capacities in H_2O , 3263; app. molal vols. and heat capacities of electrolytes in mixed aq. solvents, 3263; cryst. and molec. struct. of *cis*- $[\text{PtCl}_2(\text{DMSO})_2]$, 2371; solvent for alk. halides, calcn. of thermochem. for ion pairs from electrostat. models, 1007; thermo. quantities of mixts. with H_2O , 455

Dimethylthallium ion, orientn. in nematic phases from ^1H nmr, 161

Dimethylthiocarbamic acid, prepn. and spect. props. of trimethylgermyl and trimethylplumbyl esters, 3727

2-(2',6'-Dinitrophenoxo)-*t*-butylbenzene, cryst. and molec. struct., 2093

Di-(4-nitrophenyl)methane, proton transfer to *t*-BuO, primary isotope effects, 1176

Dinucleotide, conformn. by ^1H nmr of d(TpTp), 2781

Diols, resoln. of disym. via Ni(II) and Cu(II) complexes of dianions, 817

Dioxane, hydrate, dielec. absorptn., nmr and cryst. struct., 2215

ρ -Dioxane, vol. and heat capacity in H_2O , 2591

1,2-Dioxetanes, prepn. and thermol. kinetics, 1103

1,3-Dioxole, and bis-1,3-dioxolyl, nmr and coupling consts., 2734

1,3-Diphenylisobenzofuran, photooxidn. and autoxidn. in soln., complicns. in its use as diagnostic agent for presence of $\text{O}_2(^1\Delta_g)$, 2199

2,2-Diphenyl-1-picrylhydrazyl (DPPH), H abstractn. from 2,4,6-tri-*t*-butylbenzenethiol, kinetics and mechm., esr of intermeds., 1123

Diphenyls, bridged, conformns. from cryst. struct. anal., 2084, 2093, 2102, 2108, 2115, 2121, 2127

Diphenylthiocarbazone (dithizone), supported on polyurethane foam, complexing with Hg(II) ions and MeHgCl as anal. reacn., 1373

1,3-Dipolar addition of sydrones, pyrazole synth., 913

1,3-Dipole, functionalized, reacn. with olefins, 3782

Dipole moment, alkyl duryl ketones, 2024; $\Delta^{\text{a}}(14)$, cholestenyl esters, possible correln. with structs. and mp, 578; complexes of $\text{R}_2\text{Sn}(\text{NCS})_2$, 3200; glycidol (and -OD deriv.) from microwave spect., 2247

Disaccharides, methylated acidic, synth., 2182; synth. of gentiobiose and 2-acetamido-6-O-(2-acetamido-2-deoxy- β -D-galactopyranosyl)-2-deoxy-D-galactose, 1970

Disulfides, org., flash photol. in aq. soln., formn. and lifetimes of free rad. and ionic transients, 3153

Disulfuric acid, ionizn. const. in sulfolane, 2989

Diterpene alkaloids, synth. approaches to delphinine type, 2140

Diterpenes, 12-hydroxylabenes, synth., 12-hydroxyl confign., 2869; synth. of trachylobane, 143

Diterpenoids, isoln. from *Sideritis*, correln. of jativatriol and sideritol, 1172; microb. transformns., struct. of calliternone, 1181; ring C functionalized, cleavage of cyclopropane ring with $\text{Tl}(\text{OAc})_3$, 20

Dithiocyanato(triphenylarsine)mercury(II), cryst. and molec. struct., 3383

Dithiols, synth. from *p*-dibenzylidene chlorides, use of NaBH_2S_3 , 1480

Dithizone, supported on polyurethane foam, complexing with Hg(II) ions MeHgCl as anal. reacn., 1373

Ditri fluoromethyl peroxide, pyrol. in gas phase in presence $(\text{SO}_3\text{F})_2$ as rad. scavenger, kinetics and mechm., detn. $\text{D}(\text{CF}_3\text{O}-\text{OCCF}_3)$, 1442

2,3-Divinyloxirane, thermol. productn. vinyldehydrofuran, dihydroxepine, isotope effects, kinetics and mechm., 1367

DNA, conformns. in complexes with polypeptides from circ. dichroism, 542; cross-linking of by bifuncnl. agents, bisaziridinoquinones, 2891

Dodeca(dimethylamino)cyclohexaphosphazene, complexes with transn. metal ions, prepn., spect. props., and struct., 1765

Duryl ketones, conformns. from dipole moments, 2024

Electrical conductivity, pure and M^{2+} -doped K_2SO_4 crystals, anomalies at phase transn. temp., 1542

Electrochemical synthesis, CF_3 -substd. aliphatic esters, 529

Electrochemistry, AgCl in molten salts, detn. of thermo. props., 1084; conductance of aq. solns. of alkali metal salts of carboxymethylcellulose, comparison of concn. dependence with theory, 792; conductance of conc. aq. solns. of InCl_3 , 1761; conductance of MeOH solns. of ethereal complexes of polyethylene glycols with monovalent cations, detn. assocn. consts. of complexes, 2240; Pb/Pb^{2+} in aq. HCl and NaCl using rotating ring-disc electrodes, 407; Pb/PbCl_2 electrode in aq. HCl and NaCl , 389; redn. of *N*-haloamides, mechm., use in synth., 3060; substd. ruthenium ammines, 2922

Electrocyclization, of a 2-azapentadienyl anion, 355

Electrode kinetics, Pb/PbCl_2 electrode in aq. HCl and NaCl , 389

Electrodeposition, PbO_2 on graphite, cetyltrimethylammonium bromide as additive during process, 3327

Electroluminescence, phenanthrene- d_{10} and - h_{10} , mechm., 76

Electrolytes, solns. of mixed, thermo. basis for empirical rules to detn. activity coeffs., 1410

Electrolyte solutions, app. molal vol. and heat capacity of Bu_4NBr in, 3206

Electron(s), mobilities and ranges in liq. ethers, 1263; penetration ranges in liq. CO_2 , COS and CS_2 , effect of temp., 2822; ranges and mobilities in liq. hydrocarbons, cyc. and polycyc., 2714; solvat., and alkali metal species in CH_3NH_2 soln. during pulse radiol., 3571

Electron capture, during γ -radiol. of HBr in gas phase mixts. with C_2F_6 , CO_2 , or Xe , 3305

Electron diffraction, $(\text{CH}_3)_4\text{Ge}$ in vap., struct., 3542

Electronic spectrum (see also Uv spectrum), chloroantimonate(III) complexes in soln., 888; chromium amine complexes, 3388; $\text{Co}(\text{II})$ and $\text{Cu}(\text{II})$ salts of $\text{CH}_3\text{SO}_3\text{H}$, $\text{CF}_3\text{SO}_3\text{H}$ and $p\text{-CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{H}$, 3812; complexes of 2-mercaptopbenzothiazole with transn. metal ions, 1165; complexes of phosphazenes with transn. metal ions, 1765; *o*-mercaptophenol and 1,2-dihydroxybenzene complexes of Ti , Zr , Hf , Nb , and Ta , 572; *N*(*p*-substd.)benzyl-2'-hydroxy-4-stilbazolium betaines, correln. with Hammett fns., 2162; $\text{Ti}(\text{III})$ complexes in aq. soln., struct., 1630; T-T absorpn. in 1,3,6,8-tetraphenylpyrene, 3269

Electron paramagnetic resonance (see Esr)

Electron scavengers, effect on the radiol. of benzyl alcohol from esr, 3128

Electron spectrum, ESCA of halogeno(methyl)-silane and -germane, electron binding energies, 3602; X-ray, halogeno(methyl)-silane and -germane, electron binding energies, 3602

Elimination, carbonyl from 9-fluorenyl nitrate catd. by amines, isotope effects, kinetics and mechm., 263

Elimination reactions, mechm. for 2-phenylethylidimethyl-anilinium salts from kinetic isotope effects, 3513

Enol acetate epoxides, isomerizn., redn., 738

Enolate anion, confign. by SCF-MO calcn., 3365

Enolization, of ketones catd. by model of enzyme, kinetics and mechm., 2150; Me acetylphosphonate catd. by Mg^+ , 2354

Entropy, prodn. in chem. reacns., statistical calcn., 1756

Enzyme kinetics, math. anal. of special mechm., 644; math. formuln., 564; transn. state kinetics of peroxidase reacns. with *p*-aminobenzoic acid, 1563

Enzymes, model system for cat. of ketone enolizn., kinetics and mechm., 2150

Episelenurane, reassign. of struct., 1922

γ, δ -Epoxiamides, base-catd. cyclzn., 2515

Epoxidation, Me_2Si^+ 2,3-dideoxy-DL-pentopyranosides, stereoselectivity, 2524

Epoxides, LiMe_2Cu cleavage, 2017

Epoxides of enol acetate, isomerizn., redn., 738

Epoxy bromides, reacn. with benzimidazoles, 894

Epoxy ketones, acid catd. rearr., 1708

Equilibrium constants, for formn. of carbonyl hydrates, hemiacetals, and acetals, correln. with Hammett parameters, 898

Esr, $\text{Cd}(\text{NH}_3)_2\text{SO}_4$ crystals, implicns. for cryst. struct., 1449; complex ammonium vanadyl compd. formed in therm. decompn. of NH_4VO_3 , 2917; 1,1-di-*t*-butyl-2-pentafluorosulfonylethyl free rad., 2361; intermeds. in

electron irrad. benzyl alcohol solns. of *t*-BuNO, 3128; intermeds. in reacn. of DPPH with 2,4,6-tri-*t*-butylbenzenethiol, 1123; single cryst., low spin Co(II) and Cu(II) Schiff base complexes, 3791; $S_3N_2^+$ -AsF₆⁻, 3147; theory for low spin Co(II) complexes, 2498; Ti(III) complexes in aq. soln., struct., 1630; Ti(H₂O)₆³⁺ in frozen aq. solns., struct., 1593

Esterase inhibition, by amino acid derivs. of activity of carboxypeptidase A, 1993; by benzoate and related anions of activity of carboxypeptidase A, 1984

Ethane, ion-molec. reacns. in presence of excess CH₄ in mass spect., kinetics and energetics, proton affinity, 2268; reacn. with OH rads., kinetics, 3374

Ethanol, effect on liq. N₂O radiol., 1521

Ethanolamine derivatives of biological interest, synth., 2598

2,4a-Ethano-2,3,4a-tetrahydroxanthenes, synth., 2045

Ethers, electron mobilities and ranges in liq., radiol. free ion yields, 1263

Ethyl acetate, effect of press. on activn. parameters for alk. hydrol. in acetone-H₂O soln., 3414

Ethylbenzene, excess vols. of mixts. with C₆H₆, CH₃C₆H₅, and isomeric xylenes, 2262

Ethylene, mechm. of formn. of 1-C₆H₁₂ in photol. at 185 nm, 1245; photol. as source of Et rads. at low temp. for detn. $k_{\text{disp}}/k_{\text{comb}}$, 1237

Ethylenediaminetetraacetic acid, and homologs, stability of complexes with Cd(II), Zn(II), and Hg(II) from nmr, 787; therm. decompn. and hydrol. of aq. solns. above 200 °C, 3471

Ethylene glycol diacetate, conformns. by semi-empirical MO calcn., 3557

Ethylene glycol di-*p*-chlorobenzoate, cryst. and molec. struct., 3551

Ethylene oxide, struct. of clathrate hydrate from ir and X-ray powder data, 71

E-24-Ethylidene-5 α -lanost-8-en-3 β -yl acetate, synth. and isoln. from *Mucor rouxii*, 3247

3-Ethyl-2-propylthietane, photol. in vap. and liq. phases and in matrix, mechm., probable formn. of 1,4-birads., 1744

Ethyl radical, detn. of $k_{\text{disp}}/k_{\text{comb}}$ at low temp. in gas phase, demonstr. of absence of activn. energy difference, 1237

Ethynylation, 20-oxopregnane steroids, 2971

Ethyne carbinols, prepns. from reacn. of α,β -unsatd. aldehydes and ketones with Mg-C₂H₂ complex, 2157

Evans holes, in vibrnl. spect. of H₂O in inorg. cryst. hydrates, identificn. as effect of Fermi resonance, 3837

Excess volumes, mixts. EtC₆H₅ with C₆H₆, CH₃C₆H₅, and isomeric xylenes, 2262

Exchange, base-catd. H/D in norcamphor, mechm., 1099; at bridgehead position of 3,3,6,6-tetramethyl bicyclo-[2.2.1]heptan-2,5-dione, mechm., 2211; H₂, O₂ with H₂O on Pt surface, mechm., 298; ligand-solvent in Ni(II) complexes, kinetics, from nmr line broadening, 702

Exchange reactions, *ab initio* calcn. of various mechms. for H₂ + D₂ exch., possibility of a 6-centre mechm., 549

Factor analysis, applicn. to band shape anal. in ir of CCl₃COOH in CCl₄ for detn. monomer-dimer equil., 1251

Fenchone, homoenolizn., mechm., 212

Ferric phosphate, cryst. struct., 2064

Ferrite spinels, hydrotherm. formn., 12

2-Ferrocenylethyl systems, and -1,1-*d*₂ derivs., solvol. mechm., mass spect. fragmentn. mechm., 232

Field desorption mass spectrometry, condensn. polymerizn. of hydroxycarboxylic acids during, formn. of polyesters, effect on mass spect., 3500

Filaments, flexible, motional behavior in viscous shear flow, 2689

Fission, U by H⁺ in solid, oxidn. states of I-containing prods., 3801; yields of I and Te isotopes in fission of ²³⁸U by ¹H of energies 30-85 MeV, 3116

Flavin linked oxidases, interactions with *N*-propargyl- and *N*-allylglycine, 3141

9-Fluorens, 9-aryl-, substit. effects on ionizn. equil., Hammett correlns., 1635

9-Fluorenyl nitrate, carbonyl elimn. catd. by amines, isotope effects, kinetics and mechm., 263

Fluorinated paracyclophanes, synth. and uv spect., 1491

Fluorination, of nucleotides, 1302

Fluorine atom, combin. with NO, third body efficiencies for Ar, He, Ne, N₂, NO, CO₂, CF₄, SF₆, and C₂F₆, 3188

Fluorobenzenes, complexes with Cr(CO)₃, bonding props. from ¹⁹F nmr, 1525

Fluorosilicate amines, therm. anal. and ir, 2426

Fluorosilicate hydrates, therm. anal., 2426

Fluorosulfate free radical, as scavenger for CF₃O rads. in gas phase pyrol. of (CF₃O)₂, 1442

Fluorosulfuric acid, protonation of 5-acyl-1,2,3,4,5-pentamethylcyclopentadienes, detn. of site of protonation from nmr, 3425

Fluorotoluenes, chem. ionizn. spect. after reacn. with CH₃⁺ and H₃⁺, 1314

5-Fluorouracil nucleotides, synth., 1302

Force constants, stretching, use with Morse potl. and SCF wavefn. in calcn. of bond dissocn. energies of hydrides of 2nd and 3rd periods, 3599

Force fields, in polyat. molec., criteria for uniqueness, 437

Formaldehyde, and CH₂OH⁺, SCF-MO calcn., conformns. and charge distribns., rotnl. and inversn. barriers, electron donating props. of O, 1144

3-Formylpentane-2,4-dionatobis(ethylenediamine)cobalt-(III), prepns., characterizn. by ir, uv, and nmr, kinetics and mechm. of reacn. with Cr(OH)₆²⁺, 1154

Formyl-1-phenylnaphthalenes, synth., 805

m- and *p*-Formylphenyl-4-phenyl-1,3-butadienes, synth., 805

Formyl-substituted phenanthrenes, synth., 805

Free radical, SF₅, prepns., reacn. with olefins, 2361

Fries rearrangement, photo-, benzalide and other aromatic amides, prods. and mechm., 2337

Fulvic acid, Fe³⁺ binding and kinetics, 2979

Furan, 2,5-dimethyl-, reacn. with Et propiolate, 1496

Furanosides, ¹³C nmr, 1424

2-Furylidene-10-methyl-*trans*-1-decalone, alk. deg. radn., prod. struct., 3359

Fused salts (see Molten salts)

D-Galactose, benzyl and *p*-nitrobenzoyl derivs., synth., 670

Gallium, cryst. and molec. struct. of dimers of pyrazolyl-,

3-methylpyrazolyl- and indazolylgallium dimethyl, 2930; cryst. and molec. struct. of 3,5-dimethylpyrazolyl-gallium dimethyl dimer and of $\text{Me}_2\text{Ga}(\text{OH})(\text{N}_2\text{C}_5\text{H}_7)\text{-GaMe}_2 \cdot 2\text{N}_2\text{C}_3\text{H}_8$, 2944; $(\text{GaH})_6(\text{GaH}_2)_2(\mu_3\text{-O})_2(\mu_3\text{-NCH}_2\text{CH}_2\text{NMe}_2)_4(\mu\text{-NHCH}_2\text{CH}_2\text{NMe}_2)_2$, cryst. and molec. struct., 753

Gentiobiose, synth., 1970

Germane, halogeno(methyl)-, ESCA and electron binding energies, 3602; tetramethyl-, electron diffract. of vap., struct., 3542

Germanium, bonded to Mo, $(\eta\text{-C}_7\text{H}_7)\text{Mo}(\text{CO})_2\text{GeR}_3$ ($\text{R} = \text{Cl, F, Ph}$), prepn., phys. and spect. props., 975; cryst. struct. of 1,1-dimethyl-1-germa-6,7-cycloundecanediol, 3596; prepn. of η -arene complexes from $\text{Ru}(\text{CO})_4(\text{GeCl}_3)_2$, 2985; prepn. and spect. props. of organogeranium compds., 3727

Germanium(IV), stereochem. and ligand rearr. kinetics from nmr, 448

Germyl-pentacarbonyl metalates, of Cr, Mo, and W, prepn. and reacns., 467

Glaucine, synth. by aryne formn. from 2-bromolaudanosine, 3660

6-O- β -D-Glucopyranosyl-3-O-mesyl-D-glucose, synth. of derivs., 2178

D-Glucose-4-d, synth., 1424

Glycals, reductive rearr. to vinyl ethers, 2005

Glycerol, mixts. with H_2O , app. V_m and C_p of R_4NBr , RMe_3NBr , and MX in, 3452

Glycidol, and -OD deriv., microwave spect., struct., conformn. consts., dipole moment, 2247

Glycine, halogenation, 913

Glycines, N-propargyl- and N-allyl-, interactions with flavin linked oxidases, 3141

Glycocyamidinium ions, H^+ exch. kinetics and mechm. from nmr, 2906

Glycosylation, stereospecific, metal ion-assisted, mechm., 670

N-Haloamides, electroredn., mechm., use in synth., 3060

Halogenated naphthalenes, photoreacns. in soln., 688

Halogenocadmate(II) anions, Raman spect. and struct. in solid state, 3487

Halomethanes, reacn. with H atoms, formn. of chemiluminesc. states of C_2 , mechm., 2419

Hammett correlations, electronic spect. and acidity of N -(ρ -substd.)benzyl-2'-hydroxy-4-stilbazolium betaines, 2162

Hammett relationships, among equil. consts. for formn. of carbonyl hydrates, hemiacetals, and acetals, 898; sepn. of enthalpic and entropic contribns. to substit. effects on ionizn. consts. of aromatic acids, 3622; substit. effects on ionizn. equil. of 9-aryl-9-fluorens and 10-aryl-10-hydroxyanthracen-9-ones, 1635

Heat capacity, alkali metal sulfates and carbonates in H_2O at 25 °C, 1134; app. molal, acetamide, acetone, and DMSO in H_2O , 3263; app. molal, of Bu_4NBr in electrolyte solns., 3206; app. molal, cyc. ethers and amines in H_2O , 2591; app. molal, electrolytes in acetone- H_2O and DMSO- H_2O , 3263; app. molal, electrolytes in cyc. ether - H_2O and amine- H_2O mixts., 2591; app. molal, R_4NBr , RMe_3NBr , and MX in glycerol + H_2O mixts., 3452

Heat capacity of activation, in hydrol. of MeClO_4 , 3106

Heavy water (see Deuterated water)

α -Helix, conformn. in terms of virtual bonds, 3563

Hexamethylphosphoric triamide (HMPT), solvent for reacn. of HCl with alcohols, 3620

Hematoporphyrin IX, interacn. with Cu(II), kinetics and mechm., 2375

Hemicellulose, effect of prior removal by alk. treatment on rate and mechm. of delignificn. of wood, 952

Hexafluoro-2-butyne, prepn. of complexes with Ni(II) hydrido compds., 3462

Hexafluorocyclopentene, 1,2-dichloro-, reacn. with phenol and p -nitrophenol, 2302

Hexafluorophosphates of alkali metals, conduct. in CH_3CN , ion assocn., 3448

1,2,3,4,5,6-Hexahydro-2,3-benzazocin-5-ones, synth. as possible intermeds. in the biosynth. of the mitosanes, 960

Hexahydro-3,3,7,7-tetramethyl-1,2-oxazepine-5-one, conformn. and inversion barriers from ^1H nmr, 414

Hexamethylcyclotriphosphazene, prepn., 3038

Hexamethylene hexahydrate, and isotopic modifcns., X-ray powder anal., ir, molec. struct., 2624

Hexamethylenetetramine hexahydrate, and isotopic modifcns., far ir at 95 K, lattice vibrns., reln. to ice V and VI, 2642

1-Hexene, mechm. of formn. in photol. of C_2H_4 at 185 nm, 1245

Hexopyranosiduronates, 4-O-substd., β -eliminations of, 2182

Hexoses, base catd. decompn. of 3,6-di-O-substd. derivs., 2171

Hexuronic acid residues in polysaccharides, 4-O-substd., β -elimination, 2189

Hindered rotation, in 3-aryl-2-benzyl-4(3H)-quinazolinones by ^1H nmr, 3431

L-Histidine, as ligand with Cu(II), kinetics and mechm. of exch. with human serum albumin, 710

Holmium, cryst. struct. of $(\text{NO})_2[\text{Ho}(\text{NO}_3)_5]$, 831

Homo Diels-Alder reactions, 2,5-dimethylfuran with Et propiolate, 1496

Homoenolization, bridgehead exch. in 3,3,6,6-tetra-methyl bicyclo[2.2.1]heptan-2,5-dione, mechm., 2211; mechm. for fenchone from ^{13}C and ^2H nmr, 212

Horseradish peroxidase, activn. energy for compd. I formn., 1928; reacns. with p -aminobenzoic acid, kinetics, D/H isotope effects, 1563

Hydantoins, 1- and 3-aryl-, ^1H and ^{13}C nmr of solns. in achiral and chiral solvents, 1556

Hydrates, cryst., $\text{M}_2\text{CuCl}_4 \cdot 2\text{H}_2\text{O}$ ($\text{M} = \text{K, Rb, Cs, NH}_4$), vibrnl. spect., detectn. of Fermi resonance in vibrnl. levels of H_2O , 3837

Hydration, of Mg(II) and Zn(II) cations in aq. soln., equil. and energies from Raman spect., 3806; of org. acids in sulfolane by vp and calorimetry, 2683; trivalent lanthanide and actinide ions, semi-empirical calcn. of ΔG_{hyd} and ΔH_{hyd} , 2695

Hydrazine, and $\text{N}_2\text{H}_4\text{-HCl}$, reacns. with methyl p -nitrophenyl sulfate, effect of pH on prod., mechm., and kinetics, 1275; 2,3,5,6-tetrafluorophenyl-, cyclzn. of some derivs., 2534

Hydrazinium hydrogen oxalate, and deuterated deriv., vibrnl. spect. and anal. of solid, cryst. struct. and phase transn., 1387

2-Hydrazinobenzothiazoles, and naphthothiazoles, mass spect., fragmentn. mechms., 3677

Hydrazonyl halides, reacn. with thiourea and thiosemicarbazide derivs., 3211

Hydrazonyl halides, synth., 1333

Hydridochlorotris(triphenylphosphine)ruthenium(II), homog. cat. for H_2 -D₂ exch., 106

Hydridotricyclohexylphosphine platinum(II) complexes, prepn., props., and ligand exch. reacns., 3466

Hydridanes, synth. of substd., 1504

Hydrocarbons, cyc. and polycyc., electron ranges and mobilities in liq., 2714; gaseous, recomb. of ion pairs in radiol., 3075

Hydrodenitrogenation, quinoline under petroleum hydro-treating conditions, kinetics, 2575

Hydrodesulfurization, MoS₂ as cat. for, effects of prepn. procedures on selectivity and activity, 3567; thiophene by Co-promoted MoS₂, effect of Co content, 2542

Hydrogen, *ab initio* calcn. of various mechms. for exch. with D₂, possibility of a 6-center mechm., 549; adsorpn. on Pt, mechm., 298; HDO exch. over promoted Ni, 3257; reacn. with OH rads., kinetics, 3374; reacn. with O²P, kinetics, 3531

Hydrogen abstraction, by Br from various positions in *n*-C₄H₉Cl, polar effect on rate consts., 2202

Hydrogenation, cat. with Urushibara nickel A to yield axial alcohols, 1700

Hydrogen atom, addn. to O₂, theory of transn. state, effect of vibrnl. anharmonicity, 3069; interstitial adsorpn. in Pd wire, reacn. with Pd, 694; reacn. with halomethanes, formn. of chemiluminesc. states of C₂, mechm., 2419

Hydrogen bond(s), alcohol and phenols with *N,N*-dimethyl-*N'*-phenylformamidine, detn. stability consts. from ir, 604; ammonium ion in various crysts., implicn. for bonding, 3394; in crysts. of dimedone from cryst. struct. anal., 1046; in fluorophenol derivs. from ¹H nmr, 986; in glycidol from microwave spect., 2247; in hexamethylenetetramine hexahydrate and isotopic modifcns. from X-ray powder and ir, 2624; intramolec., in isothiosemicarbazones from ir, 610; in K₂FeCl₅·H₂O from ir, 51

Hydrogenation, aril monoazines, prods. and mechm., 748; homog., of unsatd. carboxylic acids catd. by Rh(I) complexes, kinetics and mechm., 797

Hydrogen bromide, γ -radiol. of gas phase mixts. with C₂F₆, CO₂, or Xe, 3305

Hydrogen chloride, reacn. with alcohols in HMPT, 3620

Hydrogen peroxide, mechm. of formn. in dischd. H₂O vap., reacns. in vap. elec. disch. with formn. H₂O₃ and H₂O₄, D-isotope effects, 2490

Hydrogen polyoxides, mechm. of formn. in dischd. H₂O and H₂O₂ vaps., spect., mechm. of decompn. in condensates, D-isotope effects, 2490

Hydrolysis, acid (H₂SO₄) catd. of acylals, kinetics and mechm., 2763; acid (H₂SO₄) catd. of thioacylals, kinetics and mechm., 2772; base catd. of Rh(III) complexes, kinetics, 1842; benzoic, phthalic, and succinic anhydrides and CF₃COOMe in H₂O and D₂O, kinetics and mechm., 869; CH₃CN catd. by Hg(II), kinetics and mechm., 427; Cr(H₂O)₅I²⁺, effect of press. on kinetics, mechm., 3697; esters catd. by carboxypeptidase A, kinetics and mechm., 283; EtOAc by alk. in acetone-H₂O soln., effect of press. on activn. parameters, 3414; imidate salts, descripn. of mechm. in terms of stereoelectronic control, 2791; imidate salts, stereoelectronic control in mechm., pH dependence, 3029; MeClO₄, kinetics and mechm., 3106; 4-methoxybenzyl trifluoroacetate, kinetics and mechm., 1051; nitrilotrimethylenephosphonic acid at 260 °C, 3471; orthoesters, stereoelectronic control, 1682; substd. chymotrypsins, kinetics and mechm., 513

Hydrocarbons, app. part. molal vols. and heat capacities for some *c*-alkanes in H₂O, 716

Hydrothermal reactions, formn. of ferrite spinels, 12

1-Hydroxyanthracen-9-ones, 10-aryl-, substit. effects on ionizn. equil., Hammett correlns., 1635

2'-Hydroxybiphenyl-2-carboxylic acid lactones, BF₃-NaBH₄ redn. to 6*H*-dibenzo[*b,d*]pyrans, oxonium ion involvement in BF₃-NaBH₄ redn., 343

Hydroxy-6*H*-dibenzo[*b,d*]pyrans, BF₃ catd. acetyl, 350

2-Hydroxy-1,2-dihydrophosphiranes, synth. from phospholes, 855

6-Hydroxyfulvenes, synth. from 7-oxanorbornadienes, 138

Hydroxylase, mechm. of action on steroid C-21, 845

Hydroxylation, mechm. of microbial attack at steroid C-21, 845; Me 2,3-dideoxy-DL-pentopyranosides, stereoselectivity, 2524; by *Rhizopus arrhizus* of a Δ^4 -3-ketosteroid analogue, mechm., 2041

Hydroxyl group, H abstrn. from by rads., 2275; proteinc. as *t*-butyldiphenylsilyl ethers, 2975

Hydroxyl radicals, reacns. with H₂, CH₄, C₂H₆, and C₃H₈, kinetics, 3374

1-Hydroxymethyl-4-*t*-butyl-2,2-dimethylcyclohexane, synth., 2033

10-Hydroxy-2-methyl-1,11-propano-9*H*-indeno-1,2,10,11-tetrahydro[2,1-*c*]pyridine, cryst. and molec. struct. of HBr salt, 3276

1-Hydroxymethyl-3,3,5-trimethylcyclohexane, synth., 2033

3-Hydroxypropanoic acid, field desorpn. mass spectrometry, formn. polyesters during, effect on mass spect., 3500

Hydroxypyridine, mass spect., evidence for enolic tautomers in gas phase, 490

Ice, phases of ice V and VI with hexamethylene hexahydrate from far ir, 2642

Imidate salts, hydrol. mechm., stereoelectronic control, pH dependence, 3029; mechm. of hydrol., descripn. in terms of stereoelectronic control, 2791

Indazolylgallium dimethyl dimer, cryst. and molec. struct., 2930

Indium(III), trichloro complexes with substd. pyrroles, prepn. and spect. props., 3492

Indium trichloride, syst. with pyridine and H₂O, phase diagram, ΔH_f (InCl₃·3C₅H₅N), 2995; thermo., phys., and electrochem. props. of conc. aq. solns., 1761

Inhibition, esterase activity of carboxypeptidase A by amino acid derivs., 1993; esterase activity of carboxypeptidase A by benzoate and related anions, 1984

Insertion, CO₂, COS, CS₂, and SO₂ into Li salts of *S*-heterocycloalkanes to form Li salts of corresponding acids, 3720

Interface, adsorpn. of polar org. molec. at oil/H₂O and air/H₂O interfaces, 916

Iodine, oxidn. states of species containing I formed in

fission of U by H^+ in solid, 3801; prepn. methyl-iodine(III) fluoride from MeI and XeF_2 , 3044

Iodomethane, photol. in Ar at 10 K, possible formn. HOI, 269

Ionic association, of MBF_4^- and MPF_6^- (M = alkali metal) in CH_3CN from conduct., 3448

Ionization, 9-aryl-9-fluorens and 10-aryl-10-hydroxy-anthracen-9-ones, substit. effects on equil., Hammett correlns., 1635; picric acid in $EtOH$ + sulfolane and $t\text{-BuOH}$ + sulfolane mixts., 1651

Ionization constants, HSO_3Cl and $H_2S_2O_7$ in sulfolane, 2989

Ionization cross sections, correlns. of those from photoionizn. (~ 20 eV) with those from electron impact (~ 70 eV) for several homol. series, 1616

Ionization potential, MO calcn. for SH_n molec. and ions, 3747

Ion-molecule reactions, CH_3^+ + C_2H_6 , $C_2H_5^+$ + CH_4 , and $C_2H_5^+$ + CH_4 in mass spect. ion chamber, decompn. of $C_2H_7^+$, 2268; $C_2H_5^+$ + CH_4 $\rightarrow C_3H_5^+$, kinetics and thermochem., 970; CH_5^+ and H_3^+ with fluorotoluenes, fragment. mechm. of prods., 1314; $c\text{-}C_6H_{12}^+$ with unsat. and cyc. C_3 and C_4 hydrocarbons, kinetics, 680; SH^- + HCN in gas phase by flowing afterglow method, kinetics and equil., 2365

Ion pairs, alk. halides in $DMSO$, calcn. of thermochem. from electrostat. models, 1007; dissocn. const. for $NaOCH_3$ and $NaOC_2H_5$ in corresponding alcohols, 1537; as explanation of electrochem. and thermo. props. of $AgCl$ in molten salts, 1084; recombn. in radiol. of dense hydrocarbons, 3075

Ion solvation, by $MeOH$, CNDO MO calcns. of energies and configns., 3194

Ion structure, $C_2H_4O^{+}$ and homologous ions from ethers, cyc. ethers, alcohols, and carbonyl compds., identifcn. of three forms from metastable ion intensities in mass spect., 2076

Iron(III), aquochloropentaferates(III), evidence from ir for cryst. struct. of $K_2FeCl_5\text{-}H_2O$ and Rb^+ and NH_4^+ analogs, 51; complexn. by fulvic acid, kinetics and equil., 2979; cryst. struct. of $FePO_4$, 2064; oxidn. of SCN^- by tris(10-phenanthroline)iron(III) and derivs. in H_2SO_4 and $HClO_4$, kinetics and mechm., 3319; photochem. of aquo-, chloro-, and dimeric species, 2430; photoredox reacns. of outer sphere complexes, 2436

Iron carbonyls, derivs. with fluorocarbon-bridged grp. V ligands, prepn., spect. props., 2232

Iron(III) oxides, hydrotherm. formn. of ferrite spinels, 12

Ir spectrum (see also Raman spectrum, Vibrational spectrum), aniline in various solvents, effect of solvent on intens. and position of bands, 1461; CCl_3COOH in CCl_4 , band shape anal. to det. monomer-dimer equil., 1251; chromium amine complexes, 3388; clathrate hydrates of CH_2CH_2O and of cyc.- C_3H_8 , 71; ($\eta\text{-}C_3H_7$) $Mo(CO)_2MR_3$ (M = Si, Ge, Sn; R = Cl and F or Ph for some complexes), 975; $CH_3OC(O)OCH_3$ in liq. and solid, vibrnl. assigns. and conformns. in liq., 1378; Co(II) and Cu(II) salts of CH_3SO_3H , CF_3SO_3H , and $p\text{-CH}_3C_6H_4SO_3H$, 3812; complex ammonium vanadyl compd. formed in therm. decompr. of NH_4VO_3 , 2917; complexes of 2-mercaptopbenzothiazole with transn. metal ions, 1165; complexes of phosphazenes with transn. metal ions, 1765; complexes of $R_2Sn(NCS)_2$, 3200; cryst. $(NH_4)_2PtCl_6$ and $(NH_4)_2TeCl_6$, 2675; exptl. and semi-empirically calcd. effects of struct. of substit. on $v_{C=C}$ for substtd. ethylenes, 2580; far ir of hexamethylene hexahydrate and isotopic modifcns. at 95 K, 2642; fluorosilicate ammines, 2426; H-bonded complexes between alcohol and phenols with N,N -dimethyl- N' -phenylformamidine, 604; hexamethylene-tetramine hexahydrate and isotopic modifcns. at 100 K, vibrnl. anal. and molec. struct., 2624; *cis*-HNSO in Ar and N_2 matrices, vibrnl. anal., 2311; *trans*-HNSO and NSO as prods. of photol. of *cis*-HNSO in Ar matrix, 2331; HOSN, HSNO, and SNO as prods. of photol. of *cis*-HNSO in Ar matrix, 2318; inorg. NH_4 compds., 3394; $K_2FeCl_5\text{-}H_2O$ cryst. and Rb^+ and NH_4^+ analogs, evidence for cryst. struct., 51; MP_2O_7 with M = Ti, Zr, Hf, Sn, and Pb, 79; $N_2H_5HC_2O_4$ and $N_2D_5DC_2O_4$ crysts., vibrnl. anal. and phase transn., 1387; $NH_3 + SO_2 + H_2O$ system in solid state, 2646; prods. of photol. of MeI in Ar at 10 K, possible identifn. of HOI, 269; Schiff base ligs. based on salicylaldehyde, 939; *cis*-sesquibabinene hydrate, sesquibabinene sesquithujene, zingiberol, 3285; *m*- and *p*-substd. acetophenones, effect of substituent on v_{CO} , 993; *S*-substd. isothiazoles, vibrnl. anal., 1642; *N*-sulfonylsulfimines, applicn. to bonding, 2381; tautomeric classifcn. of isothiosemicarbazones, 610; wavelength moduln. reflectance techniques, CO adsd. on Cu, 3313

Isobutyraldehyde, CIDNP, 2548

Isosydrones, bicyc., synth. and reacns., 1973

Isothiazole(s), ^{13}C nmr, comparison of exptl. and theoret. long range coupling consts., 1677; substd., correln. of obsd. chem. shifts with those calcd. by CNDO/2, 596; *S*-substd., synth., ir and Raman spect., vibrnl. anal., 1642

Isothiochromanone, Schmidt reacn., 276

Isothiocyanates, alkoxy carbonyl, pyrol. to yield alkyl thiocyanates and isothiocyanates, 907

Isothiosemicarbazones, struct. by 1H nmr and prepn., 610

Isotope effects, D/H in reacns. of horseradish peroxidase, 1563; effect on rate consts. and isotope effects of vibrnl. anharmonicity in transn. state, theory, 3069; $\varepsilon\text{-}^2H$ in solvol. of tri-*t*-butylbenzyl chloride, 3171; prim. D, in proton transfer from carbon acid to alkoxide base, 1176; prim. $^1H\text{-}^2H$ in carbonyl elimin. from 9-fluorenyl nitrate catd. by amines, detn. of mechm., 263; sec. D, in thermol. 2,3-divinyloxirane to det. mechm., 1367; sec. 3H , in hydrol. kinetics of $MeClO_4$, 3106; sec. β -hydrogen on ketal formn., 3503

Isoxazoles, redn. of alkylated derivs. with $LiAlH_4$, 3011

Jativatriol, correln. with sideritol, 1172

Jervine, synth., 1796

Juvabione, and derivs., extn. from *Abies balsamea*, confign., 1579

Ketal formation, sec. β -hydrogen isotope effects on equilibria, 3503

Ketene acetals, cycloaddn. to β -functionalized α,β -enones, 201; cycloaddn. to unsatd. ketones and aldehydes, in synth. of pyrans, 195

11-Keto-19(10 \rightarrow 9*B*)abeo-lanostenes, synth. from lanosterol, 3498

Ketones, stereospecific redn., mechm., 3078

11-Keto-*C*-nor-*D*-homolanostenes, 11-keto-14($13 \rightarrow 12$)-*abeo*-lanost-12-enes, synth. from lanosterol, 3498

Kinetic isotope effects, H/D and $^{14}\text{N}/^{15}\text{N}$ for reacn. *p*-substd. benzyl nitrates with EtO^- , substit. effects, mechm. of reacn., 1319; elucidn. of mechm. of elimination from 2-phenylethylidimethylanilinium salts, 3513; ^{15}N in reacn. PhS^- with series of *p*-substd. phenylbenzylidimethylammonium nitrates, 3216

Kinetic solvent isotope effect, temp. dependence, in hydrol. of anhydrides and esters, 869

Kinetic spectrometry, in anal. of Fe^{3+} - fulvic acid interacn., 2979

Krypton, sorptn. in type A zeolite, Henry's law consts., 996

Labdanes, synth. of 12-hydroxy derivs., 2869

Lactans, α -alkylation, 1601

Lanostane, transformn. to cucurbitane, 3498

Lanthanide ions, sepn. by ion-exch. over tantalum arsenate, 2586; trivalent, semi-empirical calcn. of ΔG_{hyd} and ΔH_{hyd} , 2695

Lead, electrochem. of Pb/Pb^{2+} in aq. HCl and NaCl using rotating ring-disc electrodes, 407; electrochem. of Pb/PbCl_2 electrode in aq. HCl and NaCl, 389; prepn. and spect. props. of organolead compds., 3727

Lead(II), nmr of chelate rings in complexes, confign. anal., 366

Lead dioxide, electrodeposn. on graphite, cetyltrimethylammonium bromide as additive during process, 3327

Leiocarpin A, polysaccharide component of exudate gum from *Anogeissus leiocarpus*, 2189

Lewis acid catalysis, orientn. reversal in Diels-Alder reacns., 619

Librations, in thioamides, study by nmr, 3315

Ligand exchange, *t*-phosphine carboxylate complexes of Pd(II), rates and equil. from nmr, 2558

Lignin, effect of prior removal of hemicellulose by alk. treatment on rate and mechm. of delignificn. of wood, 952

Linear free energy relationships, electronic spect. and acidities of *N*-(*p*-substd.)benzyl-2'-hydroxy-4-stilbazolium betaines, 2162; sepn. of enthalpic and entropic contribns. to substit. effects on ionizn. consts. of aromatic acids, 3622

Lipoic acid, flash photol., formn. and lifetimes of free rad. and ionic transients in aq. solns., 3153

Liquid crystals, $\Delta^{\text{H}}(^{14}\text{C})$ -cholesteryl esters, dipole moments, 578; ^2H nmr studies of anilinium ion in anisotropic soap solns., 2755

Liquids, stat. mech. model for calcn. of entropy of mixts., 1586

Lithium, derivs. of pyridines, 2305

Lithium-ammonia reduction, of $\Delta^{1(9)}$ -2-octalones, stereochem., 1281, 1291

Lithium anthracenylide, reactivity towards nitriles, 3158

Lithium *t*-butylmercaptide, as a base in rearr. of penicillin G to a thiazole, 3435

Lithium dialkylcuprates, reducing agent for $\Delta^{1(9)}$ -2-octalones, stereochem., 1291

Lycopodine, biosynth., possible intermed. of piperidine-2-acetic acid, 41

Magnesium, cryst. struct. of Cs_2MgCl_4 and K_2MgCl_4 , 114; in general base cat. of iodination of Me acetonylphosphonate via enolate formn., 2354; prepn. of complex with C_2H_2 in liq. NH_3 , 2157

Magnesium(II), Raman spect. of hydrated ion in soln., effect of temp., concn., and pH on line shape, 3806

Magnesium oxide, cat. for dehydrogen. and dehydrn. of *n*- $\text{C}_3\text{H}_9\text{OH}$, effect of temp., Li dopant, and pretreatment on selectivity, 2729

Magnetic properties, Co(II) and Cu(II) salts of $\text{CH}_3\text{SO}_3\text{H}$, $\text{CF}_3\text{SO}_3\text{H}$, and *p*- $\text{CH}_3\text{C}_6\text{H}_4\text{SO}_3\text{H}$, 3812

Magnetic susceptibility, alkali metal salts of several amino acids and amino acid anions, 3167

Magnetic susceptibility, complexes of 2-mercaptopbenzothiazole with transn. metal ions, 1165

Manganese(II), ligand exch. kinetics in complex with ATP from nmr line widths, 926

Manganese carbonyls, arsine complexes, isomerizn. kinetics, 1735

Manganese halocarbonyls, complexes with $(\text{CH}_3)_2\text{As}-\text{CH}_2\text{CH}_2\text{As}(\text{CH}_3)_2$ and various derivs., conformns. from variable temp. nmr, 1038

Mass spectrometry, field desorpn. ionizn., formn. of polyesters from hydroxycarboxylic acids during, effect on mass spect., 3500; fragmentn. mechms. for ethers, cyc. ethers, alcohols, and carbonyl compds. from metastable ion intensities, 2076; ionizn. and app. potls. from $[\text{WC}_5\text{H}_5(\text{CO})_3]_2$, detn. W-W bond energy, 628; use in study of kinetics and thermochem. of reacn. $\text{C}_2\text{H}_5^+ + \text{CH}_4 \rightarrow \text{C}_3\text{H}_9^+$, 970

Mass spectrum, benzothiazole and 1-phenyl derivs., 2293; *N*-benzoyl-2-hydroxylalkylamines, fragmentn. mechm. and rearr., 3175; $(\eta\text{-C}_7\text{H}_7)\text{Mo}(\text{CO})_2\text{MR}_3$ ($\text{M} = \text{Si}$, Ge, Sn; $\text{R} = \text{Cl}$ and F or Ph for some complexes), 975; 2-ferrocenylethyl-1,1-*d*₂ tosylate, fragmentn. mechm., 232; fluorotoluenes from ion-molec. reacns. with CH_5^+ and H_3^+ , 1314; 2-hydrazinobenzo- and naphthothiazoles and 3-methylbenzo-2-thiazolinones, fragmentn. mechms., 3677; hydroxypyridines, evidence for enolic tautomers in gas phase, 490; PF_3 , ionizn. potls. for PF_3 , PF_2 , and PF, thermochem. of ionic fragments, 933; Schiff base ligs. based on salicylaldehyde, 939

Meisenheimer complexes, 1,3,5-trinitrobenzene with PhO^- , mechm. of formn., struct., 3761

2-Mercaptobenzothiazole, complexes with transn. metal ions, prepn., spect. props. and struct., 1165

α -Mercaptocarbonyl compounds, synth., 3526

Mercury, complexing of dithizone supported on polyurethane foam with Hg(II) ions and MeHgCl as anal. reacn., 1373

Mercury(II), as cat. for hydrol. of CH_3CN , kinetics and mechm., 427; cryst. and molec. struct. of $\text{Hg}(\text{SCN})_2 \cdot \text{As}(\text{C}_6\text{H}_5)_3$, 3383; cryst. struct. of adeninium trichloromercurate(II), 2345

Metal carbonyls, tertiary arsine derivs., prepn. and props., 3401

Metalloporphyrin, Cu(II)-hematoporphyrin IX, kinetics of formn., 2375

Metastable ions, intensities and identifcnn. in mass spect. of ethers, cyc. ethers, alcohols, and carbonyl compds., 2076

Methane, pyrol., kinetics and mechm., 3580; reacn. with OH rads., kinetics, 3374

Methanesulfonic acid, ionizn. and hydrn. in dil. solns. of H_2O in sulfolane, 2683

Methanol, effect on liq. N_2O radiol., 1521; solvn. of ions,

CNDO MO calcns. of energies and configns., 3194; as solvent for ethereal complexes of polyethylene glycols with monovalent cations, assocn. consts. of complexes from conduct. data, 2240

Methanolysis of 2-O-benzyl-D-galactopyranosyl and -furanosyl halides, mechm., 670

4-Methoxyazoxybenzene, $\beta \rightarrow \alpha$ photoisomerism., 3477

4-Methoxybenzyl trifluoroacetate, hydrol., kinetics and mechm., 1051

20-Methoxyimino steroids, prepn., 2971

4-Methoxy- α -pyrones, synth., 201

Methoxy radical, ΔH_f from kinetic data on pyrol. MeOMe, 2742

Methyl acetylphosphonate, iodination via enolizn, general base cat. by Mg^+ , 2354

9-Methylenadenine, quaternary deriv., isoln. from *Agelas dispar*, 1690

Methylamine, transn. species in radiol. of alkali metal solns., 3571

Methylation, regioselective, steroid carbinols, 2971; adjacent to nitrosamino grps., stereoelectronic control, 2473

3-Methylbenzo-2-thiazolinones, and naphtho-2-thiazolinones, mass spect., fragmentn. mechms., 3677

2-(2-Methylbenzoyl)thiophene, photoenolizn. and photocycloaddn. to olefins, mechm., 1

3-Methyl-5-(cyclohexen-1-yl)penta-2,4-dienoic acid, *Z*, *Z*-*E*-4- and *E*-*E*-4-isomers, synth., 1943

Methyl 2,3-dideoxy- α -D-*erythro*-hex-2-enopyranosid-4-ulose, synth. of 2- and 3-C Me derivs., 2017

Methylenecycloalkanes, ^{13}C nmr, 589

Methylenecyclohexanes, homolytic addn. of thioacetic acid, stereochem., 3005

Methylenenorbornanes, ^{13}C nmr, 589

Methyl D-galactofuranosides, and D-galactopyranosides, substn., synth., 670

Methyl isonicotinate, complexes with Cu(I) halides, perchlorates, etc., prepn., phys. props. and struct., 2657

Methyl *p*-nitrophenyl sulfate, reacns. with N_2H_4 and $N_2H_4 \cdot HCl$, effect of pH on prods., mechm. and kinetics, 1275

Methyl DL-pentopyranosides, synth., 2524

Methyl perchlorate, hydrol., kinetics and mechm., 3106

Methylphosphazenes, prepn. and sepn., 3038

3-Methylpyrazolylgallium dimethyl dimer, cryst. and molec. struct., 2930

Methyl radical, mechm. of formn. during photol. of C_3H_8 at 123.6 nm, 1348; reacn. with MeOMe, kinetics, 2742

3-Methylthietane, photol. in vap. and liq. phases and in matrix, mechm., probable formn. of 1,4-birads., 1744

Methyl trachylobanate, cleavage of cyclopropane ring with $Tl(OAc)_3$, prods. and mechm., 20

3-Methyl-5-(2,6,6-trimethylcyclohexene-1-yl)penta-2,4-dienoic acid, *Z*-*Z*-*E*-4- and *E*-*E*-4-isomers, synth., 1943

Methylvinyl sulfide, photol. in gas phase, mechm. and reacn. of rads., 483

Michaelis-Becker reaction, abnormal stereochem., 474

Microbial steroid hydroxylation, mechm., 2041

Microorganisms, mechm. of steroidol C-21 hydroxyln., 845

Microwave spectrum, glycidol and -OD deriv., 2247

Mitomycin analogs, synth. of bisaziridinoquinones, 2891

Mobility, electron and ion, in liq. ethers, 1263

MO calculation, *ab initio* LCAO-MO-SCF for SH_2 molec. and ions of ionzn. potls., e^- , H^+ , and H^- affinities, 3747; benzo[*d*]aceheptylene, 3777; bond length - bond order correlns. in phosphonium ylides, 3040; charge distribn. and ^{13}C nmr chem. shifts for methylcyclohexanes in PC1LO and STO-3G approxns., 2400; ^{13}C nmr chem. shifts for pyridine N-oxides and ring-substd. derivs., 3419; CNDO, solvn. of ions by MeOH, 3194; CNDO/BW for S_2N_4 , decision on struct. from exptl. and theoret. results, 1343; CNDO/2 charge dens. correln. with ^{13}C chem. shifts for substn. isothiazoles, 596; CNDO/2, conformns. of thietane, thietane sulfoxide, and 3-chloro derivs., 1224; CNDO on phenylacetylenes, 373; HMO and CNDO/2, prediction of protonation sites of pyrazolo(1,5-*a*)pyrimidine, 119; SCF on CH_2O , CH_2OH^+ , CH_2S , CH_2SH^+ , conformns. and charge distribns., rottn. and inversn. barriers, electron donating props. of O and S, 1144; semi-empirical for conformns. of ethylene glycol diacetate as model for biopolymer, 3557

Molten salts, electrochem. and thermo. props. of $AgCl$ in, models of ion pairs, 1084

Molybdenum, anionic complexes with grp. IV elements, prepn. and reactivity, 467; dicarbonyl(η -cycloheptatrienyl), Si, Ge, and Sn derivs., prepn., phys. and spect. props., 975; tertiary arsine derivs. of carbonyls, prepn. and props., 3401

Molybdenum disulfide, cat. for hydrodesulfurizn., effects of prepn. procedures from MoS_3 on selectivity and activity, 3567

Molybdenum sulfide, heterogen. cat. for hydrodesulfurizn. of thiophene, promotion by Co, 2542

Molybdenum tetracarbonyl, complexes with $(CH_3)_2As \cdot CH_2CH_2As(CH_3)_2$ and various derivs., conformns. from variable temp. nmr, 1038

Morphinan, 5,6-benzo-, 5,6-butano-, 16,17-butano-, synth., 3681

$\Delta^{8,14}$ -Morphinans, selective epoxidn., 3094

Morpholine, vol. and heat capacity in H_2O , 2591

Morse potential, use in calen. bond dissoci. energies of hydrides of 2nd and 3rd periods, 3599

Mössbauer spectrum, complexes of $R_2Sn(NCS)_2$, 3200; $Fe(CO)_6$ derivs. with fluorocarbon-bridged grp. V ligs., 2232; ^{119}Sn of MP_2O_7 with $M = Ti$, Zr , Hf , Sn , and Pb , 79; ^{119}Sn of some Sn-O compds., 3371; struct. and bonding in Sn-Ni compds., 307; ^{125}Te complexes with S-containing ligands, 1855

Naphthalene, and derivs., oxidn. by RuO_4 , kinetics, 2865; halogenated, photoreacns. in soln., 688

Narcotic antagonists, and analgesics, synth., 2515; 5,6-benzomorphinans, 5,6 - butanomorphinans, synth., 3681; synth. of 3,14-dihydroxymorphinans, 3094

Natural waters, chem. model of distribn. of metals between sol. and particulate matter, 661

Nematic phase, formn. in system alkali metal decyl sulfate + decyl alcohol + H_2O , use in orientn. studies of small molec. by nmr, 2998; orientn. of Me_2Tl^+ from 1H nmr, 161

Nickel, complexes containing Sn, Mössbauer spect. and struct., 307; promoted, cat. of H_2 -HDO exch., 3257

Nickel(II), complexes with thiazolidine-2-thione, thiomorpholin-3-one, and thiomorpholin-3-thione, prepn., spect. and phys. props., struct., 177; complexes with

thiourea and related lig., prepn., phys. and mag. props., struct., lig. exch. equil., 633; detn. in trace amts. by copptn. and reflectance spectry. of solid, 311; kinetics of lig.-solvent exch. from nmr line broadening, 702; nmr of chelate rings in complexes, confign. anal., 366; prepn. of resolved optically act. complexes with resolved perfluoro(2,3-diphenylbutane-2,3-diol), 817; square-planar complexes and 5-coord. solvd. complexes involving perfluoropinacol dianion, prepn., struct. and spect. props., 809

Nickel(II) acetylacetone, complexes with fluoroanilines, nmr, nuclear contact shifts, 648

Nickel(II) hydride, prepn. of complexes, 3462

Nickel orthophosphate, cryst. struct., 1516

Nitration, aromatic phosphine oxides in H_2SO_4 , prods., kinetics and mechm., implicns. regarding P-O bonding, 1468; pyrazolo(1,5-*a*)pyrimidine, reagent-controlled orientn., 119

Nitrenes, acyl migrn. onto N, 463

Nitric oxide, combin. with F atom, third body efficiencies for Ar, He, Ne, N₂, NO, CO₂, CF₄, SF₆, and C₂F₆, 3188

Nitriles, prepn. from therm. decompn. of aldoxime carbonates, mechm., 3481

Nitrioltriacetic acid, therm. decompn. and hydrol. of aq. solns. above 200 °C, 3471

Nitrioltrimethylenephosphonic acid, therm. decompn. and hydrol. of aq. solns. above 200 °C, 3471

Nitrite ion, spect. evidence for complexes of NO₂⁻ with Cd²⁺ and solvn. of NO₂⁻, 1414

Nitrobenzene, solns. in C₆H₆, applicn. of statistical mech. models for derivn. activity coeffs., 2608

2-Nitrobenzylidene derivatives, redn. with NaBH₄ and Pd-charcoal, 3637, 3645

Nitrogen, cation S₃N₂⁺, struct. from esr and cryst. data, 3147; CNDO/BW MO calcns. for S₄N₄, decision on struct. from exptl. and theoret. results, 1343

Nitrosamine(s), α -carbanions, alkynl. and stereoelectronic control, 2473; oxidative photol., addn. to norbornenes, 3014, 3022

Nitrosamino carbanion reactions, stereoselectivity, 2473

Nitrosonium pentanitratotholmiate(III), cryst. struct., 831

N-nitrosopiperidines, α -Me, conforml. anal., 2465

Nitrosopiperidines, ¹³C nmr, 2465

Nitrous oxide, radiol. of liq. containing alcohol and carbonyl solutes, mechm., 1521

Nmr (general and theory), kinetics of metal ion-lig. exch., applicn. to Mn(II) + ATP system, 926; line-shape anal. in ¹H nmr spect. of camphenehydro cation to measure rearr. rates, 1067; MO calcn. of charge distribns. and ¹³C chem. shifts for methylcyclohexanes in PCILo and STO-3G approxns., 2400; *p*-substit. 2,6-dimethylphenols, detn. of and substit. effect on $\Delta H_{dimerizn}$, 1129; variable temp. nmr of *t*-phosphine carboxylate complexes of Pd(II) to detn. lig. exch. rates and equil., 2558

Nmr (¹H), alkali metal decyl sulfates in decyl alcohol and H₂O, formn. of nematic phases for orientn. expts., 2998; A-ring cyclosteroid alcohols, 1693; 3-aryl-2-benzyl-4(3H)-quinazolinones, 3431; 1- and 3-arylhydantoins in achiral and chiral solvents, 1556; azulene derivs., anal. of spect. and struct. proof of nat. prods. from *Eriophyllum punctulatum*, 2911; BX₃ addns. with Me₃P, Me₃PO, and Me₃PS, halogen exch., 326; (η-C₇H₇)Mo(CO)₂MR₃ (M = Si, Ge, Sn; R = Cl and F or Ph for some complexes), 975; chelate rings in Ni, Pd, and Pt complexes, confign. anal., 366; ¹³C-labelled carbohydrates, ¹³C-¹H coupling consts., 1872; complexes of Cd(II), Zn(II), and Hg(II) with EDTA and homologs, detn. stability consts., 787; complexes of Ni(II) with thiourea and related lig., struct. and exch. equil., 633; configns. of isothiosemicarbazones, 610; conforml. anal. of azocines 167; conformns. and inversion barriers in subst. oxazepines, 414; *N,N'*-diacetyl-1,4-diazocine, conforml. anal., 3768; di-*arsine* complexes, conformns. and equil. consts. from variable temp. spect., 1038; dibenzo-1,5-cyclooctadiene (deuterated), conforml. anal., 3768; dinucleotide conformns. in aq. solns. d(TpTp), 2781; dioxane hydrate, 2215; 1,3-dioxole, bis-1,3-dioxolyl, conforml. dependence of coupling consts., 2734; fluorophenol derivs., ¹⁹F coupling, conformns., 986; Ge(IV) complexes, configns. and lig. rearr. kinetics, 448; glyco-cyamidinium ions, kinetics and mechm. of H⁺ exch., 2906; hindered rottn. in some carbamate and thiocarbamate esters, 3732; hydrodifluorophosphoranes, methyliodine(III) fluoride, 3044; identifcn. of struct. of cochloriodinol, 727; INDOR studies, stereochem. of decalins, 1281; kinetics of lig.-solvent exch. on Ni²⁺ from line broadening, 702; Me 4-O-acetyl-2,3-anhydro-DL-pentopyranosides, 2524; Me₂TINO₃ in nematic phases, orientn. of Me₂Tl⁺, 161; mono-adds. of (C₂H₅)₃N and piperazine with BH₂F, BHF₂, and BF₃, 723; 4-(4'-nitrothiobenzoyl)-2,6-dimethylmorpholine and 4-(4'-nitrothiobenzoyl)morpholine, study of librations, 3315; nuclear Overhauser effect in struct. assign., 2534; 1-phenyl-2,2-dialkylvinyl cations, 784; protonated 5-acylpentamethylcyclopentadienes, 3425; Schiff base lig. based on salicylaldehyde, 939; *cis*-sesquibabine hydrate, sesquibabine, sesquithujene, zingiberenol, 3285; some sesquiterpenes from *Solanum melongena*, 3351; subst. isothiazoles, correln. of obsd. chem. shifts with those calcd. by CNDO/2, 596; substit. effects on chem. shifts in phenylacetylenes, 373; α - and β -DL-talofuranoside derivs., 2701; thymine photodimers, 1193

Nmr (¹³C), aldoses, assign. of signals, 1212; 1- and 3-arylhydantoins in achiral and chiral solvents, 1556; assigns. for pyrroles and prodigiosins, 148; azulene derivs., anal. of spect. and struct. proof of nat. prods. from *Eriophyllum punctulatum*, 2911; carbene complexes of Pt(II), 186; β -carbon shielding effects, 1307; chem. shift assigns. of polyols, glucobioses, reduced glucobioses, chlorinated glucobioses, 1030; chem. shift calcs. based on *gauche* interacns., 1307; chem. shifts and electronic substit. effects in isothiazole, benzoc[*cl*]-isothiazole, 1,2-dithiole, and 1,3-dithiole derivs., 836; chem. shifts of thiaspirane *Nuphar* alkaloids, 3545; confign. and conforml. effects on ¹³C chem. shifts of furanosides and cyclopentanols, numerical anal. of chem. shifts, 1424; for detn. location of ¹³C in prods. of reacn. of labelled Ph₂C=CPhBr with HOAc-AgOAc, 314; D-isotope in polynuclear hydrocarbons, 1829; furanose derivs., 2748; hindered rottn. in some carbamate and thiocarbamate esters, 3732; identifcn. of struct. of cochloriodinol, 727; isothiazoles, 1677; for locating ¹³C labels in prods. of reacn. of trianisylvinyl bromide with HOAc-AgOAc, 320; long-range and

¹³C, H couplings in 2-pyrone, 1980; *Lycopodium* alkaloids, config., 1936; methylated anthracenes, assign. of chem. shifts and correln. with charge dens. calcd. by CNDO/2, 1958; *exo*-methylene derivs., 589; methyl glycosides, assign. of signals, 1212; *N*-nitrosopiperidines, α -Me derivs., conformml. anal., 2465; org. S compds., sulfoxides, sulfones, and thiones, 2880; orthoesters and derivs., 1682; 1-phenyl-2,2-dialkylvinyl cations, 784; polynuclear hydrocarbons, benzo[*a*]pyrene, 1829; pyridine derivs., 2406; pyridine *N*-oxide and ring-substd. derivs., comparison exptl. with MO calcd. chem. shifts, 3419; quinolizidines, *Nuphar* alkaloids, 1714; selenides, selenide dichlorides, diselenides, and selenenyl chlorides, 1922; shieldings of bicyc. ketones, 1351; some sesquiterpenes from *Solanum melongena*, 3351; spin-lattice relaxn. times of steroids, a solvent effect on T_1 , 338; substit. effects on chem. shifts in phenylacetylenes, 373; substd. isothiazoles, correln. of obsd. chem. shifts with those calcd. by CNDO/2, 596; trisubstd. double bond stereochem., 3591; β , γ -unsatd. polycyc. ketones, ¹³C shieldings, 581; use in ²H tracer studies of mechm. of homoenolizn. of fenchone, 212; vitamin B₆ and derivs., 2406

Nmr (other nuclei). ¹¹B, mono-adds. of (C₂H₅)₃N and piperazine with BH₂F, BHF₂, and BF₃, 723; ¹³C, ¹⁴N, and ¹⁹F contact shifts in Ni(II)-fluoroaniline complexes, 648; ¹⁹F, BX₃ addns. with Me₃P, Me₃PO, and Me₃PS, halogen exch., 326; ¹⁹F, fluoroarene complexes of Cr(CO)₃, substit. effects, 1525; ¹⁹F, hydridofluorophoranes, methyliodine(III) fluoride, 3044; ¹⁹F at low temp. for some Pd(II) complexes, detn. monomer-dimer equil., 2558; ¹⁹F, perfluorocobalt tri- and tetracarbonyls, prods. of reacn. of these with Ph₃P, 2537; ¹⁹F of perfluoro(2,3-diphenylbutane-2,3-diol), 817; ¹⁹F, struct. of 2,3,5,6-tetrafluorophenylhydrazine derivs., 2534; ²H, a quant. monitor for ²H incorpn., 212; ¹⁷O line broadening in Ni(II) complexes, kinetics of lig.-solvent exch., 702; ⁷⁷Se-¹³C coupling consts., 1922; struct. and locn. of anilinium ion in aq. anisotropic surfactant soln., 2755

Non-alternant polycyclic conjugated hydrocarbons, rules for detn. of aromaticity, 945

Noradamantanes, synth. via bicyclo[3.3.1]nonanes, 2671

Norbornane, enol ether, synth., 1019

2-Norbornyl cations, rearr. mechms., 1876; and variously Me-substd., struct. and rearr. mechms., 1901

t-2-Norbornyl cations, rearrs. and cleavage, kinetics, isotope effects, mechm., 1056

Norbornyl system, solvent and isotope effects on 1,3 elimination solvol., mechm., 26

Norcamphor, mechm. of base-catd. H/D exch. in *endo* and *exo* positions, 1099

7-Norcadienylmethyl cation, struct., 1818

D-Normorphinans, synth., 245

Nortriptyclenes, prepn. from oxanorbornadienes, 1496

Nqr (Nqr follows Nmr)

Nuclear fission, yields of I and Te isotopes in fission of ²³⁸U by ¹H of energies 30-85 MeV, 3116

Nucleotide fluorination, 1302

Nucleotides, conformn. for dimerizn., 1193

Octadeca(dimethylamino)cyclononaphosphazene, complexes with transn. metal ions, prepn., spect. props., and struct., 1765

Octafluoro[4.2]paracyclophe, synth., 1491

Octalins, synth., 2441

Octalones, stereospecific cyanation of, 2441

Olefins, complexes with Pd(II), assocn. consts., 1833; Rh(I) complexes as cat. for homog. hydrogn., 797

Oligopeptides, solid phase synth. of alternating (L-lysyl-L-aspartyl)_n, effect of pH and chain length on struct. in soln. from circ. dichroism, 1861

Orthoesters, hydrol., stereoelectronic control during, 1682

7-Oxabicyclo[2.2.1]heptane derivative, synth., 2701

1,3,4-Oxadiazines, formn. by therm. rearr. from Diels-Alder add. of azodicarbonyl compds., solvent and substit. effects, 535

Oxadiazoline, 2-hydroxy- Δ^3 -1,3,4-, synth. and decompn. mechm., 2275

Oxalic acid esters, transesterificn. with alcohols catd. by CH₂N₂, 2530

Oxanorbornadienes, cycloaddns., 1496

7-Oxanorbornadienes, isomerizn. to 6-hydroxyfulvenes, 138

1-Oxa-2-phospho-4,6-cycloheptadienes, synth. from phosphorines, 855

1,2-Oxazepines, substd., conformns. and inversion barriers from ¹H nmr, 414

Oxazoline-azetidinones, synth., 497

Oxazolo- α -pyrones, intermeds. in synth. of some amino sugars, 3144

Oxetans, by photoaddn. of *p*-benzoquinone to alkenes, 3240

Oxidation, benzyl alcohol and benzaldehyde by NaCr₂O₇, kinetics and mechm., 3709; naphthalene and derivs. by RuO₄, kinetics, 2865; photo- and auto- of 1,3-diphenyl-isobenzofuran, relevance to use as diagnostic agent for presence of O₂(¹A₁), 2199; SCN⁻ by tris(1,10-phenanthroline)iron(III) in H₂SO₄ and HClO₄, kinetics and mechm., 3319

Oxidative photoaddition, nitrosamines to norbornene, 3014, 3022

Oxidochloropentane - 2,4 - dionatotriphenylphosphine - rhodium(V), cryst. and molec. struct., 1548

Oxygen, (¹A₁), complicns. in use of 1,3-diphenylisobenzofuran as diagnostic agent for presence of O₂(¹A₁), 2199

Oxygen atom, kinetics of reacn. O(³P) + H₂, 3531; O(¹D), effect of excess kinetic energy on reactivity, 1915

Ozonide, rearr. of dimethyl 5,6-*O*-isopropylidene-7-oxabicyclo[2.2.1]hept-2-ene-*exo*-5,6-diol-2,3-dicarboxylate, 2701

Ozonolysis, benzylidene acetals, α , β -glycosides, 1204

Palladium, adsorpn. of H atoms interstitially, reacn. with H atom, 694

Palladium(II), *t*-phosphine carboxylate complexes, synth., lig. exch. by variable temp. nmr, 2558; square-planar complexes with perfluoropinacol dianion, prepn., struct. and spect. props., 809

Palladium(II) acetate, cat. for transesterificn. between vinyl propionate and HOAc, kinetics, effect of NaOAc, 2223; dimer, complexes with olefins, assocn. consts., 1833

Paniculatine, molec. struct. from nmr, ir, and mass spect. and cryst. struct. of HBr salt, 2513

Paracyclophe, synth. and uv spect. of fluorinated derivs., 1491

Penicillin, synth. of S-free derivs., 497

Penicillin G, base catd. rearr. to a thiazole, 3435
 Pentacyclo[12.4.0.1^{2,11}.1^{4,13}.0^{5,10}]2,4,11,13-tetraazaeicosane, cryst. and molec. struct., 1933
 2,3,3,5,5-Pentamethylcyclohexanone, prepn., stereochem. of redn., 3294
 Pentane-2,4-dionato(2,3,5,6-tetrahydrido-2,3-dicarbomethoxy[2,2.1]bicycloheptadiene)rhodium(I), cryst. struct., 2707
 Pentathiocane, prepn. of Li salts, insertion of CO₂, COS, CS₂, and SO₂ to form Li salts of corresponding acids, 3720
 Pentazocine, synth., 3820
 Peptides, solid phase synth. of alternating (L-lysyl-L-aspartyl)_n, effect of pH and chain length on struct. in soln. from circ. dichroism, 1861
 Perchloratobis(tricyclohexylphosphine)copper(I), synth., ir, cryst. and molec. struct., 1949
 Peresters, substit. effects on rates of thermol. for subst. PhCO₂(t-BuO), 976
 π -Perfluoroallylcobalt tricarbonyl, synth., spect. props., reacn. with Ph₃P, spect. props. of prods., 2537
 Perfluoro(2,3-diphenylbutane-2,3-diol), ¹⁹F nmr, abs. config. from complexes of dianion with Ni(II) and Cu(II), 817
 Perfluoropinacol, complexes of dianion with Ni(II), Cu(II), Pd(II), and Pt(II), prepn., struct. and spect. props., 809
 Perhydropyrazolopyrrols, synth. by addn. of functionalized 1,3-dipoles with reactive olefins, 3782
 Peroxidase, D/H isotope effects in reacns. with *p*-aminobenzoic acid, 1563
 Peroxides, org., photoelectron spect., relevance to bonding, 3439
 Peroxydisulfuryl difluoride, equil. with SO₃F free rads., use as rad. scavenger in gas phase pyrol. of (CF₃O)₂, 1442
 Peroxy radicals, abstraction of H from α -tetralin hydroperoxide by *t*-ROO-, kinetics and mechm., 623
 Phase diagrams, Cu + Se system 298 to 850 K and atm. to 50 kbar, 878; ternary syst. InCl₃ + pyridine + H₂O, 2995
 Phase transitions, in K₂SO₄ crysts., anomalies in elec. conduct. at transn. temp., 1542
 Phenanthrene, $-d_{10}$ and $-h_{10}$, electroluminesc., mechm., 76
 Phenols, 2,6-diMe, *p*-substit., detn. of and substit. effect on $\Delta H_{\text{dimeriz}}$ from nmr, 1129; subst., CIDNP study of mechm. of photol. in D₂O soln. in presence of amides, 2459
 Phenoxide ion, σ -complex with 1,3,5-trinitrobenzene, mechm. of formn., 3761
 Phenylacetylenes, substit. effects on ¹H and ¹³C chem. shifts, 373
 Phenylbenzylidemethylammonium nitrates, *p*-substd., reacn. with PhS⁻ ion, mechm., 3216
B-Phenyl-diptychboroxazolidine, cryst. and molec. struct., 1393
 Phenyl *t*-butyl ketone, photoelectron spect. and bonding, 2446
 1-Phenyl-3,4-dimethylphosphole, reacn. with H₂O and Bz chlorides, 855
 1-Phenyl-2,2-dimethylvinyl cation, and 2,2-diethylvinyl, formn., struct. from nmr, 784
 2-Phenyl-1,3-dioxolane, reductive cleavage by BH₃, kinetics and mechm., 2818
 1'-Phenylspiroindoline-2,4'-[2]pyrazoline-5'-ones, prepn. and props., 3645
 Phenyl vinyl ketone, 2,4-dinitrophenylhydrazone and pyrazoline derivs., new facts on characterizn., 865
 Phosphazenes(s), complexes with trans. metal ions, prepn., spect. props., and struct., 1765; prepn., 3038
 Phosphine(s), alkyl- and aryl-, reacn. with XeF₂, 3044; subst., derivs with Fe(CO)₆, prepn., spect. props., 2232
 Phosphine oxides, aromatic, nitrn. in H₂SO₄, prods., kinetics and mechm., implicns. regarding P-O bonding, 1468
 Phosphonium ylides, theoret. explan. of short C-P bond in terms of ionic bond order correlns., 3040
 Phosphorescence, lifetime of SO₂ ($\tilde{\alpha}^3B_1$) at low press., 2133
 Phosphorus, cryst. struct. of Zn₃V_{0.5}P_{1.5}O₈, 3665; BX₃ adds. with Me₃P, Me₃PO, and Me₃PS, prepn. and nmr, halogen exch., 326; P-O bonding in protonated phosphinyl grp. from kinetic data, 1468
 Phosphorus trifluoride, mass spect., ionizn. potls. for PF₃, PF₂, and PF, thermochem. of ionic fragments, 933
 Phosphorylation, by TPS-activated mono-2,2,2-trichloroethylphosphate, 1093
 Photoaddition, aminium rads. to norbornene, 3014, 3022; azidoformates to norbornylene, 1019; *p*-benzoquinone to alkenes, 3240
 Photochemistry, Fe(III) redn. by outer sphere org. molec., 2436; Fe(III) species with *t*-BuOH scavenging, mechm., 2430; halonaphthalenes in soln., 688; lifetime of SO₂ ($\tilde{\alpha}^3B_1$) at low press., 2133; lig. field, phenanthroline and bipyridyl complexes of Co(III), 3121; polycyc. aromatic thiones, excited state reacns., photocyclizn. mechm., 2386; prim. processes for 1,2-pyridazine vap., 1456
 Photocyclization, formyl diphenylpolyenes, 805; polycyc. aromatic thiones, mechm., 2386
 Photocycloaddition, intramolec. 2 + 2 in the *trans*-1,3,5-hexatriene-*p*-benzoquinone Diels-Alder add., 2068; intramolec. rearr. of 2,3-dicarbomethoxybenzocyclooctatetraene, mechm. from isotope tracer studies, 1684; 2-(2-methylbenzoyl) thiophene and 2-benzoyl-3-methylthiophene to olefins, mechm., 1
 Photoelectron spectrum, (CH₃)Si-CO-CH₃ and (CH₃)₃C-CO-C₆H₅, detn. of bonding and energy levels, 2446; org. peroxides, relevance to bonding, 3439; subst. cyclobutadienes, effect of substs. on ionizn. potl., 972; X-ray, halogeno(methyl)-silane and -germane, electron binding energies, 3602
 Photoenolization, 2-(2-methylbenzoyl)thiophene and 2-benzoyl-3-methylthiophene, mechm., 1
 Photoionization, *c*-C₆H₁₂⁺, ion-molec. reacns. of *c*-C₆H₁₂⁺ with unsatd. and cyc. C₃ and C₄ hydrocarbons, 680; cross sections at 11.6-11.8 eV for several homol. series, correlns. with struct. parameters and with cross sections for ionizn. by electron impact, 1616
 Photoisomerization, 4-methoxyazoxybenzene to *o*-hydroxyazo compd., 3477
 Photolysis, acylsilanes, 2874; ammine and amino complexes of aq. Cr(III), quantum yields and mechm., 419; 9,10-anthraquinone 2-sulfonate in aq. soln., kinetics

and mechm. of formn. of hydroxy deriv., 826; α -azido carbonyl compds., 463; bicyclo[3.1.1]heptan-2-ones, formn. of aldehydes in CH_3OH , 1657; C_3H_8 and $\text{C}_2\text{H}_5\text{CD}_3$ at 123.6 nm, mechm. for the formn. of Me rads., 1348; C_2H_4 at 185 nm, mechm. of formn. of $1\text{-C}_6\text{H}_{12}$, 1245; C_2H_4 as source of Et rads. at low temp. for detn. $k_{\text{diss}}/k_{\text{comb}}$, 1237; formn. and lifetimes of free rad. and ionic transients in the flash photol. of aq. solns. of linear and cyc. org. disulfides, 3153; *cis*-HNSO in Ar matrix, identifn. of *trans*-HNSO and NSO as prods. from ir, mechm., 2313; *cis*-HNSO in Ar matrix, identifn. of HOSN, HSNO, and SNO as prods. from ir, mechm., 2318; MeI in Ar at 10 K, possible identifn. of HOI as prod. from ir, 269; MeSC_2H_3 in gas phase, mechm. and reacns. of rads., 483; 3-phenyl-2H-thiopyran 1,1-dioxide, 3656; photo Fries rearr. of benzanilide and other aromatic amides in soln., prods. and mechm., 2337; 1,2-pyridazine vap., prim. processes and mechm. of $\text{C}_2\text{H}_3\text{C}\equiv\text{CH}$ formn., 1456; substd. phenols in D_2O in presence of aliphatic amides in D_2O soln., CIDNP study of mechm., 2459; thietane and 3-Me- and 3-Et-2-Pr-derivs. in vap. and liq. phases and in matrix, mechm., 1744

Photorearrangement, 2,3-dicarbomethoxybenzobarrelene to 7,8-dicarbomethoxybenzocyclooctatetraene, mechm. from isotope tracer studies, 1684

Photoreduction, as a consequence of lig. field irradn. in $\text{Co}(\text{III})$ complexes, 3121

Phthalimides, *N*-substd., hydrol., 2450

Picric acid, ionizn. equil. in $\text{EtOH} +$ sulfolane and *t*-BuOH + sulfolane mixts., 1651; ionizn. and hydron. in dil. solns. of H_2O in sulfolane, 2683

Pinane series, enol acetate epoxide reacns., 738

Piperazine, mono-adds. with BH_2F , BHF_2 , and BF_3 , synth. and props., 723; vol. and heat capacity in H_2O , 2591

Piperazine-2,5-dione, 3,6-epitetrathio-3-benzyl-6-hydroxymethyl-1,4-dimethyl-, (3*S*, 6*S*), isoln. from *Hyalella dendron* sp., 295

Piperidine, vol. and heat capacity in H_2O , 2591

Piperidine-2-acetic acid, possible intermed. in biosynth. of lycopodium alkaloids, 41

2-Piperidones, alkylation, 1601

Pivalaldehyde, CIDNP, 2548

Platinum, adsorpn. of H_2 on surface, mechm., 298

Platinum(II), cryst. struct. of $[\text{Pt}(\text{C}_4\text{H}_{13}\text{N}_3\text{Br})^+ \text{Br}^-]$, 1139; nmr of chelate rings in complexes, confign. anal., 366; phenylaminocarbene complexes, conformnl. anal. by ^{13}C nmr, 186; prepn. of hydrido complexes containing tricyclohexylphosphine lig., lig. exch. reacns., 3466; *cis*- $[\text{PtCl}_2(\text{DMSO})_2]$, cryst. and molec. struct., 2371; square-planar complexes with perfluoropinacol dianion, prepn., struct. and spect. props., 809

Polycyclic aromatic thiones, photochem., excited state reacns., photocyclzn. mechm., 2386

Polyelectrolytes, conduct. of aq. solns. of Li, Na, K, and Cs salts of carboxymethylcellulose, comparison of concn. depend. with theory, 792

Polyethylene glycol, ethereal complexes with monovalent cations in MeOH , assocn. consts. from conduct. data, 2240

Polymers, helix conformns. in terms of virtual bonds, 3563

Polymer solutions, stat. mech. model for calcn. of entropy, 1586

Polynuclear hydrocarbons, oxidn. of dibenzo[*a,e*]fluoranthene, 1670

Polypeptides, circ. dichroism of complexes with DNA, conformns., 542

Polyurethane, as support for dithizone complexing reag., use of complex as anal. reacn. for $\text{Hg}(\text{II})$ ions and MeHgCl , 1373

Porphyrins, synth. of *meso*-tetra(4-sulfonatophenyl)-, 1554

Potassium, cryst. struct. of K_2MgCl_4 , 114

Potassium sulfate, elec. conduct. of pure and M^{2+} -doped crystals, anomalies at phase transn. temp., 1542

Pressure, effect on kinetics of hydrol. of $\text{Cr}(\text{H}_2\text{O})_5\text{I}^{2+}$, detn. of mechm., 3697

Prodigiosins, ^{13}C assigns. and biosynth., 148

Progesterone, mechm. of C-21 microbial hydroxyln., 845

Propane, photol. at 123.6 nm, mechm. for formn. of Me rads., 1348; proton affinity and $\Delta H_f(\text{C}_3\text{H}_8^+, \text{g})$, 970; reacn. with OH rads., kinetics, 3374

2-Propanol, dehydrogen. and dehydrn. of vap. over MgO , mechm. from effects of temp., Li dopant, and pretreatment, 2729

Propiolic acid, Et ester, reacn. with 2,5-dimethylfuran, 1496

Propionaldehyde, CIDNP, 2548

Propionic acid, phys. and thermochem. props. of binary mixts. with aniline, *N,N*-dimethylaniline and pyridine, 1258

Proton affinity, C_2H_6 from mass spect. data, 2268

Protonation equilibrium, *N,N*-dimethylformamide from uv and vibrnl. spect., 442

Proton exchange, general acid and base catd. in creatinine, 224

Proton magnetic resonance (see Nmr)

Protons, as initiators of ^{238}U fission, yields of I and Te isotopes, 3116

Proton transfer, carbon acid to alkoxide base, kinetic isotope effects, 1176

Pummerer rearrangement, during chlorination of org. sulfur compds., 2664

2-Pyrazolin-5-one, prepn. and props. of derivs., 3637, 3645

Pyrazolo(1,5-*a*)pyrimidine, synth. and substn., 119

Pyrazolylgallium dimethyl dimer, cryst. and molec. struct., 2930

Pyrene, 1,3,6,8-tetraphenyl-, T-T absorpn., struct. and quenching const. of excited state, 3269

1,2-Pyridazine, photol. of vap., mechm., 1456

Pyridine(s), derivs. of vitamin B_6 , ^{13}C nmr, 2406; hydroxy-, mass spect., evidence for enolic tautomers in gas phase, 490; phase diagram of syst. with InCl_3 and H_2O , $\Delta H_f(\text{InCl}_3 \cdot 3\text{C}_5\text{H}_5\text{N})$, 2995; reacn. with Ph_3CClO_4 , kinetics, 3408; synth. of β -substd., 2305

Pyridine *N*-oxides, and ring-subst. derivs., comparison exptl. ^{13}C nmr chem. shifts with those calcd. from MO theory, 3419

Pyrimido[1,2-*a*]benzimidazoles, synth., 894

Pyrolysis (see also Thermal decomposition, Thermolysis), alkoxy carbonyl thiocyanates and isothiocyanates, prod. study, 907; $(\text{CF}_3\text{O})_2$ in gas phase in presence of $(\text{SO}_3\text{F})_2$ as rad. scavenger, kinetics and mechm., detn. $\text{D}(\text{CF}_3\text{O}-\text{OCF}_3)$, 1442; CH_4 , kinetics and mechm.

3580; $C_6H_5OCH_3$ with $C_6H_5-CH_3$ in gas phase, $D(C_6H_5O-CH_3)$, 3330; dimethyl ether, kinetics and mechm., 2742

2-Pyrone, ^{13}C nmr and long-range ^{13}C , H couplings, 1980

α -Pyrone, synth., 195, 201

Pyrophosphates, of Ti, Zr, Hf, Sn, and Pb, prepn., X-ray powder data, ir, Raman, and ^{119}Sn Mössbauer spectry., detn. struct., 79

Pyrroles, substd., complexes with $InCl_3$, prepn. and spect. props., 3492

Pyrrolines, by carbanion electrocyclizn., 355

Quantum chemistry, rules for detn. of aromatic stability of non-alternant polycyc. conjd. hydrocarbons, 945

Quantum mechanics, *ab initio* calcn. of various mechms. for $H_2 + D_2$ exch., possibility of a 6-center mechm., 549; reln. between energy and vol. of at. orbitals, 3739; theory for esr of low spin Co(II) complexes, 2498

Quassin, synth. of stereochem. correct intermed., 616

Quinhydrone, formn. from redn. of 9,10-anthraquinone-2-sulfonate, 3757

Quinolizidine(s), synth., intermed. in morphinan prepn., 3681; ^{13}C chem. shifts, 3545; ^{13}C nmr, 1714

p-Quinones, in cat. Diels-Alder reacns., 619

Quinoline, hydrodenitrogenation under petroleum hydro-treating conditions, kinetics, 2575

Radical, abstrn. of H from OH group by, 2275

Radioisot., benzyl alcohol, spin trapping of intermeds., 3128; $n-C_4H_{10}$ at high temp., ionic reacns. in mechm., 92; cysteine in aq. soln., mechm. of free rad. reacns., 1475; free ion yields in cyc. and polycyc. hydrocarbon lqgs., 2714; free ion yields in liq. CO_2 , COS and CS_2 , effect of temp., 2822; free ion yields in liq. ethers, 1263; HBr in gas phase mixts. with C_2F_6 , CO_2 , or Xe , 3305; liq. N_2O containing alcohol and carbonyl solutes, mechm., 1521; pulse, alkali metals in CH_3NH_2 soln., kinetics, 3571; recombn. of ion pairs in dense hydrocarbons, 3075

Raman spectrum (see also Ir spectrum, Vibrational spectrum), $Cd(NO_2)_2$ solid and aq. soln., $K_x-Cd(NO_2)_x$ ($x = 3, 4, 5$) solid, evidence for solvn. of NO_2^- and complex formn., 1414; CdX_3^- in solids, force const. calcns., 3487; CH_3CN in H_2O , use in detn. of kinetics of hydrol. CH_3CN catd. by $Hg(II)$, 427; $CH_3OC(O)OCH_3$ in liq., vibrnl. assigns. and conformns., 1378; $K_2FeCl_5H_2O$ cryst. and Rb^+ and NH_4^+ analogs, evidence for cryst. struct., 51; $Mg(H_2O)_6^{2+}$ and $Zn(H_2O)_6^{2+}$ in aq. soln., effect of temp., concn. and pH on line shape, 3806; MP_2O_7 with $M = Ti, Zr, Hf, Sn$, and Pb , 79; $N_2H_5HC_2O_4$ and $N_2D_5-DC_2O_4$ crysts., vibrnl. anal. and phase transn., 1387; $SbCl_4^-$ and $SbCl_6^{3-}$ in soln., 888; 5-substd. isothiazoles, vibrnl. anal., 1642; wavelength moduln. reflectance techniques, CO adsd. on Cu, 3313

Rearrangement, during base-catl. aziridine opening, 1019; in camphenehydro cation by 1H nmr line-shape anal., 1067; ozonides, 2701

Reduction, alkylisoxazoles with $LiAlH_4$, 3011; $t-BuO_2H$ to $t-BuOH$ by Ph_3Sb and Ph_3As , kinetics and mechm., 559; cyclohexenone oximes, prepn. of aziridines, 3227; electrochem. of *N*-haloamides, mechm., use in synth., 3060; $\Delta^{1(9)}-2$ -octalones by Li reags., stereochem., 1291; stereospecific of carbonyl grp., mechm., 3078

Reflectance spectroscopy, use in detn. Ni(II) in trace amts., 311

Reformatsky reaction, stereochem., 1943

Refractive index, binary mixts. of $EtCOOH$ with org. bases, 1258

Rhenium(I), β -diketone complexes, prepn. and phys. props., 2481

Rhenium(V), β -ketoenolate complexes, cryst. and molec. struct., 1548

Rhenium carbonyls, arsine complexes, isomerizn. kinetics, 1735

Rheology, motional behavior of flexible filaments in viscous shear flow, 2689

Rhodium, prepn. of BH_4 and $CNBH_3$ phosphine complexes with Rh(I) and (II), 3669

Rhodium(I), chloro and sulfide complexes as homog. cats. for hydrogn. unsatd. carboxylic acids, 797

Rhodium(III), base catd. hydrol. of complexes, kinetics, 1842; redn. by BH_4^- and $CNBH_3^-$, prods., 3669

Rhodium(II)-acetylacetone complex, cryst. struct., 2707

Rhodium(I)-norbornadiene complex, cryst. struct., 2707

Ribofuranoside, chem. reactivity dependent on nature of 3'-grouping, 1093

Ruthenium, prepn. of η -arene complexes from $Ru(CO)_4-(GeCl_3)_2$ and $Ru(CO)_4(SiCl_3)_2$, 2985

Ruthenium(II), complexes as homog. cats. for H_2-D_2 exch., 106; homog. cat. by $Ru(Ph_3P)_3Cl_2$ for exch. $D_2 + EtOH$, kinetics, 1402

Ruthenium ammines, Cl , H_2O and SO_2 substd., electrochem. and substn. kinetics, 2922

Ruthenium tetroxide, oxidn. of naphthalene and derivs., kinetics, 2865

Sarcoside, cryst. struct. of isotopic $Ni_3P_2O_8$, 1516

(+)-Sativene, synth., 2849

Sauroxine, confign. from ^{13}C nmr, 1936

Schiff bases, ligs. for $Ti(IV)$, prepn., phys. props., and struct., 939

Schmidt reaction, of thiochromanone and isothiochromanone sulfoxides, 276

Selenenyl chloride, addn. to C_2H_4 , prod. struct., 1922

Selenium, system with Cu, compd. formn., phase diagrams, cryst. structs., 878

Sesquiterpene(s), from *Piper nigrum* and *Zingiber officinale*, *cis*-sesquisabinene hydrate, sesquisabinene, sesquithujene, zingiberenol, 3285; stress compds., from eggplant (*Solanum melongena*), struct., 3351; synth. of, bicyclo[3.2.1]octadienes by intramolec. Claisen, precursors for copa and ylango compds., 2827; synth. of copa and ylango derivs., (-)-copacamphe, (-)-cyclocopacamphe, (+)-sativene, (+)-cyclosativene, 2849; synth. of copa and ylango derivs., (+)-copa-camphe, (+)-copaborneol, (+)-copaisoborneol, (-)-ylangocamphe, (-)-ylangoborneol, (-)-ylangoisoborneol, 2838

Sideritol, correln. with jativatriol, 1172

Silane, halogeno(methyl)-, ESCA and electron binding energies, 3602

Silanes, α -substd., therm. intramolec. rearr., kinetics and mechm., 332

Silicon, attempted prepn. of a Si-C double bond, 3103; bonded to Mo, (η - C_6H_7) $Mo(CO)_2SiCl_3$, prepn., phys. and spect. props., 975; cryst. struct. of 1,1-dimethyl-1-

sila-6,7-cycloundecanediol, 3596; prepn. of η -arene complexes from $\text{Ru}(\text{CO})_4(\text{SiCl}_3)_2$, 2985
 Siloxanes, synth. by pyrol. of silanol esters, 67
 Siloxycarbene, from photoisomerizn. of acylsilanes, reacns. with acylsilanes, 2874
 Silver, solv. of Ag_2O in H_2O -MeOH mixt., 3250
 Silver chloride, electrochem. and thermo. props. in molten salt, models of ion pairs, 1084
 Silyl chloride, synth., methanol., selective lithin. and pyrol., 3103
 Silyl esters, pyrol., stereoselectn. in rearr., 67
 Silyl ether, prepn., lithin. and pyrol., 3103
 Silyl-pentacarbonyl metalates, of Cr, Mo, and W, prepn. and reacns., 467
 Smiles rearrangement, aryl thiohydrazonates, 1484
 Sodium, cryst. struct. BaNaPO_4 , 1849
 Sodium atom, reacn. with MeX ($\text{X} = \text{Cl}, \text{Br}, \text{I}$) and EtBr in diffn. flames, kinetics, theor. of data treatment, 1726
 Sodium borohydride, sulfurated, selectivity of reacn. with benzylic halides, 1480
 Sodium borohydride reductions, cat. by Pd-charcoal, 3637, 3645
 Sodium dichromate, oxidant of benzyl alcohol and benzaldehyde, kinetics and mechm., 3709
 Sodium ethoxide, ion-pair dissocn. const. by kinetic method, 1537
 Sodium methoxide, ion-pair dissocn. const. by kinetic method, 1537
 Sodium pyrophosphate, statistical calcn. of ΔS for phase transformn. at 600°C , 1739
 Solubility, Ag_2O in H_2O -MeOH mixt., 3250; $\text{Zn}(\text{OH})_2$ in H_2O , 3841
 Solutions, calcn. of water activity in supersatd. aq. solns. of NaCl , KCl , and K_2SO_4 by reverse applicn. of Reilly-Woods-Robinson eqns., 3133
 Solution theory, stat. mechl. calcn. of effective pair potls., applicn. to $\text{C}_6\text{H}_5\text{NO}_2$ in C_6H_6 , derivn. of stoichiometric activity coeffs., 2608
 Solvation, ions by MeOH, CNDQ MO calcns. of energies and configns., 3194
 Solvent effects, achiral and chiral solvents on ^1H and ^{13}C nmr of 1- and 3-arylhydantoins, 1556
 Solvolysis, $\text{Cr}(\text{H}_2\text{O})_5\text{I}^{2+}$ hydrol., effect of press. on kinetics, mechm., 3697; 1,3 elimination from a norbornyl system, solvent and isotope effects to detn. mechm., 26; 2-ferrocenylethyl systems and $-1,1-d_2$ derivs., mechm., 232; hydrol. of 4-methoxybenzyl trifluoroacetate, kinetics and mechm., 1051; MeClO_4 in H_2O , kinetics and mechm., 3106; tri-*t*-butylbenzyl chloride in H_2O -EtOH mixt., mechm., steric hindrance, and isotope effect, 3171
 Sonolysis, decompn. of aq. thymine solns., mechm., 2394
 Spinels, ferrite, hydrotherm. formn., 12
 Spin trapping, intermeds. from benzyl alcohol radiol., 3128
 Sponge *Agelas dispar*, isoln. of quaternary 9-methyladenine from, 1690
 Stability constants, SbCl_4^- and SbCl_6^{3-} from spect. data, 888; various solvd. species in aq. solns. of $\text{Cd}(\text{NO}_3)_2$, 1414
 Stannyl-pentacarbonyl metalates, of Cr, Mo, and W, prepn. and reacns., 467
 Statistical mechanics, calcn. of effective pair potls. of solns. of dipolar molec. in non-dissociating media, applicn. to $\text{C}_6\text{H}_5\text{NO}_2$ in C_6H_6 , 2608
 Statistical thermodynamics, calcn. of entropy of liq. mixts. and polymer solns., 1586
 Stereoelectronic control, during hydrol. of imidate salts, 2791; in interpret. of hydrol. of imidate salts, 3029
 Steroids, A-ring cyclopropanol derivs., synth., nmr and opt. spect., 1693; hydroxyl. at C-21 by microorganisms, mechm., 845; hydroxyl. by microorganisms, mechm., 2041; regioselective *O*-alkylation, 2971; spin-lattice relaxn. times from ^{13}C nmr, 338; synth. of C-nor-D-homo derivs., 1775
 Stilbenecarboxaldehydes, *m*- and *p*-, synth., 805
 Strecker reaction, 4-*t*-butylcyclohexanone, stereochem., 3339
 Substituent effects, correln. of Taft σ consts. with phenyl-acetylene chem. shifts, 373
N-Substituted phthalimides, hydrol. prods., 2450
 Substitution, α to N via nitrosamines, 2473; nucleophilic, reacn. PhS^- with series of *p*-substd. phenylbenzyl-dimethylammonium nitrates, mechm., 3216
 Sugars (see Carbohydrates, Disaccharides, Hexoses)
 N -(4'-Sulfamylphenyl)-butansultam (sulthiame), cryst. and molec. struct., mechm. of anticonvulsant activity, 2194
 Sulfenes, from photol. of 3-phenyl-2*H*-thiopyran 1,1-dioxide, 3656
 Sulfide dealkylation, as mechm. of formn. of complexes of WCl_6 and WCl_5 with R_2S , 383
 Sulfolane, ionizn. const. of HSO_3Cl and $\text{H}_2\text{S}_2\text{O}_7$ in soln. in, 2989; mixts. with EtOH and with *t*-BuOH as solvent for studies of ionizn. equil. of picric acid, 1651; solvent for org. acids and H_2O , ionizn. and hydrn. of acids by dil. solns. H_2O , 2683
 Sulfone, photol. of 3-phenyl-2*H*-thiopyran 1,1-dioxide, 3656
N-Sulfonylsulfilimines, ir and uv spect., bonding, 2381
 Sulfur, cation S_3N_2^+ , struct. from esr and cryst. data, 3147; CNDO/BW MO calcns. for S_4N_4 , decision on struct. from exptl. and theor. results, 1343; heterocyc. compds., ^{13}C nmr chem. shifts, 836
 Sulfur hydrides, molec. and ions, LCAO-MO-SCF *ab initio* calcns. of ionizn. potls., e^- , H^+ , and H^- affinities, 3747
 Sulfuranyl free radical, prepn., reacn. with olefins, 2361
 Sulfurated sodium borohydride, reacns., 1480
 Sulfur compounds, ^{13}C nmr of sulfoxides, sulfones, and thiones, 2880
 Sulfur dioxide, ir of species in solid state system with $\text{NH}_3 + \text{H}_2\text{O}$, 2646; lifetime of the $\tilde{\alpha}^2\text{B}_1$ state at low press., 2133
 Sulfur-free penicillins, synth., 497
 Sulthiame (*N*-(4'-sulfamylphenyl)-butansultam), cryst. and molec. struct., mechm. of anticonvulsant activity, 2194
 Surface equations of state, for adsd. films of polar org. molec. at interfaces, 916
 Suspensions, motional behavior of flexible filaments in viscous shear flow, 2689
 Sydnone, synth., halogenation, 913
 DL-Talofuranoside, synth., 2701
 Tantalum arsenate(s), prepn., use in ion exch. for sepn. of lanthanide ions, 2586

Tellurium(II), and (IV), complexes with S-containing lig. Mössbauer spect. and bonding props., 1855

Tetraalkylammonium bromides, app. V_m and C_p in mixts. of glycerol + H_2O , 3452

1,3,6,8-Tetraazatricyclo[4.4.1.1^{3,8}]dodecane, cryst. and molec. struct. of deriv., 1933

Tetrabutylammonium bromide, app. V_m and C_p in electrolyte solns., 3206

Tetracyclo[6.4.0.0^{2,11}.0^{4,9}]dodec-6-ene-3,10-dione, synth. and cryst. struct., 2068

Tetrafluoroborates of alkali metals, conductance in CH_3CN , ion assocn., 3448

Tetrafluoro[4.2]paracyclophane, synth., 1491

2,3,5,6-Tetrafluorophenylhydrazine, cyclizn. of some derivs., 2534

Tetrahydropyran, V_m and C_p in H_2O , 2591

Tetrahydropyranyl protection of ribofuranoside, 1093

α -Teritalin hydroperoxide, abstracn. of H from by t - ROO , kinetics and mechm., 623

3,3,6,6-Tetramethylbicyclo[2.2.1]heptan-2,5-dione, homoenolizn. and exch. at bridgehead position, mechm., 2211

Tetramethylgermane, electron diffrafn. of vap., struct., 3542

Tetramethylidene diradical, possible formn. in photol. of 1,2-pyridazine vap., isomerizn. to $C_2H_3C\equiv CH$, 1456

3,3,5,5-Tetramethyl-2-methylenecyclohexanones, substnd., prepn. and stereochem. of redn., 3294

3,3,5,5-Tetramethyl-2-*N*-piperidinomethylcyclohexanone, prepn. and stereochem. of redn., 3294

11*H*,22*H*-10,10,21,21-Tetramethyl-3,5,14,16-tetra(*N,N*-dimethyl-2-aminoethyl)-1,2-dioxonia-3,5,7,10,14,16,18,21-octaaazonia-2,4,6,11,13,15,17,22-octagallanata-nonaacyclo[13.7.0^{2,7}.0^{3,22}.0^{4,12}.0^{7,11}.0^{11,14}.0^{13,18}.0^{15,22}]docosane, cryst. and molec. struct., 753

Tetranitrogen tetrasulfide, CNDO/BW MO calens. for S_4N_4 , decision on struct. from exptl. and theoret. results, 1343

1,3,6,8-Tetraphenylpyrene, T-T absorpn., struct. and quenching const. of excited state, 3269

meso-Tetra(4-sulfonatophenyl)porphyrin, synth., 1554

Tetrathiocane, prepn. of Li salts, insertion of CO_2 , COS , CS_2 , and SO_2 to form Li salts of corresponding acids, 3720

Thallium, dimethyl-, orientn. of ion in nematic phases from 1H nmr, 161

Thallium(I) carbonate, cryst. struct., 2454

Thallium triacetate, cleavage of cyclopropane ring in Me trachylobanate, prods. and mechm., 20

Thelepogine, intermed. for synth., 2441

Thermal analysis, TG and DTA on fluorosilicate ammines and hydrates, 2426

Thermal decomposition (see also Pyrolysis, Thermolysis), aldoxime carbonates, kinetics and mechm., prepn. of nitriles, 3481; ethylenediaminetetraacetic acid, nitrilotriacetic acid, and nitrilotrimethylenephosphonic acid in aq. solns. above 200 °C, 3471; $[WC_5H_5(CO)_3]_2$ in mass spect. inlet, detn. W-W bond energy, 628

Thermal rearrangement, α -substd. silanes, kinetics of intramolec. mechm., 332

Thermochemistry, alk. halide ions in DMSO, calcn. of ΔH_{form} and ΔH_{soln} of ion pairs from electrostat. models, 1007; app. V_m and C_p of Bu_4NBr in electrolyte solns., 3206; app. V_m and C_p of R_4NBr , RMe_3NBr , and MX in mixts. of glycerol + H_2O , 3452; $D(CF_3OOCF_3)$ from $(SO_3F)_2$ inhibd. pyrol., 1442; $D(C_6H_5O-CH_3)$ and $\Delta H_f(C_6H_5O)$ from pyrol. of anisole, 3330; excess molar enthalpy for binary mixts. of $EtCOOH$ with org. bases, 1258; exptl. technique to improve detns. of C_p of solns. of volatile solutes, applicn. to aq. solns. of C_6H_6 , 3634; ΔG_{296}° for $SH^- + HCN \rightleftharpoons CN^- + H_2S$ and $D_0^\circ(H-CN)$ in gas phase, 2365; $\Delta H_f(C_3H_9^+, g)$ and proton affinity of C_3H_8 , 370; $\Delta H_f(InCl_3\cdot 3C_5H_5N)$ from calorimetry, 2995; ΔH_f for PF_3^+ , PF_2^+ , PF^+ from mass spect. data, 933; $\Delta H_{\text{dimeriza}}$ for p -substd. 2,6-dimethylphenols from nmr, 1129; mixts. of H_2O with t -BuOH, DMSO, acetone, and urea, 455; proton affinity of C_2H_6 , 2268; semi-empirical calcn. of ΔG_{hyd} and ΔH_{hyd} for trivalent lanthanide and actinide ions, 2695; statistical calcn. of ΔS for phase transformn. in NaP_2O_7 at 600 °C, 1739; W-W bond energy in $[WC_5H_5(CO)_3]_2$ from mass spect., 628

Thermodynamics, $AgCl$ ionizn. and electrochem. in molten salts, detn. of thermo. props., 1084; app. V_m and C_p of *c*-alkylamine hydrobromides in H_2O , 716; calcn. of water activity in supersatd. aq. solns. of $NaCl$, KCl , and K_2SO_4 by reverse applicn. of Reilly-Woods-Robinson eqns., 3133; conc. aq. solns. of $AlCl_3$, 1761; C_p and dens. of sulfates and carbonates of alkali metals in H_2O at 25 °C, 1134; lattice model stat. calcn. of entropy for liq. mixts. and polymer solns., 1586; thermo. basis for empirical rules to detn. activity coeffs. in solns. of mixed electrolytes, 1410

Thermolysis (see also Pyrolysis, Thermal decomposition), aryl(alkyl)amines, 3831; substd. dioxetanes, kinetics and mechm., 1103

1,3,4-Thiadiazolines, 5-imino-, 5-phenylimino-, 5-phenylhydrazono-, synth., 3211

Thiaspirane *Nuphar* alkaloids, ^{13}C chem. shifts, 3545

Thiazole, from base catd. rearr. of penicillin G, 3435

Thietane, and 3-chloro deriv., conformns. from MO calens., 1224; and 3-Me- and 3-Et-2-Pr-derivs., photol. in vap. and liq. phases and in matrix, mechm., probable formn. of 1,4-birads., 1744

Thietane sulfoxide, and 3-chloro deriv., conformns. from MO calens., 1224

Thioacetic acid, homolytic addn. to methylene cyclohexane derivs., stereochem., 3005

Thioacylals, acid (H_2SO_4) catd. hydrol., kinetics and mechm., 2772

Thioamides, freezing of librations in, nmr study, 3315

α -Thio- β -aminocrotonanilides, N,S -substd., synth., fungicidal activity, 1327

1-*epi*-Thiobinupharidine, ^{13}C nmr, 3545

1-*epi*-1'-*epi*-Thiobinupharidine, ^{13}C nmr, 3545

1'-*epi*-Thiobinupharidine, ^{13}C nmr, 3545

Thiocarbamate esters, hindered rotn. by 1H and ^{13}C nmr, 3732

Thiochromanone, Schmidt reacn., 276

Thiocyanate ion, oxidn. by tris(1,10-phenanthroline)-iron(III) in H_2SO_4 and $HClO_4$, kinetics and mechm., 3319

Thiocyanates, alkoxycarbonyl, pyrol. to yield alkyl thiocyanates and isothiocyanates, 907

Thiodithiazyll hexafluoroarsenate, struct. of cation $S_3N_2^+$ from esr and cryst. data, 3147

Thioformaldehyde, and CH_2SH^+ , SCF-MO calens.,

conformns. and charge distribns., rotnl. and inversn. barriers, electron donating props. of S, 1144

Thiohydrazonates, rearr. of aryl derivs., 1484

Thiol esters, general synth., 3693

Thione(s), heterocyc., ^{13}C nmr chem. shifts, 836; polycyc. aromatic, excited state photochem., mechm. of photocyclzn., 2386

cis-Thionylimide, ir in Ar and N_2 matrices, vibrnl. anal., 2311; photol. in Ar matrix, identifn. of *trans*-HNSO and NSO as prods. from ir, mechm. of formn., 2331; photol. in Ar matrix, identifn. of HOSN, HSNO, SNO, as prods. from ir, mechm. of formn., 2318

Thiophene(s), acyln. of substid., 2598; desulfurzn. and synth., 3526; synth. via 2,5-dihydrothiophenes, 209

Thiophenoxyde ion, nucleophilic, PhS^- with series of *p*-substd. phenylbenzylidemethylammonium nitrates, mechm., 3216

Thiourea, and related ligands, complexes with Te(II) and (IV), Mössbauer spect. and bonding, 1855

Thymine, photodimers, conformn. of precursors during formn., conformn. of dimer, 1193; sonol. of aq. solns., mechm., 2394

Tin, bonded to Mo, $(\eta\text{-C}_7\text{H}_7)\text{Mo}(\text{CO})_2\text{SnR}_3$ ($\text{R} = \text{Cl}$, Ph), prepn., phys. and spect. props., 975; complexes containing Ni, Mössbauer spect. and struct., 307; complexes of $\text{R}_2\text{Sn}(\text{NCS})_2$ with neut. ligs., structs. from Mössbauer spect., ir, and related props., 3200

Tin(II), Mössbauer spect. of some Sn-O compds., structs., 3371

Titanium, reacn. of thin films with alkyl halides, kinetics and mechm., 2619

Titanium(II), $(\text{C}_5\text{H}_5)_2\text{TiCl}_2$, cryst. and molec. struct., 1622

Titanium(III), struct. of complexes in aq. soln. from esr and electronic spect., 1630; struct. of $\text{Ti}(\text{H}_2\text{O})_6^{3+}$ in frozen aq. solns. from esr, 1593

p-Tolil monoazine, hydrog., prods. and mechm., 748

α -Toluenethiol, synth. from benzylic halides, 1480

Topographic information theory, applicn. to calcn. of effect of struct. of subststs. on ir $\nu_{\text{C}=\text{C}}$ for substd. ethylenes, 2580

Trachylobane, synth., 143

Transition metal complexes, *o*-mercaptophenol and 1,2-dihydroxybenzene complexes of Ti, Zr, Hf, Nb, and Ta, synth., electronic spect., and struct., 572; with phosphazenes, prepn., spect. props., and struct., 1765

Transport properties, in K_2SO_4 from elec. conduct. of pure and M^{2+} -doped crysts., anomalies at phase transn. temp., 1542

Triansylvinyl bromide, acetol. with HOAc-AgOAc and trifluoro derivs., isotopic scrambling from ^{13}C nmr and labelling studies, 320

Triazenes, 1,2,3-benzo-, synth., 3714

1,2,4-Triazoles, *C*-amino- and *C*-hydrazino-, synth., 3211

2,4,6-Tri-*t*-butylbenzenethiol, reacns. with DPPH, kinetics and mechm., esr of intermeds., 1123

Tri-*t*-butylbenzyl chloride, steric hindrance and isotope effect in solvol. in H_2O -EtOH mixt., 3171

Tri-*t*-butylcyclobutadiene-carboxylate, photoelectron spect., detn. ionizn. potl., 972

Trichloroacetic acid, monomer-dimer equil. in CCl_4 from band shape anal. of ir bands, 1251

Tricyclo[4.4.1.1^{2,5}]dodecan-11-yl alcohols, stereospecific synth., acetol. kinetics, 3078

Tricyclo[4.4.1.1^{2,5}]dodecenones, ^{13}C nmr, ^{13}C shieldings, 581

Tricyclooctanes, synth. from bicyclooctane systems, 143

2,3,6-Trideoxy-3-acetamidodiacyl-*L*-lyxo-hexopyranose, synth., 3144

Triethylamine, mono-adds. with BH_2F , BHF_2 , and BF_3 , synth. and props., 723; vp of mixts. with CHCl_3 and with $(\text{C}_2\text{H}_5)_2\text{O}$ at 298.15 K, thermo. fns. for mixing and for formn. of complexes, 3299

Trifluoromethanesulfonic acid, decompn. in H_2O , acid. and alk., kinetics and mechm., use as therm. stable aq. electrolyte at high temp., 3053

Trifluoromethyl hypofluorite, reacn. with nucleotides, 1302

Trimethylchlorosilane, selective lithn. and derivatizn. with $(\text{CH}_3)_3\text{SiCl}$, 3103

3,3,5-Trimethyl-1-methylenecyclohexane, hydroboration, 2033

Trimethylphosphine, and oxide and sulfide, add. with BX_3 , prepn. and nmr, halogen exch., 326

Trimethylsilyl ketone, photoelectron spect. and bonding, 2446

1,3,5-Trinitrobenzene, σ -complex with PhO^- , mechm. of formn., struct., 3761

Triphenylarsenic fluoride, cryst. and molec. struct., 1647

Triphenylmethoxyacetyl, select. removal, 1093

Triphenylmethyl carbonium ion, nucleophilic substn. with substd. pyridines, kinetics, 3408

Triphenylmethyl perchlorate, reacn. with substid. pyridines, kinetics, 3408

Triphenyl vinyl bromide, and ^{13}C and ^{14}C labelled, detn. of isotope scrambling in reacn. with HOAc-AgOAc by ^{13}C nmr, mechm. of reacn., 314

Tris(1,10-phenanthroline)iron(III), and derivs., oxidn. of SCN^- in H_2SO_4 and HClO_4 , kinetics and mechm., 3319

Trisubstituted double bond, stereochem., 3591

Triterpenes, from *Mucor rouxii*, *E*-24-ethylidene-5 α -lanost-8-en- β -ol acetate, isoln. and synth., 3247

Trithiane, prepn. of Li salts, insertion of CO_2 , COS , CS_2 , and SO_2 to form Li salts of corresponding acids, 3720

Tropylium ion, lack of formn. in CH_5^+ and H_3^+ reacn. with fluorotoluenes, 1314

Tungsten, anionic complexes with grp. IV elements, prepn. and reactivity, 467; diteriary arsine derivs. of carbonyls, prepn. and props., 3401

Tungsten chlorides, formn. of complexes with R_2S , mechm., 383

Tungsten π -cyclopentadienyl tricarbonyl dimer, ionizn. and app. potls. from mass spect., detn. W-W bond energy, therm. decompn., 628

Ultrasonics, decompn. of aq. thymine solns., mechm., 2394

γ , δ -Unsaturated amines and amides, oxidative cyclzn., 2515

Uranium, fission by H^+ , oxidn. states of I-containing prods., 3801; yields of I and Te isotopes in fission of ^{238}U by ^1H of energies 30-85 MeV, 3116

Urea, thermo. quantities of mixts. with H_2O , 455

Uv spectrum (see also Electronic spectrum), *N*-sulfonyl-sulfilimines, applicn. to bonding, 2381

Vanadium, cryst. struct. of $Zn_3V_{0.5}P_{1.5}O_8$, 3665; identif. of new compd. from therm. decompn. of NH_4VO_3 by ir, esr, and X-ray powder data, 2917

Van der Waals volumes, of org. molec. in H_2O , 2965

Vapor pressure, $(C_2H_5)_3N + CHCl_3$ and $(C_2H_5)_3N + (C_2H_5)_2O$ systems at 298.15 K, thermodyn. fns. for mixing and for formn. of complexes, 3299

Veratramine, and derivs., synth., 1796

Veratrum alkaloids, synth., 1775, 1796

Verbanone transformations, 1657

Vibrational analysis, criteria for uniqueness of sets of force consts. for polyat. molec., 437

Vibrational spectrum (see also Ir spectrum, Raman spectrum), $CH_3OC(O)OCH_3$, vibrnl. assign. and conformrs. in liq., 1378

Vinyl cations, 1-phenyl-2,2-dimethyl and -2,2-diethyl, formn., struct. from nmr, 784

Vinyl ethers, from rearr. of allylic acetals with $LiAlH_4$, 2005

N-Vinylimines, by base-catd. isomerizn., 355

Vinylphosphonium salts, synth. of thiophenes, 3526

Vinyl propionate, transesterif. with HOAc catd. by Pd(II), kinetics, effect of NaOAc, 2223

Virtual bonds, as explanation of helix configns., 3563

Viscosity, binary mixts. of EtCOOH with org. bases, 1258

Vitamin B₆, ¹³C nmr, 2406

Volume, app. molal, acetamide, acetone, and DMSO in H_2O , 3263; app. molal, of Bu_4NBr in electrolyte solns., 3206; app. molal, cyc. ethers and amines in H_2O , 2591; app. molal, electrolytes in acetamide- H_2O , acetone- H_2O , and DMSO- H_2O , 3263; app. molal, electrolytes in cyc. ether- H_2O and amine- H_2O mixts., 2591; app. molal, of org. molec. in H_2O , empirical calcn., 2965; app. molal, R_4NBr , RMe_3NBr , and MX in glycerol + H_2O mixts., 3452

Wagner-Meerwein rearrangements, synth. of aminoalkyltetrahydronaphthalenes and hexahydrophenanthrenes, 237

Water, app. V_m of org. molec. in, empirical calcn., 2965; calcn. of activity in supersatd. aq. solns. of NaCl, KCl, and K_2SO_4 by reverse applicn. of Reilly-Woods-Robinson eqns., 3133; CF_3SO_3H as therm. stable electrolyte at high temps., 3053; ir of species in solid state system with $NH_3 + SO_2$, 2646; isotopic exch. with H_2 over promoted Ni, 3257; reacns. in vap. in elec. disch., formn. H_2O_2 , H_2O_3 , and H_2O_4 , mechm., D-isotope effects, 2490; struct. of liq. from thermo-chem. studies in mixts. with glycerol, 3452; thermo-quantities, coeff. of expansion, and temp. depend. of dielec. const. of mixts. with t -BuOH, DMSO, acetone, and urea, 455; vibrnl. spect. of inorg. cryst. hydrates, Fermi resonance in vibrnl. levels, 3837

Wavelength modulation infrared spectroscopy, techniques, spect. of CO adsd. on Cu, 3313

Xanthenes, bridged, synth., 2045

Xenon, sorptn. in type A zeolite, Henry's law consts., 996

Xenon difluoride, reacn. with Si-S and Si-N compds., oxidative fluorination of P and I compds., characterizn. of prods. by ¹⁹F and ¹H nmr, 3044

X-ray powder data, clathrate hydrates of CH_2CH_2O and of cyc.- C_2H_6 , 71; cobalt(II) succinate, anhyd. and tetrahydrate, 98; complex ammonium vanadyl compd. formed in therm. decompn. of NH_4VO_3 , 2917; α -Cu₂Se, Cu₃Se, α -CuSe, and species of variable compn., 878; hexamethylenetetramine hexahydrate at 120 K, molec. struct., 2624; MP_2O_7 with M = Ti, Zr, Hf, Sn, and Pb, 79

β -D-1,4'-Xylan, helix conformn. in terms of virtual bonds, 3563

(-)-Ylangoborneol, synth., 2838

(-)-Ylangocamphor, synth., 2838

(-)-Ylangoisoborneol, synth., 2838


Zdanovskii's rule, thermo. basis and comparison with expt., 1410

Zeolite, type A, Henry's law consts. for sorptn. of inert gases, 996

Zinc(II), Raman spect. of hydrated ion in soln., effect of temp., concn., and pH on line shape, 3806

Zinc hydroxide, solv. prod. and stabil. consts. of OH^- complexes, 3841

Zinc phosphato-vanadate, cryst. struct. of $Zn_3V_{0.5}P_{1.5}O_8$, 3665



AUTHOR INDEX/REPERTOIRE DES AUTEURS

Under each name are listed, in chronological order of publication, all articles in which an author has participated.

Abbas, S. A.

Alkaline hydrolysis products of *N*-substituted phthalimides. S. K. Hasan and S. A. Abbas, 2450.

Aboul-Gheit, A. K.

The kinetics of quinoline hydrodenitrogenation through reaction intermediate products. A. K. Aboul-Gheit, 2575.

Achmatowicz, O., Jr.

Total synthesis of monosaccharides. Synthesis of methyl *D,L*-pentopyranosides with α - and β -*lyxo*, β -*ribo*, α -*xylo*, and α -*arabino* configurations from furfuryl alcohol. O. Achmatowicz, Jr. and P. Bukowski, 2524.

Agarwala, U.

Complexes of 2-mercapto benzothiazole with Cu(II), Ni(II), Co(II), Cd(II), Zn(II), Pb(II), Ag(I), and Tl(I). I. P. Khullar and U. Agarwala, 1165.

Ahmad, I.

Aryne formation from 2-bromolaudanosine. Fate of the 5,6,12,12a-tetrahydrodibenzo[*b,g*]indolizinium ion and an alternative synthesis of glaucine. I. Ahmad and M. S. Gibson, 3660.

Ahmed, F. R.

5-Allyl-9-oxobenzomorphans. Part 2. The crystal and molecular structure of an unusual product of dequaternization of 5-allyl-9-oxobenzomorphan methobromide. F. R. Ahmed, M. Saucier, and I. Monković, 3276.

Ahmed, M. G.

Rate constants for the reaction of fluorine atoms with nitric oxide in the presence of various third bodies. E. G. Skolnik, S. W. Veysey, M. G. Ahmed, and W. E. Jones, 3188.

Akhtar, M. H.

Studies related to antitumor antibiotics. Part VI. Correlation of covalent cross-linking of DNA by bifunctional aziridinoquinones with their antineoplastic activity. M. H. Akhtar, A. Begleiter, D. Johnson, J. W. Lown, L. McLaughlin, and S.-K. Sim, 2891.

Allen, C. F. H.

Identification of phenyl vinyl ketone and related compounds as 2,4-dinitrophenylhydrazones and pyrazolines. C. F. H. Allen, 865.

Allen, D.

The crystal and molecular structure of pentane-2,4-dionato-(2,3,5,6-*tetrahapt-2,3-dicarbomethoxo[2.2.1]* bicycloheptadiene)rhodium(I), Rh(C₅H₇O₂)(C₇H₆(CO₂CH₃)₂). D. Allen, C. J. L. Lock, G. Turner, and J. Powell, 2707.

Alper, H.

Azole chemistry. IX. A new synthesis of fused pyrimidines tetrahydropyrimido[1,2-*a*]benzimidazoles. H. Alper and L. Pepper, 894.

Alward, S. J.

Synthesis of *cis*-9-cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin and its conversion into an intermediate for a synthesis of thelepongine. R. B. Kelly, S. J. Alward, and J. Zameznik, 2441.

Alyea, E. C.

Synthesis and characterization of some dibasic tridentate Schiff base ligands. E. C. Alyea and A. Malek, 939. Erratum: Synthesis and characterization of some dibasic tridentate Schiff base ligands. E. C. Alyea and A. Malek, 2809.

Amberg, C. H.

The role of cobalt in unsupported MoS₂ hydrodesulfurization catalysts. E. Furimsky and C. H. Amberg, 2542. On the preparation of MoS₂ catalysts from MoS₃. E. Furimsky and C. H. Amberg, 3567.

Ambrose, J.

Electrochemical behavior of the lead electrode in HCl and NaCl aqueous electrolytes. R. G. Barradas, K. Belinko, and J. Ambrose, 389.

Anderson, A. B.

Microbiological transformations of 17-norkauran-16-one, *ent*-17 norkauran-16-one, and 17-norphylocladan-16-one by *Aspergillus niger*. A. B. Anderson, R. McCrindle, and J. K. Turnbull, 1181.

Annesa, A.

Studies in solvolysis. Part VII. The neutral hydrolysis of methyl perchlorate. R. E. Robertson, A. Annesa, and J. M. Scott, 3106.

ApSimon, J. W.

Carbon-13 spin-lattice relaxation times for selected steroids. J. W. ApSimon, H. Beierbeck, and J. K. Saunders, 338.

Arduini, A. L.

Magnetic and spectral studies on cobalt(II) and copper(II) salts of methylsulfuric, trifluoromethylsulfuric, and para-tolylsulfuric acids. A. L. Arduini, M. Garnett, R. C. Thompson, and T. C. T. Wong, 3812.

Arlotto, R.

Synthèse et propriétés des pentaméthyl-2,3,3,5,5 et tétraméthyl-3,3,5,5 *N*-pipéridinométhyl-2 cyclohexanones et de leurs dérivés. J. C. Richer et R. Arlotto, 3294.

Armstrong, D. A.

Reactions of OH, CH₂OH, Br₂⁻, and (CNS)₂⁻ free radicals with cysteine at pH 5.3. G. C. Goyal and D. A. Armstrong, 1475.

Mechanism of electron capture and hydrogen formation by HBr irradiated in mixtures with C₂F₆, CO₂, and Xe. S. S. Nagra and D. A. Armstrong, 3305.

Arnau, J. L.

Studies on hydrogen-oxygen systems in the electrical discharge. VII. Deuterium isotope effects in the chemistry of the hydrogen polyoxides. J. L. Arnau and P. A. Giguère, 2490.

Arnold, D. R.

The photochemical reactivity of some benzoylthiophenes. III. The effect of an adjacent methyl group on the excited state reactivity of 2-benzoylthiophene. D. R. Arnold and B. M. Clarke, Jr., 1.

Arnold, S. J.

Emission from electronically excited C₂. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 2419.

Arora, P.

The stereochemistry of the Reformatsky reaction of methyl 4-bromo-3-methylbut-2-enoate with β -cyclocitral and related compounds. R. N. Gedye, P. Arora, and A. H. Khalil, 1943.

Aspinall, G. O.

Base-catalyzed degradations of carbohydrates. VII. Alkaline degradation of 3,6-di-*O*-substituted hexoses. G. O. Aspinall, I. Furda, R. Khan, and T. N. Krishnamurthy, 2171.

Base-catalyzed degradations of carbohydrates. VIII. Disaccharide syntheses. G. O. Aspinall, I. Furda, and T. N. Krishnamurthy, 2178.

Base-catalyzed degradations of carbohydrates. IX. β -Eliminations of 4-*O*-substituted hexopyranosiduronates. G. O. Aspinall, M. Funabashi, T. N. Krishnamurthy, and W. Mitura, 2182.

Base-catalyzed degradations of carbohydrates. X. Degradation by β -elimination of methylated degraded leiocarpan A. G. O. Aspinall and A. S. Chaudhari, 2189.

Attig, T. G.

The preparation of some hydridotricyclohexylphosphine platinum(II) complexes. T. G. Attig and H. C. Clark, 3466.

Auger, Y.

Détermination du pouvoir sulfonant des acides disulfurique et chlorosulfurique dans le sulfolane. P. Pierens, Y. Auger, J. C. Fischer et M. Wartel, 2989.

Augustine, A.

The stereochemistry of some organic derivatives of group Vb elements. Part X. The crystal and molecular structure of triphenylarsenic difluoride. A. Augustine, G. Ferguson, and F. C. March, 1647.

Auret, B. J.

The mechanism of the microbial hydroxylation of steroids. Part 1. The C-21 hydroxylation of progesterone by *Aspergillus niger* ATCC 9142. H. L. Holland and B. J. Auret, 845.

The mechanism of the microbial hydroxylation of steroids. Part 2. Hydroxylation of a Δ^4 -3-ketosteroid analog by *Rhizopus arrhizus* ATCC 11145. H. L. Holland and B. J. Auret, 2041.

Ausloos, P.

Réactions des ions moléculaires cyclohexane en phase gazeuse. G. J. Collin et P. Ausloos, 680.

Authier-Martin, M.

Crystal structure of adeninium trichloromercurate(II), (C₅H₆N₅)HgCl₃ · 1½H₂O. M. Authier-Martin and A. L. Beauchamp, 2345.

Avedikian, L.

ΔG^0 , ΔH^0 , ΔS^0 de transfert de H₂O et du couple H⁺, OH⁻ de l'eau a ses mélanges contenant jusqu'à 40% de EtOH, *tert*-BuOH, DMSO, acetone et urée à 25 °C. H. Gillet, L. Avedikian et J.-P. Morel, 455.

Aveyard, R.

Adsorption of polar organic molecules at oil/water and air/water interfaces. R. Aveyard and J. Chapman, 916.

Ayer, W. A.

Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

Carbon-13 nuclear magnetic resonance studies of some *Lycopodium* alkaloids. T. T. Nakashima, P. P. Singer, L. M. Browne, and W. A. Ayer, 1936.

Azzaro, M.

Aziridines saturées et insaturées. Synthèses par réduction de cyclohexénones oximes et études spectroscopiques. L. Ferrero, S. Geribaldi, M. Rouillard et M. Azzaro, 3227.

Back, M. H.

The temperature dependence of the ratio k_d/k_c for ethyl radicals. D. G. Hooper, M. Simon, and M. H. Back, 1237.

The mechanism of formation of hexene-1 in the photolysis of ethylene at 185 nm. M. Simon and M. H. Back, 1245.

A kinetic determination of the dissociation energy of the C—O bond in anisole. S. Paul and M. H. Back, 3330.

The thermal decomposition of methane. I. Kinetics of the primary decomposition to $C_2H_6 + H_2$; rate constant for the homogeneous unimolecular dissociation of methane and its pressure-dependence. C.-J. Chen, M. H. Back, and R. A. Back, 3580.

Back, R. A. The thermal decomposition of methane. I. Kinetics of the primary decomposition to $C_2H_6 + H_2$; rate constant for the homogeneous unimolecular dissociation of methane and its pressure-dependence. C.-J. Chen, M. H. Back, and R. A. Back, 3580.

Badami, B. V. Uses of sydnone for heterocyclic syntheses. B. V. Badami and G. S. Puranik, 913.

Badr, M. Z. A. Molecular rearrangements. Part VI. Aryl(alkyl)amines(II) thermal rearrangement of *N*-benzyl aniline. M. Z. A. Badr and H. A. H. El-Sherief, 3836.

Baer, H. H. Concerning the problem of stereospecific glycosylation. Synthesis and methanolysis of some 2-*O*-benzylated D-galactopyranosyl and D-galactofuranosyl halides. J. M. J. Fréchet and H. H. Baer, 670.

Bagli, J. F. Thiophene isosters of phenylethanolamines. J. F. Bagli and E. Ferdinandi, 2598.

Bailey, F. C. Linear free energy relationships. IV. Synthesis and spectral characterization of some new solvatochromics. *N*-(*p*-substituted)benzyl-2'-hydroxy-4-stilbazolium betaines. H. W. Gibson and F. C. Bailey, 2162.

Balahura, R. J. Substituent effects in electron transfer reactions: the preparation and chromium(II) reduction of 3-formylpentane-2,4-dionatobis(ethylenediamine)cobalt(III). Preparation of the linkage isomer 2-acetylbutane-1,3-dionatobis(ethylenediamine)cobalt(III). R. J. Balahura and N. A. Lewis, 1154.

Ball, J. H. Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

Ballard, J. G. ^{119}Sn Mössbauer spectra of some tin(II)-oxygen compounds. J. G. Ballard and T. Birchall, 2371.

Bancroft, G. M. ^{119}Sn Mössbauer spectra of Sn-Ni compounds. G. M. Bancroft and K. D. Butler, 307.

Banerjee, S. On the mechanism of base-catalyzed hydrogen isotope exchange in cyclic ketones. S. Banerjee and N. H. Werstiuk, 1099.

Bansal, R. K. Synthesis of 6-hydroxyfulvenes. II. Isomerization of 7-oxanorbornadienes and 3-oxaquadricyclanes. R. K. Bansal, A. W. McCulloch, P. W. Rasmussen, and A. G. McInnes, 138.

Barclay, L. R. C. Sterically hindered aromatic compounds. VI. A remote ϵ -deuterium kinetic isotope effect in the solvolysis of per-deutero-2,4,6-*tri-tert*-butylbenzyl chloride. L. R. C. Barclay, J. R. Mercer, and P. J. MacAulay, 3171.

Baron, D. Effet de substituant et de solvant sur l'enthalpie de dimérisation de diméthyl-2,6 phénols. Etude par résonance magnétique nucléaire. D. Baron, M. Tanguy et N. Lumbroso-Bader, 1129.

Barradas, R. G. Electrochemical behavior of the lead electrode in HCl and NaCl aqueous electrolytes. R. G. Barradas, K. Belinko, and J. Ambrose, 389.

Rotating ring-disc electrode studies of lead in HCl and NaCl solutions. R. G. Barradas, K. Belinko, and E. Ghibaudi, 407.

Barron, J. P. Studies in solvolysis. Part VI. An examination of the heat capacity of activation for the hydrolysis of 4-methoxybenzyl trifluoroacetate. J. G. Winter, J. P. Barron, and J. M. W. Scott, 1051.

Bartet, B. Réactions du phénol-1 diméthyl-3,4 phosphole avec divers chlorures d'acides aromatiques. F. Mathey, D. Thavard et B. Bartet, 855.

Bassindale, A. R. The thermal rearrangement of α -substituted silanes. A. R. Bassindale, A. G. Brook, P. F. Jones, and J. M. Lennon, 332.

Basso, J. H. Recherches sur les composés éthyléniques. V. Liens entre la structure des alcènes et leur fréquence de vibration $\nu_{C=C}$ influence des effets structuraux et établissement d'une relation de topo-information. J. H. Basso, S. Delattre, R. Lanteri et R. Luft, 2580.

Bates, F. E. The far infrared spectra and X-ray powder diffraction patterns of the structure I hydrates of cyclopropane and ethylene oxide at 100 K. J. E. Bertie, F. E. Bates, and D. K. Hendrickson, 71.

Bates, G. S.

A general, selective synthesis of thiol esters. S. Masamune, S. Kamata, J. Diakur, Y. Sugihara, and G. S. Bates, 3693.

Battat, A.

Sur la structure cristalline des diméthyl-1,1 germa-1 (et sila-1) cycloundécaneediols-6,7. F. Brisse, A. Battat, J.-C. Richer, P. Mazerolles et A. Faucher, 3596.

Bazinet, S.

Thermodynamic properties of aqueous organic solutes in relation to their structure. Part II. Apparent molal volumes and heat capacities of cycloalkylamine hydrobromides in water. C. Jolicoeur, J. Boileau, S. Bazinet, and P. Picker, 716.

Beauchamp, A. L.

Crystal structure of adeninium trichloromercurate(II), $(C_5H_6N_5)HgCl_3 \cdot 1\frac{1}{2}H_2O$. M. Authier-Martin and A. L. Beauchamp, 2345.

Crystal and molecular structure of dithiocyanato(triphenylarsine)mercury(II). J. Hubert, A. L. Beauchamp, and R. Rivest, 3383.

Becker, E. D.

Nuclear molecular resonance chemical shifts of some monosubstituted isothiazoles. R. E. Wasylisen, T. R. Clem, and E. D. Becker, 596.

Beckett, B. A.

Conversion of bicyclo[2.2.2]octane systems into tricyclo[3.2.1.0^{2,7}]octanes: a third synthesis of the diterpenoid trachlobane. R. B. Kelly, B. A. Beckett, J. Eber, H.-K. Hung, and J. Zamecnik, 143.

Begleiter, A.

Studies related to antitumor antibiotics. Part VI. Correlation of covalent cross-linking of DNA by bifunctional aziridinoquinones with their antineoplastic activity. M. H. Akhtar, A. Begleiter, D. Johnson, J. W. Lown, L. McLaughlin, and S.-K. Sim, 2891.

Beierbeck, H.

Carbon-13 spin-lattice relaxation times for selected steroids. J. W. ApSimon, H. Beierbeck, and J. K. Saunders, 338.

β -Carbon shielding effects in carbon-13 nuclear magnetic resonance spectroscopy. H. Beierbeck and J. K. Saunders, 1307.

Bélanger, A.

Reactions of ketene acetals. IV. A new synthesis of α -pyrones. III. A. Bélanger and P. Brassard, 201.

Belinko, K.

Electrochemical behavior of the lead electrode in HCl and NaCl aqueous electrolytes. R. G. Barradas, K. Belinko, and J. Ambrose, 389.

Rotating ring-disc electrode studies of lead in HCl and NaCl solutions. R. G. Barradas, K. Belinko, and E. Ghibaudi, 407.

Beljean, M.

Spectres de masse d'hydrazino-2 benzo- et napthothiazoles et d'hydrazones des méthyl-3 benzo- et napthothiazolines-2. J.-C. Richer, P. Lapointe, M. Beljean et M. Pays, 3677.

Bell, R. A.

Synthesis of methyl 12S- and 12R-hydroxyabd-8(17)-en-19-oates. R. A. Bell, M. B. Gravestock, and V. Y. Taguchi, 2869.

Belleau, B.

The synthesis of 4a-aminoalkyl-1,2,3,4,4a,9-hexahydrophenanthrenes. Versatile intermediates for potential CNS drugs. B. Belleau, T. T. Conway, T. W. Doyle, L. Morris, and W. Verbestel, 237.

Base-catalyzed rearrangement reactions of 4a-aminomethyl-1,2,3,4,4a,9-hexahydrophenanthrenes-synthesis of D-nor-morphinans. T. T. Conway, T. W. Doyle, Y. G. Perron, J. Chapuis, and B. Belleau, 245.

Synthetic morphinans and hasubanans. Part IV. Total synthesis of 3,14-dihydroxyisomorphinans, 3-methoxy- $\Delta^{8,14}$ -morphinans and 9 α -hydroxy-3-methoxyhasuban. I. Monković, H. Wong, B. Belleau, I. J. Pachter, and Y. G. Perron, 2515.

Oxilorphan and butorphanol. Potent narcotic antagonists and nonaddicting analgesics in the 3,14-dihydroxy-morphinan series. Part V. I. Monković, H. Wong, A. W. Pircio, Y. G. Perron, I. J. Pachter, and B. Belleau, 3094.

The bioorganic chemistry of N-allyl and N-propargyl substituents in drug interactions with flavin-linked oxidases. J.-L. Kraus and B. Belleau, 3141.

Apparent molal volumes and heat capacities of some tetraalkylammonium bromides, alkyltrimethylammonium bromides and alkali halides in aqueous glycerol solutions. G. DiPaola and B. Belleau, 3452.

Bender, C. O.

Polar substituents in pericyclic reactions: mechanistic course of the $2\pi + 2\pi$ photocycloaddition of dimethyl 1,4-dihydro-1,4-ethenonaphthalene-2,3-dicarboxylate. C. O. Bender and D. W. Brooks, 1684.

Benezra, C.

Déroulement anormal d'une réaction de Michaelis-Becker: caractère ambident de l'anion diéthylphosphonate $(C_2H_5O)_2PO^-$; stéréochimie de la réaction de Michaelis-Becker. C. Benezra et J.-L. Bravet, 474.

Benoit, R. L.

Hydration of some acids in sulfolane. R. L. Benoit and S. Y. Lam, 2683.

Benson, G. C.

A micrometer syringe dilatometer: application to the measurement of the excess volumes of some ethylbenzene systems at 298.15 K. R. Tanaka, O. Kiyohara, P. J. D'Arcy, and G. C. Benson, 2262.

Beran, J. A.

Photoionization cross sections at 11.6-11.8 eV. J. A. Beran, A. K. Dhingra, W.-S. Liu, and D. F. Mullica, 1616.

Berger, C.

Synthesis and novel stereochemical results in the lithium-ammonia reduction of some 4-alkyl- $\Delta^{1(0)}$ -2-octalones. E. Piers, W. M. Phillips-Johnson, and C. Berger, 1291.

Bernal, I.

Structural studies of $(\pi\text{-C}_5\text{H}_5)_2\text{MX}_2$ complexes and their derivatives. The structure of bis(π -cyclopentadienyl) titanium dichloride. A. Clearfield, D. K. Warren, C. H. Saldarriaga-Molina, R. Ropal, and I. Bernal, 1622.

Bernard, M. A.

Etude magnétique des sels alcalins de quelques amino acides. M. A. Bernard, N. Bois et M. Daireaux, 3167.

Bernardi, F.

On the π -donating abilities of sulfur and oxygen. A comparative quantum chemical investigation of the static and dynamic properties and gas phase acidities of CH_2OH and CH_2SH . F. Bernardi, I. G. Csizmadia, H. B. Schlegel, and S. Wolfe, 1144.

A correlation between bond length and ionic bond order. Application to the ylide-ylene problem. M.-H. Whangbo, S. Wolfe, and F. Bernardi, 3040.

The structure of acetaldehyde enolate anion. S. Wolfe, H. B. Schlegel, I. G. Csizmadia, and F. Bernardi, 3365.

Ab initio computation of force constants. II. The estimation of dissociation energies from *ab initio* SCF calculations. H. B. Schlegel, S. Wolfe, and F. Bernardi, 3599.

Bernstein, E.

2-Deacetylchelocardin: a degradation product of chelocardin. D. T. W. Chu, D. L. Garmaise, and E. Bernstein, 1434.

Berthelon, A.

Etude spectroscopique de l'aniline dans les solvants. P. Méallier, A. Berthelon et B. Pouyet, 1461.

Berthelot, M.

Sur la sensibilité différente du vibrateur carbonyle d'acétophénones *meta* et *para* substitués aux facteurs σ_m^+ et σ_p^+ . M. Berthelot et C. Laurence, 993.

Bertie, J. E.

The far infrared spectra and X-ray powder diffraction patterns of the structure I hydrates of cyclopropane and ethylene oxide at 100 K. J. E. Bertie, F. E. Bates, and D. K. Hendrickson, 71.

The infrared spectrum between 4000 and 200 cm^{-1} and the X-ray powder diffraction pattern of hexamethylenetetramine hexahydrate in four isotopic forms at 100 K. J. E. Bertie and M. Solinas, 2624.

The far infrared spectra of partially orientationally ordered water molecules: hexamethylenetetramine hexahydrate at 95 K. J. E. Bertie and M. Solinas, 2642.

Bérubé, D.

The electroreduction of some *N*-haloamides. D. Bérubé, J. Caza, F. M. Kimmerle, and J. Lessard, 3060.

Bessière, Y.

Isomérisation d'oxydes d'acétates d'enols en série pinanique. Y. Bessière, M. M. El Gaiad et G. Boussac, 738.

Beth, A.

Synthesis of substituted hydrindanes. Part I. Products arising from the cyclization of acetonyl cyclohexanones and acetonyl cyclohexadiones. A. Beth, J. Pelletier, R. Russo, M. Soucy, and R. H. Burnell, 1504.

Betowski, D.

The equilibrium $\text{SH}^- + \text{HCN} \rightleftharpoons \text{CH}^- + \text{H}_2\text{S}$ and the determination of $D_0^0(\text{H}-\text{CN})$. D. Betowski, G. Mackay, J. Payzant, and D. Bohme, 2365.

Bichan, D. J.

Bridged xanthenes. I. An intermolecular cycloaddition route. P. Yates and D. J. Bichan, 2045.

Bridged xanthenes. II. An intramolecular cycloaddition route. D. J. Bichan and P. Yates, 2054.

Bidinosti, D. R.

Mass spectrometric studies of the ionization and thermal decomposition of tungsten π -cyclopentadienyl tricarbonyl dimer. J. R. Krause and D. R. Bidinosti, 628.

Biggs, D. F.

Derivatives of 2-pyrazolin-5-one. III. The preparation and properties of some 1'-phenylspiro[indoline-2,4'-[2]pyrazoline]-5'-ones. R. T. Coutts, A.-m. El-hawari, and D. F. Biggs, 3645.

Birchall, T.

^{119}Sn Mössbauer spectra of some tin(II)-oxygen compounds. J. G. Ballard and T. Birchall, 3371.

Bishop, C. T.

A facile route to 1 \rightarrow 6 linked disaccharides: syntheses of 6- $\text{\textgreek{o}}$ - $\text{\textgreek{p}}$ -glucopyranosyl- $\text{\textgreek{p}}$ -glucose (gentiobiose) and of 2-acetamido-6- $\text{\textgreek{o}}$ -(2-acetamido-2-deoxy- $\text{\textgreek{p}}$ -galactopyranosyl)-2-deoxy- $\text{\textgreek{p}}$ -galactose. R. R. King and C. T. Bishop, 1970.

Blain, M.

Synthèse et réactions d'une bis (α -dicétone) carboranique. Explication par la méthode CNDO/2. G. Rabilloud, B. Sillion, J. Rossarie, M. Blain et S. Odiot, 2955.

Blakney, G.

Nuclear magnetic resonance studies of the solution chemistry of metal complexes. XIII. The lability of the metal-nitrogen bonds in the cadmium, zinc, and mercury complexes of selected polyaminocarboxylic acids. D. L. Rabenstein, G. Blakney, and B. J. Fuhr, 787.

Bohme, D.

The equilibrium $\text{SH}^- + \text{HCN} \rightleftharpoons \text{CN}^- + \text{H}_2\text{S}$ and the determination of D_0^0 (H-CN). D. Betowski, G. Mackay, J. Payant, and D. Bohme, 2365.

Boileau, J.

Thermodynamic properties of aqueous organic solutes in relation to their structure. Part II. Apparent molal volumes and heat capacities of cycloalkylamine hydrobromides in water. C. Jolicoeur, J. Boileau, S. Bazinet, and P. Picker, 716.

Bois, N.

Etude magnétique des sels alcalins de quelques amino acides. M. A. Bernard, N. Bois et M. Daireaux, 3167.

Bolker, H. I.

Reductive cleavage of acetals and ketals by borane. Part II. The kinetics of the reaction. H. I. Bolker and B. I. Fleming, 2818.

Bonneau, R.

Thione photochemistry: the *peri* cyclization of some polycyclic aromatic thiones. A. Cox, D. R. Kemp, R. Lapouyade, P. de Mayo, J. Jousset-Dubien, and R. Bonneau, 2386.

Boorman, P. M.

The reactivity of tungsten halides with organic sulfides: S-dealkylation and reductive elimination reactions. P. M. Boorman, T. Chivers, and K. N. Mahadev, 383.

Bourns, A. N.

Isotope effect studies on elimination reactions. X. The nature of the transition state for the $\text{E}_{\text{Co}}2$ reaction of *para*-substituted benzyl nitrates with base in 90% by volume ethanol-water. P. J. Smith, C. A. Pollock, and A. N. Bourns, 1319.

Isotope effect studies on elimination reactions. XI. The nature of the transition state for the E2 reaction of 2-phenylethyldimethylanilinium salts containing substituents in the aniline ring with sodium ethoxide in ethanol. P. Schmid and A. N. Bourns, 3513.

Boussac, G.

Isomérisation d'epoxydes d'acétates d'enols en série pinanique. Y. Bessière, M. M. El Gaiad et G. Boussac, 738.

Brand, J. C. D.

Determination of 3×3 harmonic force field of planar X_2YZ molecules. J. C. D. Brand and Ch. V. S. R. Rao, 437.

Brassard, P.

Reactions of ketene acetals. III. A new synthesis of α -pyrones. II. A. Bélanger and P. Brassard, 195.

Reactions of ketene acetals. IV. A new synthesis of α -pyrones. III. A. Bélanger and P. Brassard, 201.

Bravet, J.-L.

Déroulement anormal d'une réaction de Michaelis-Becker: caractère ambident de l'anion diéthylphosphonate $(\text{C}_2\text{H}_5\text{O})_2\text{PO}^-$; stéréochimie de la réaction de Michaelis-Becker. C. Benezra et J.-L. Bravet, 474.

Briggs, J. P.

Phosphorescence lifetime of SO_2 in the $\tilde{\sigma}^3\text{B}_1$ state at low pressure. J. P. Briggs, R. B. Caton, and M. J. Smith, 2133.

Brindle, J.-R.

Facile synthesis of thiols and sulfides. J.-R. Brindle and J.-L. Liard, 1480.

Brisse, F.

Etudes conformationnelles de dérivés d'oligométhylène glycols et de composés apparentés. Partie II. Structure cristalline et moléculaire du di(*para*-chlorobenzoate) d'éthylène glycol, $\text{C}_{16}\text{H}_{12}\text{O}_4\text{Cl}_2$. S. Pérez et F. Brisse, 3551.

Sur la structure cristalline des diméthyl-1,1 germa-1 (et sila-1) cycloundécanediols-6,7. F. Brisse, A. Battat, J.-C. Richer, P. Mazerolles et A. Faucher, 3596.

Britton, R. W.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: preparation of $(-)(1S,4S,5R,7R)-1,7$ -dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione and $(+)(1R,4S,5S,7S)-1,7$ -dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and R. D. Smillie, 2827.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: $(+)$ -copacamphor, $(+)$ -copaborneol, $(+)$ -copa-isorbornol, $(-)$ -ylangocamphor, $(-)$ -ylangoborneol, $(-)$ -ylangoisoborneol. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and F. Kido, 2838.

Broadbent, A. D.

Photolysis of aqueous solutions of 9,10-anthraquinone-2-sulfonate. Part II. Dependence of rates of hydroxylation on reaction conditions. A. D. Broadbent, H. B. Matheson, and R. P. Newton, 826.

The redox behavior of 9,10-anthraquinone-2-sulfonate in acidic aqueous solution. A. D. Broadbent and R. J. Melanson, 3757.

Bromstein, A. C.
Four new sesquiterpene analogs of common monoterpenes. S. J. Terhune, J. W. Hogg, A. C. Bromstein, and B. M. Lawrence, 3285.

Bron, J.
The importance of anharmonicity of the vibrational excited states in chemical kinetics. J. Bron, 3069.

Brook, A. G.
The thermal rearrangement of α -substituted silanes. A. R. Bassindale, A. G. Brook, P. F. Jones, and J. M. Lennon, 332.

Acylsilane photolyses: 1,1-diphenyl-1-silacyclohexanone-2 in cyclohexane. A. G. Brook, J. B. Pierce, and J. M. Duff, 2874.

Brooks, D. W.
Polar substituents in pericyclic reactions: mechanistic course of the $2\pi + 2\pi$ photocycloaddition of dimethyl 1,4-dihydro-1,4-ethenonaphthalene-2,3-dicarboxylate. C. O. Bender and D. W. Brooks, 1684.

Brooks, W. V. F.
The microwave spectrum, dipole moment, and structure of glycidol. W. V. F. Brooks and K. V. L. N. Sastry, 2247.

Brown, R. S.
The photoelectron spectrum of methyl tri-*t*-butylcyclobutadienecarboxylate. R. S. Brown and S. Masamune, 972.

A photoelectron investigation of acyl silanes: the photoelectron spectra of trimethylsilyl phenyl ketone and phenyl *tert*-butyl ketone. R. S. Brown, 2446.

A photoelectron investigation of the peroxide bond. R. S. Brown, 3439.

Browne, L. M.
Carbon-13 nuclear magnetic resonance studies of some *Lycopodium* alkaloids. T. T. Nakashima, P. P. Singer, L. M. Browne, and W. A. Ayer, 1936.

Brubacher, L. J.
A new method for determining individual rate constants for specific non-chromophoric substrates of proteolytic enzymes. L. J. Brubacher, 564.

Buchanan, G. W.
Carbon-13 nuclear magnetic resonance spectra of carcinogenic polynuclear hydrocarbons. II. Benzof[*a*]pyrene. G. W. Buchanan and R. S. Ozubko, 1829.

Erratum: Application of carbon-13 nuclear magnetic resonance to conformational analysis of trimethylene sulfites. G. W. Buchanan, J. B. Stothers, and G. Wood, 2359.

Bukowski, P.
Total synthesis of monosaccharides. Synthesis of methyl DL-pentopyranosides with α - and β -*lyxo*, β -*ribo*, α -*xylo*, and α -*arabino* configurations from furfuryl alcohol. O. Achmatowicz, Jr. and P. Bukowski, 2524.

Buksak, D.
The extraction of mercury and methylmercury by diphenylthiocarbazone-treated polyurethane foams. A. Chow and D. Buksak, 1373.

Bula, M. J.
Mixed boron trihalide adducts. A nuclear magnetic resonance study of halogen redistribution in adducts of trimethylphosphine sulfide. M. J. Bula, J. S. Hartman, and C. V. Raman, 326.

Bulmer, J. T.
Factor analysis as a complement to band resolution techniques. III. Self association in trichloroacetic acid. J. T. Bulmer and H. F. Shurvell, 1251.

The temperature dependence of Raman band parameters for aquated Mg(II) and Zn(II). J. T. Bulmer, D. E. Irish, and L. Odberg, 3806.

Bunce, N. J.
Photoreactions of simple halonaphthalenes in solution. L. O. Ruzo, N. J. Bunce, and S. Safe, 688.

On the mechanism of oxetan formation in the photocycloaddition of *p*-benzoquinone to alkenes. N. J. Bunce and M. Hadley, 3240.

A new mode of photorearrangement in the azoxybenzene series. N. J. Bunce, 3477.

Buncel, E.
Bond scission in sulfur compounds. Part X. The hydrazinolysis of methyl *p*-nitrophenyl sulfate. E. Buncel and C. Chuquai, 1275.

The 1,3,5-trinitrobenzene-phenoxide σ -complex. Ambident phenoxide ion in SNAr systems. E. Buncel, A. Joficzyk, and J. G. K. Webb, 3761.

Bunting, J. W.
Substrate inhibition in the hydrolysis of hippuric acid esters by carboxypeptidase A. J. Murphy and J. W. Bunting, 283.

Reversible inhibition of carboxypeptidase A. III. Inhibition of specific esterase activity by substituted benzoate and related anions. J. W. Bunting and C. D. Myers, 1984.

Reversible inhibition of carboxypeptidase A. IV. Inhibition of specific esterase activity by hippuric acid and related species and other amino acid derivatives and a comparison with substrate inhibition. J. W. Bunting and C. D. Myers, 1993.

Burnell, R. H.

Synthesis of substituted hydrindanes. Part I. Products arising from the cyclization of acetyl cyclohexanones and acetyl cyclohexadiones. A. Beth, J. Pelletier, R. Russo, M. Soucy, and R. H. Burnell, 1504.

Busby, C. A.

A convenient preparation of *meso*-tetra(4-sulfonatophenyl)porphyrin. C. A. Busby, R. K. DiNello, and D. Dolphin, 1554.

Butler, D. N.

Chemistry of proximal π -bond systems. Part III. Synthesis of substituted benzopolycyclic hydrocarbons. D. N. Butler and R. A. Snow, 256.

Butler, K. D.

^{119}Sn Mössbauer spectra of Sn-Ni compounds. G. M. Bancroft and K. D. Butler, 307.

By, A.

Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Cable, J.

Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrobazine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Calhoun, H. P.

Complexes of dimethylaminophosphazenes with metal ions. H. P. Calhoun, N. L. Paddock, and J. N. Wingfield, 1765.

The crystal and molecular structure of the dihydrochloride of 2-, *trans*-6-diethyl-2,4,4,6,8,8-hexamethylcyclotetraphosphazene. H. P. Calhoun, R. T. Oakley, N. L. Paddock, and J. Trotter, 2413.

Callaghan, P. D.

The rearrangement of aryl thiohydrazones. A. J. Elliott, P. D. Callaghan, M. S. Gibson, and S. T. Nemeth, 1484.

Calvo, C.

The crystal structure of dimedone. I. Singh and C. Calvo, 1046.

Crystal structure of and electron paramagnetic resonance of Mn^{2+} in $\text{Cd}_2(\text{NH}_4)_2(\text{SO}_4)_3$. H. N. Ng and C. Calvo, 1449.

Structure of nickel orthophosphate. C. Calvo and R. Faggiani, 1516.

Crystal structure of the glaserite form of BaNaPO_4 . C. Calvo and R. Faggiani, 1849.

Refinement of the crystal structure of the low-quartz modification of ferric phosphate. H. N. Ng and C. Calvo, 2064. Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

Crystal structure of $\text{Zn}_3\text{V}_{0.5}\text{P}_{1.5}\text{O}_8$. K. L. Idler and C. Calvo, 3665.

Cameran, A.

The stereochemical basis of anticonvulsant drug action. V. The crystal and molecular structure of sulthiame. A. Camerman and N. Camerman, 2194.

Cameran, N.

The stereochemical basis of anticonvulsant drug action. V. The crystal and molecular structure of sulthiame. A. Camerman and N. Camerman, 2194.

Campbell, A. N.

Properties of concentrated solutions of indium chloride. A. N. Campbell, 1761.

Campbell, H. M.

Ring C functionalized diterpenoids. Part IV. Minor products from the cleavage of the cyclopropane ring in methyl *ent*-trachyloban-19-olate with thallic acetate. H. M. Campbell, P. A. Gunn, A. J. McAlees, and R. McCrindle, 20.

Campbell, J. A.

Substituent effects in the thermal isomerization of 1,2-dicarbonyl derivatives of 3,6-bridged 1,2,3,6-tetrahydropyridazines. J. A. Campbell, I. Harris, D. Mackay, and T. D. Sauer, 535.

Carey, J. H.

The charge transfer photochemistry of the hexaaquoiron(III) ion, the chloropentaquoiron(III) ion, and the μ -di-hydroxido dimer explored with *tert*-butyl alcohol scavenging. C. H. Langford and J. H. Carey, 2430.

Outer sphere oxidations of alcohols and formic acid by charge transfer excited states of iron(III) species. J. H. Carey and C. H. Langford, 2436.

Carlsson, D. J.

The photolyses of fully aromatic amides. D. J. Carlsson, L. H. Gan, and D. M. Wiles, 2337.

Carty, A. J.

Perchlorato, nitrate, and acetylacetone complexes of copper(I). The crystal and molecular structure of perchloratobis(tricyclohexylphosphine)copper(I). R. J. Restivo, A. Costin, G. Ferguson, and A. J. Carty, 1949.

Caspar, M. L.

^{13}C nuclear magnetic resonance studies of methylated anthracenes. M. L. Caspar, J. B. Stothers, and N. K. Wilson, 1958.

Castagnolo, M.

The ionization of picric acid in ethanol-sulfolane and *t*-butyl alcohol - sulfolane mixtures at 30 °C. M. Castagnolo, A. de Giglio, A. Dell'Atti, and G. Petrella, 1651.

Castillo, M.

Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

Caton, R. B.

Phosphorescence lifetime of SO_2 in the $\tilde{\alpha}^3\text{B}_1$ state at low pressure. J. P. Briggs, R. B. Caton, and M. J. Smith, 2133.

Caza, J.

The electroreduction of some *N*-haloamides. D. Bérubé, J. Caza, F. M. Kimmerle, and J. Lessard, 3060.

Chachaty, C.

^1H , ^{13}C , ^{14}N , ^{19}F nuclear magnetic resonance contact shifts and electron spin distribution in aniline and fluorooanilines - Ni II acetylacetone complexes. C. Chachaty, A. Forchioni, and J. Virlet, 648.

Chakrabarti, C. L.

The application of a simple chemical model of natural waters to metal fixation in particulate matter. R. D. Guy, C. L. Chakrabarti, and L. L. Schramm, 661.

Chalmers, A. A.

High resolution ^{13}C spectrum and long-range ^{13}C , ^1H couplings in 2-pyrone. A. A. Chalmers and K. G. R. Pachler, 1980.

Chalvet, O.

Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Champagne, P. J.

Electrochemical oxidation of trifluoroacetic acid in an organic substrate. III. In the presence of substitute malonic acid half esters and unsaturated carboxylic acid esters. R. N. Renaud and P. J. Champagne, 529.

Chandler, W. D.

Conformations of bridged diphenyls. VII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenoxy)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 2084.

Conformations of bridged diphenyls. VIII. Crystal structure of 2-(2',6'-dinitrophenoxy)-*t*-butylbenzene. K. Gurtu, W. D. Chandler, and B. E. Robertson, 2093.

Conformations of bridged diphenyls. IX. Crystal structure of 2-(4'-carbomethoxy-2'-nitrothiophenyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2102.

Conformations of bridged diphenyls. X. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenylsulfinyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2108.

Conformations of bridged diphenyls. XI. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenylsulfonyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2115.

Conformations of bridged diphenyls. XII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrobenzyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2121.

Conformations of bridged diphenyls. X!II. Crystal structure of 2-(4'-carbomethoxy-2'-nitrobenzoyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2127.

Chapman, J.

Adsorption of polar organic molecules at oil/water and air/water interfaces. R. Aveyard and J. Chapman, 916.

Chapuis, J.

Base-catalyzed rearrangement reactions of 4a-aminomethyl-1,2,3,4,4a,9-hexahydrophenanthrenes-synthesis of D-nor-morphinans. T. T. Conway, T. W. Doyle, Y. G. Perron, J. Chapuis, and B. Belleau, 245.

Chaput, G.

Constantes d'association de quelques éthers de polyéthylène glycols avec Na^+ , K^+ , Cs^+ et Tl^+ . G. Chaput, G. Jeminet et J. Juillard, 2240.

Charlton, J. L.

A proton magnetic resonance study of the ultraviolet photoproduct of d(TpT) in aqueous solution. F. E. Hruska, D. J. Wood, K. K. Ogilvie, and J. L. Charlton, 1193.

Chaudhari, A. S.

Base-catalyzed degradations of carbohydrates. X. Degradation by β -elimination of methylated degraded leiocarpan A. G. O. Aspinall and A. S. Chaudhari, 2189.

Chauhan, M. S.

Carbon-13 nuclear molecular resonance spectra of isothiazole, 1, 2-dithiole, and 1,3-dithiole derivatives. N. Plavac, I. W. J. Still, M. S. Chauhan, and D. M. McKinnon, 836.

The preparation and properties of some 2,1-benzisoxazole and 2,1-benzisothiazole derivatives. M. S. Chauhan and D. M. McKinnon, 1336.

The proton-proton and proton-carbon-13 spin-spin coupling constants in 1,3-dioxole and bis-1,3-dioxolyl. Conformational dependence. T. Schaefer, K. Chum, D. McKinnon, and M. S. Chauhan, 2734.

^{13}C nuclear magnetic resonance spectra of organic sulfur compounds: cyclic sulfides, sulfoxides, sulfones, and thiones. M. S. Chauhan and I. W. J. Still, 2880.

Chen, C.-J.

The thermal decomposition of methane. I. Kinetics of the primary decomposition to $\text{C}_2\text{H}_6 + \text{H}_2$; rate constant for the homogeneous unimolecular dissociation of methane and its pressure-dependence. C.-J. Chen, M. H. Back, and R. A. Back, 3580.

Chen, H. E.

Chemically induced dynamic nuclear polarization during irradiation of phenol in the presence of amides. S. P. Vaish, H. E. Chen, M. Tomkiewicz, R. D. McAlpine, and M. Cocivera, 2459.

Study of chemically induced dynamic nuclear polarization of aliphatic aldehydes in D_2O and other solvents. H. E. Chen, M. Cocivera, and S. P. Vaish, 2548.

Chen, S.-C.

Isotopic scrambling and mass spectral fragmentation studies with 2-ferrocenylethyl and 2-ferrocenylethyl-1,1- d_2 systems. C. C. Lee, S.-C. Chen, and R. G. Sutherland, 232.

Photoreaction of nitroso compounds in solution. Part XXXI. Mechanisms of intramolecular acid catalyzed cleavage reactions and a hydride initiated rearrangement of *C*-nitroso alkanes. K. S. Pillay, S. C. Chen, T. Mojelsky, and Y. L. Chow, 3014.

Chênevert, R.

Oxidation of benzylidene acetals by ozone. P. Deslongchamps, C. Moreau, D. Fréhel, and R. Chênevert, 1204.

The hydrolysis of cyclic orthoesters. Stereoelectronic control in the cleavage of hemi-orthoester tetrahedral intermediates. P. Deslongchamps, R. Chênevert, R. J. Taillefer, C. Moreau, and J. K. Saunders, 1601.

Chenier, J. H. B.

A kinetic electron spin resonance study of the transfer of a hydrogen atom from α -tetralin hydroperoxide to a tertiary alkylperoxy radical. J. H. B. Chenier and J. A. Howard, 623.

Erratum: A kinetic electron spin resonance study of the transfer of a hydrogen atom from α -tetralin hydroperoxide to a tertiary alkylperoxy radical. J. H. B. Chenier and J. A. Howard, 2512.

Cherian, U. O.

Alkylation of 1-methyl-2-piperidones. P. Deslongchamps, U. O. Cherian, and D. R. Patterson, 1682.

Cheyne, R. M.

The ^{125}Te Mössbauer absorption spectra of tellurium complexes with sulfur-containing ligands. R. M. Cheyne, C. H. W. Jones, and S. Husebye, 1855.

Chia, L. S.

Monosubstituted derivatives of (L-L) $\text{Fe}_2(\text{CO})_6$ (L-L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 2232.

Chieh, C.

Structure of $(\text{NO})_2[\text{Ho}(\text{NO}_3)_5]$, a 10-coordinate species. G. E. Toogood and C. Chieh, 831.

Childs, R. F.

The 7-cycloheptatrienylmethyl/7-norcaradienylmethyl cation system. I. Pikulik and R. F. Childs, 1818.

Diprotonation of 5-acyl-1,2,3,4,5-pentamethylcyclopentadienes. R. F. Childs and M. Zeya, 3425.

Chivers, T.

The reactivity of tungsten halides with organic sulfides: S-dealkylation and reductive elimination reactions. P. M. Boorman, T. Chivers, and K. N. Mahadev, 383.

Choe, E. W.

Tetrafluoro-*o*- and octafluoro[4.2]paracyclophanes. R. Filler and E. W. Choe, 1491.

Choueau, J.

Etude des spectres de vibration des dérivés monosubstitués en position 5 de l'isothiazole. G. Mille, J.-C. Poite, J. Choueau et J. Metzger, 1642.

Chow, A.

The extraction of mercury and methylmercury by diphenylthiocarbazone-treated polyurethane foams. A. Chow and D. Buksak, 1373.

Chow, Y. L.

Photoreaction of nitroso compounds in solution. Part XXXI. Mechanisms of intramolecular acid catalyzed cleavage reactions and a hydride initiated rearrangement of *C*-nitroso alkanes. K. S. Pillay, S. C. Chen, T. Mojelsky, and Y. L. Chow, 3014.

Photoreaction of nitroso compounds in solution. Part XXXII. Synthesis and reaction of 2-nitro-3-aminonorbornanes. K. S. Pillay, K. Hanaya, and Y. L. Chow, 3022.

Chu, D. T. W.

2-Deacetylchelocardin: a degradation product of chelocardin. D. T. W. Chu, D. L. Garmaise, and E. Bernstein, 1434.

Chu, J. Y. C.

Electric dipole moments of a series of $\Delta^{8(14)}$ cholestenyl esters. J. M. Pochan, J. E. Kuder, J. Y. C. Chu, D. Wychick, and D. Hinman, 578.

Chuaqui, C.
Bond scission in sulfur compounds. Part X. The hydrazinolysis of methyl *p*-nitrophenyl sulfate. E. Bunzel and C. Chuaqui, 1275.

Chum, K.
The proton-proton and proton-carbon-13 spin- δ coupling constants in 1,3-dioxole and bis-1,3-dioxolyl. Conformational dependence. T. Schaefer, K. Chum, D. McKinnon, and M. S. Chauhan, 2734.

Chung, H. L.
Coordination compounds of indium. Part XXX. Pyrrole complexes of indium(III) and dimethylindium(III). H. L. Chung and D. G. Tuck, 3492.

Clark, H. C.
 ^{13}C nuclear magnetic resonance studies of organometallic compounds. IX. Phenylaminocarbene derivatives. H. C. Clark, J. E. H. Ward, and K. Yasufuku, 186.
Some reactions of *trans*-hydridochlorobis(tricyclohexylphosphine)nickel(II), *trans*-Ni(Cl)(H)[P(C₆H₁₁)₃]₂. H. C. Clark and A. Shaver, 3462.
The preparation of some hydridotricyclohexylphosphine platinum(II) complexes. T. G. Attig and H. C. Clark, 3466.

Clarke, B. M., Jr.
The photochemical reactivity of some benzoylthiophenes. III. The effect of an adjacent methyl group on the excited state reactivity of 2-benzoylthiophene. D. R. Arnold and B. M. Clarke, Jr., 1.

Clearfield, A.
Structural studies of $(\pi\text{-C}_5\text{H}_5)_2\text{MX}_2$ complexes and their derivatives. The structure of bis(π -cyclopentadienyl) titanium dichloride. A. Clearfield, D. K. Warren, C. H. Saldarriaga-Molina, R. Ropal, and I. Bernal, 1622.

Clem, T. R.
Nuclear molecular resonance chemical shifts of some monosubstituted isothiazoles. R. E. Wasylisen, T. R. Clem, and E. D. Becker, 596.

Clish, A. M.
The behavior of thiochromanone and isothiochromanone sulfoxides in the Schmidt reaction: isolation of a novel azide product from thiochromone sulfone. I. W. J. Still, M. T. Thomas, and A. M. Clish, 276.

Coatsworth, L.
An ESCA investigation of some halogeno(methyl)-silane and -germane series. J. E. Drake, C. Riddle, and L. Coatsworth, 3602.

Cocivera, M.
Chemically induced dynamic nuclear polarization during irradiation of phenol in the presence of amides. S. P. Vaish, H. E. Chen, M. Tomkiewicz, R. D. McAlpine, and M. Cocivera, 2459.
Study of chemically induced dynamic nuclear polarization of aliphatic aldehydes in D₂O and other solvents. H. E. Chen, M. Cocivera, and S. P. Vaish, 2548.

Cohen, M. D.
The vibrational spectra and structure of dimethyl carbonate and its conformational behavior. J. E. Katon and M. D. Cohen, 1378.

Cole, L. L.
The synthesis of primary alkyl chlorides from alcohols and hydrogen chloride in hexamethylphosphoric triamide. R. Fuchs and L. L. Cole, 3620.

Colebrook, L. D.
Nuclear magnetic resonance studies of enantiomeric internal rotational isomers of 1- and 3-arylhydantoins in achiral and chiral solvents. L. D. Colebrook, S. Icli, and F. H. Hund, 1556.
Hindered internal rotation about aryl C—N bonds in aryl substituted heterocyclic compounds: 3-aryl-2-benzyl-4(3H)-quinazolinones. L. D. Colebrook and H. G. Giles, 3431.

Collin, G. J.
Réactions des ions moléculaires cyclohexane en phase gazeuse. G. J. Collin et P. Ausloos, 680.

Colson, E. C.
Phenyl substitution effects on triplet-triplet absorption spectra: I. Study of 1,3,6,8-tetraphenylpyrene. C. Rullière, E. C. Colson, and P. C. Roberge, 3269.

Colson, P.
A carbon 13 nuclear magnetic resonance study of chlorinated and polyol analogs of glucose and related oligomers. P. Colson, K. N. Slessor, H. J. Jennings, and I. C. P. Smith, 1030.

Combelas, P.
Protonation du *N,N*-diméthylformamide étude par spectrométries vibrationnelle et électronique. P. Combelas, M. Costes et C. Garrigou-Lagrange, 442.

Contreras, J. G.
The Raman spectra of some tricoordinate halogenocadmate(II) anions in the solid state. J. G. Contreras and D. G. Tuck, 3487.

Conway, T. T.
The synthesis of 4a-aminoalkyl-1,2,3,4,4a,9-hexahydrophenanthrenes. Versatile intermediates for potential CNS drugs. B. Belleau, T. T. Conway, T. W. Doyle, L. Morris, and W. Verbestel, 237.

Base-catalyzed rearrangement reactions of 4a-aminomethyl-1,2,3,4,4a,9-hexahydrophenanthrenes-synthesis of D-nor-morphinans. T. T. Conway, T. W. Doyle, Y. G. Perron, J. Chapuis, and B. Belleau, 245.

Cook, M. J.
Mise en évidence des tautomères énoliques des hydroxypyridines dans la source du spectromètre de masse. A. Maquestiau, Y. van Haverbeke, C. de Meyer, A. R. Katritzky, M. J. Cook et A. D. Page, 490.

Costes, M.
Protonation du *N,N*-diméthylformamide étude par spectrométries vibrationnelle et électronique. P. Combelas, M. Costes et C. Garrigou-Lagrange, 442.

Costin, A.
Perchlorato, nitrato, and acetylacetone complexes of copper(I). The crystal and molecular structure of perchloratobis(tricyclohexylphosphine)copper(I). R. J. Restivo, A. Costin, G. Ferguson, and A. J. Carty, 1949.

Court, W. A.
A photochemical route to *N*-acyl imines. W. A. Court, O. E. Edwards, C. Grieco, W. Rank, and T. Sano, 463.

Coutts, R. T.
Derivatives of 2-pyrazolin-5-one. II. Catalyzed sodium borohydride reduction of some 4-(2-nitrobenzylidene)-2-pyrazolin-5-ones. A reappraisal. R. T. Coutts and A.-m. El-hawari, 3637.

Derivatives of 2-pyrazolin-5-one. III. The preparation and properties of some 1'-phenylspiro[indoline-2,4'-(2-pyrazoline)-5'-ones. R. T. Coutts, A.-m. El-hawari, and D. F. Biggs, 3645.

Cox, A.
Thione photochemistry: the *peri* cyclization of some polycyclic aromatic thiones. A. Cox, D. R. Kemp, R. Lapouyade, P. de Mayo, J. Joussot-Dubien, and R. Bonneau, 2386.

Crawford, A.
Stereospecific synthesis and acetolysis of *anti*-tricyclo[4.4.1.1^{2,5}]dodecan-11-yl and related derivatives. J. Haywood-Farmer, B. T. Friedlander, A. Crawford, L. M. Thompson, and W. Wetzer, 3078.

Crawford, J. R.
The role of excess kinetic energy in the reactions of O(¹D) atoms. R. Overend, G. Paraskevopoulos, J. R. Crawford, and H. A. Wiebe, 1915.

Crawford, R. J.
Secondary deuterium isotope effects on carbonyl ylide intermediates. V. Vukov and R. J. Crawford, 1367.

Cripps, W. S.
Fluorinated alkoxides. Part VIII. Mixed ligand complexes of perfluoropinacol with Ni²⁺, Pd²⁺, Pt²⁺, and Cu²⁺. Solvation equilibria between 4- and 5-coordinate Ni²⁺. W. S. Cripps and C. J. Willis, 809.

Fluorinated alkoxides. Part IX. The resolution of perfluoro(2,3-diphenylbutane-2,3-diol) and its use in preparing optically active complexes of Ni²⁺ and Cu²⁺. W. S. Cripps and C. J. Willis, 817.

Csizmadia, I. G.
On the π -donating abilities of sulfur and oxygen. A comparative quantum chemical investigation of the static and dynamic properties and gas phase acidities of CH₂OH and CH₂SH. F. Bernardi, I. G. Csizmadia, H. B. Schlegel, and S. Wolfe, 1144.

The structure of acetaldehyde enolate anion. S. Wolfe, H. B. Schlegel, I. G. Csizmadia, and F. Bernardi, 3365.

A relationship between the sizes and energies of atomic orbitals. R. Daudel, P. G. Mezey, J. D. Goddard, and I. G. Csizmadia, 3739.

A systematic *ab initio* LCAO-MO-SCF study of the ionization potentials, electron, proton, hydrogen, and hydride affinities of SH_n molecules and ions. R. E. Kari and I. G. Csizmadia, 3747.

Cullen, E.
Agelasine: a novel quaternary 9-methyladenine from the sponge *Agelas dispar*. E. Cullen and J. P. Devlin, 1690.

Cullen, W. R.
A nuclear magnetic resonance study of the conformation of six-membered chelate rings in four-coordinate complexes. W. R. Cullen, L. D. Hall, J. T. Price, and G. Spendjian, 366.

Variable temperature nuclear magnetic resonance studies of some five-membered ring chelate complexes. W. R. Cullen, L. D. Hall, and J. E. H. Ward, 1038.

A kinetic study of the thermal isomerization of (CH₃)₂AsC=CAs(CH₃)₂CF₂CF₂Nn₂(CO)₈ and related complexes. W. R. Cullen and F. L. Hou, 1735.

Monosubstituted derivatives of (L-L)Fe₂(CO)₆ (L-L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 2232.

Group VI metal carbonyl derivatives of *cis*-(CH₃)₂AsC(CF₃)=C(CF₃)As(CH₃)₂. W. R. Cullen and L. Mihichuk, 3401.

Curran, C.
Mössbauer and related studies of complexes of R₂Sn(NCS)₂ with neutral ligands containing oxygen donor atoms. F. P. Mullins and C. Curran, 3200.

Cushley, R. J.
¹³C Fourier transform nuclear magnetic resonance. IX. Complete assignments of some prodigiosins. Bioincorporation of label. R. J. Cushley, R. J. Sykes, C.-K. Shaw, and H. H. Wasserman, 148.

¹³C Fourier transform nuclear magnetic resonance. XI. Pyridine *N*-oxide derivatives. R. J. Cushley, D. Naugler, and C. Ortiz, 3419.

Custard, H. C., Jr.
Electric dipole moment investigation of buttressing in alkyl duryl ketones. A. G. Pinkus and H. C. Custard, Jr., 2024.

Cvetanović, R. J.
Rates of OH radical reactions. I. Reactions with H_2 , CH_4 , C_2H_6 , and C_3H_8 at 295 K. R. P. Overend, G. Paraskevopoulos, and R. J. Cvetanović, 3374.

Cyr, N.
Carbon-13 chemical shifts of furanosides and cyclopentanols. Configurational and conformational influences. R. George S. Ritchie, N. Cyr, B. Korsch, H. J. Koch, and A. S. Perlin, 1424.
Orientation effects and the sign of two-bond ^{13}C - 1H coupling. J. A. Schwarcz, N. Cyr, and A. S. Perlin, 1872.

Daireaux, M.
Etude magnétique des sels alcalins de quelques amino acides. M. A. Bernard, N. Bois et M. Daireaux, 3167.

Daoust, H.
L'effet de la longueur de la chaîne et du pH sur la conformation de polyampholytes alternes du type (L-lysyl-L-aspartyl) n . H. Daoust et S. St-Pierre, 1861.

D'Arcy, P. J.
A micrometer syringe dilatometer: application to the measurement of the excess volumes of some ethylbenzene systems at 298.15 K. R. Tanaka, O. Kiyohara, P. J. D'Arcy, and G. C. Benson, 2262.

DasGupta, A.
Erratum: Theoretical studies of some nonbenzenoid hydrocarbons. II. A. DasGupta and N. K. DasGupta, 915.
SCF MO study of benzo[d]aceheptylene. A. DasGupta and N. K. DasGupta, 3777.

DasGupta, N. K.
Erratum: Theoretical studies of some nonbenzenoid hydrocarbons. II. A. DasGupta and N. K. DasGupta, 915.
SCF MO study of benzo[d]aceheptylene. A. DasGupta and N. K. DasGupta, 3777.

Daudel, R.
A relationship between the sizes and energies of atomic orbitals. R. Daudel, P. G. Mezey, J. D. Goddard, and I. G. Csizmadia, 3739.

Davidson, D. W.
1,4-Dioxane hydrate: dielectric absorption by a nondipolar enclathrated molecule. S. R. Gough, J. A. Ripmeester, and D. W. Davidson, 2215.

Davis, R. A.
Synthesis and fungicidal activity of *N,S*-substituted α -thio- β -aminocrotonanilides. J. B. Pierce, R. J. Fanning, and R. A. Davis, 1327.

Davolio, F.
Thermodynamic properties of binary liquid acid-base mixtures. H. N. Sólímo, R. Riggio, F. Davolio, and M. Katz, 1258.

Dawson, D. A.
Investigations of substituent effects by nuclear magnetic resonance spectroscopy and all-valence electron molecular orbital calculations. IV. 4-Substituted phenylacetylenes. D. A. Dawson and W. F. Reynolds, 373.

Dawson, P. T.
The adsorption, desorption, and exchange reactions of oxygen, hydrogen, and water on platinum surfaces. II. Hydrogen adsorption, exchange, and equilibration. Y. K. Peng and P. T. Dawson, 298.

de Giglio, A.
The ionization of picric acid in ethanol-sulfolane and *t*-butyl alcohol - sulfolane mixtures at 30 °C. M. Castagnolo, A. de Giglio, A. Dell'Attì, and G. Petrella, 1651.

DeJongh, D. C.
Effect of the *N*-phenyl substituent on the pyrolyses of 1-phenyl-2-benzothiazolinone and 1-phenyl-2-benzothiazolinethione. D. C. K. Lin, M. L. Thomson, and D. C. DeJongh, 2293.
Mass spectrometry of *N*-benzoyl-2-hydroxyalkylamines. Role of the hydroxyl hydrogen in the fragmentation pattern. D. C. DeJongh, D. C. K. Lin, P. LeClair-Lanteigne, and D. Gravel, 3175.

Delattre, S.
Recherches sur les composés éthyléniques. V. Liens entre la structure des alcènes et leur fréquence de vibration $\nu_{C=C}$, influence des effets structuraux et établissement d'une relation de topo-information. J. H. Basso, S. Delattre, R. Lanteri et R. Luft, 2580.

Dell'Attì, A.
The ionization of picric acid in ethanol-sulfolane and *t*-butyl alcohol - sulfolane mixtures at 30 °C. M. Castagnolo, A. de Giglio, A. Dell'Attì, and G. Petrella, 1651.

de Mayo, P.
Thione photochemistry: the *peri* cyclization of some polycyclic aromatic thiones. A. Cox, D. R. Kemp, R. Lapouyade, P. de Mayo, J. Joussot-Dubien, and R. Bonneau, 2386.

de Meyer, C.
Mise en évidence des tautomères énoliques des hydroxypyridines dans la source du spectromètre de masse. A. Maquestiau, Y. van Haerbeke, C. de Meyer, A. R. Katritzky, M. J. Cook et A. D. Page, 490.

de Quesada, T. G.

Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

Derbesy, M.

Analyse en résonance magnétique nucléaire du ^1H et du ^{13}C de dérivés azuléniques extraits de l'*Erioccephalae punctulactus*. J.-R. Llinas, D. Roard, M. Derbesy et E.-J. Vincent, 2911.

Derrah, R. I.

Sorption of the inert gases (Ar, Kr, and Xe) in type A zeolites. R. I. Derrah and D. M. Ruthven, 996.

Descamps, B.

Kinetics of the fully inhibited thermal decomposition of bis(trifluoromethyl) peroxide, CF_3OOCF_3 . B. Descamps and W. Forst, 1442.

Deslongchamps, P.

Oxidation of benzylidene acetals by ozone. P. Deslongchamps, C. Moreau, D. Fréhel, and R. Chênevert, 1204.

The hydrolysis of cyclic orthoesters. Stereoelectronic control in the cleavage of hemi-orthoester tetrahedral intermediates. P. Deslongchamps, R. Chênevert, R. J. Taillefer, C. Moreau, and J. K. Saunders, 1601.

Alkylation of 1-methyl-2-piperidones. P. Deslongchamps, U. O. Cherian, and D. R. Patterson, 1682.

The hydrolysis of imide salts. Stereoelectronic control in the cleavage of the hemiorthoamide tetrahedral intermediate. P. Deslongchamps, S. Dubé, C. Lebreux, D. R. Patterson, and R. J. Taillefer, 2791.

The mechanism of hydrolysis of imide salts. The importance of stereoelectronic control and pH of the reaction medium on the cleavage of tetrahedral intermediates. P. Deslongchamps and R. J. Taillefer, 3029.

Synthèse de l'aza-1-twistane. P. Deslongchamps, L. Ruest et S. Dubé, 3613.

Desnoyers, J. E.

Apparent molal volumes and heat capacities of some sulfates and carbonates in water at 25 °C. G. Perron, J. E. Desnoyers, and F. J. Millero, 1134.

Volumes and heat capacities of cyclic ethers and amines in water and of some electrolytes in these mixed aqueous solvents. O. Kiyohara, G. Perron, and J. E. Desnoyers, 2591.

Apparent molal volumes and heat capacities of tetrabutylammonium bromide in aqueous electrolyte solutions. N. Desrosiers and J. E. Desnoyers, 3206.

Volumes and heat capacities of dimethylsulfoxide, acetone, and acetamide in water and of some electrolytes in these mixed aqueous solvents. O. Kiyohara, G. Perron, and J. E. Desnoyers, 3263.

Desrosiers, N.

Apparent molal volumes and heat capacities of tetrabutylammonium bromide in aqueous electrolyte solutions. N. Desrosiers and J. E. Desnoyers, 3206.

Deugau, K. V.

Oligoribonucleotide synthesis. VIII. Insertion of terminal 5'-phosphate groupings. T. Neilson, K. V. Deugau, T. E. England, and E. S. Werstiuk, 1093.

Devlin, J. P.

6H-Dibenzo[b,d]pyrans. I. Synthesis. J. P. Devlin, 343.

6H-Dibenzo[b,d]pyrans. II. Boron trifluoride catalyzed acylation of hydroxy-6H-dibenzo[b,d]pyrans. J. P. Devlin, 350.

Agelasine: a novel quaternary 9-methyladenine from the sponge *Agelas dispar*. E. Cullen and J. P. Devlin, 1690.

Dhingra, A. K.

Photoionization cross sections at 11.6–11.8 eV. J. A. Beran, A. K. Dhingra, W.-S. Liu, and D. F. Mullica, 1616.

Diakur, J.

A general, selective synthesis of thiol esters. S. Masamune, S. Kamata, J. Diakur, Y. Sugihara, and G. S. Bates, 3693.

Dice, D. R.

Mechanism of the direct photochemical decomposition of thietane and its derivatives in the vapor phase, in solution, and in glassy matrices. D. R. Dice and R. P. Steer, 1744.

Dickinson, R. A.

Catalyzed orientation reversals in Diels–Alder reactions. Ž. Stojanac, R. A. Dickinson, N. Stojanac, R. J. Woznow, and Z. Valenta, 616.

Diehl, P.

The use of deuterium magnetic resonance in the determination of the structure and location of the anilinium ion in an aqueous anisotropic surfactant solution. P. Diehl and A. S. Tracey, 2755.

Dignam, M. J.

Dielectric models for porous adsorbent–adsorbate systems. M. J. Dignam and B. Rao, 2252.

Dikšić, M.

Formation cross sections of iodine and tellurium isomers produced in the fission of ^{238}U by protons of energies 30–85 MeV. M. Dikšić and L. Yaffe, 3116.

The distribution of oxidation states of iodine isotopes in the fission by protons of natural uranium. M. Dikšić and L. Yaffe, 3801.

DiNello, R. K.

A convenient preparation of *meso*-tetra(4-sulfonatophenyl)porphyrin. C. A. Busby, R. K. DiNello, and D. Dolphin, 1554.

Ding, J. Preparation and thermolysis of some 1,2-dioxetanes. K. R. Kopecky, J. E. Filby, C. Mumford, P. A. Lockwood, and J. Ding, 1103.

DiPaola, G. Apparent molal volumes and heat capacities of some tetraalkylammonium bromides, alkyltrimethylammonium bromides, and alkali halides in aqueous glycerol solutions. G. DiPaola and B. Belleau, 3452.

Dodelet, J.-P. Electron mobilities and ranges in liquid ethers: ion-like and conduction band mobilities. J.-P. Dodelet and G. R. Freeman, 1263.

Electron mobilities and ranges in liquid hydrocarbons: cyclic and polycyclic, saturated and unsaturated compounds. K. Shinsaka, J.-P. Dodelet, and G. R. Freeman, 2714.

Dolphin, D. A convenient preparation of *meso*-tetra(4-sulfonatophenyl)porphyrin. C. A. Busby, R. K. DiNello, and D. Dolphin, 1554.

Donohue, M. D. Combinatorial entropy of mixing molecules that differ in size and shape. A simple approximation for binary and multicomponent mixtures. M. D. Donohue and J. M. Prausnitz, 1586.

Donvito, T. N. ^{13}C chemical shifts of quinolizidines. 2. ^{13}C Spectra some of *Nuphar* alkaloids. R. T. LaLonde, T. N. Donvito, and A. I.-M. Tsai, 1714.

Douglas, J. L. Syntheses of pentacyclic morphinan analogs. J. L. Douglas and J. Meunier, 3681.

Doyle, T. W. The synthesis of 4a-aminoalkyl-1,2,3,4,4a,9-hexahydrophenanthrenes. Versatile intermediates for potential CNS drugs. B. Belleau, T. T. Conway, T. W. Doyle, L. Morris, and W. Verbestel, 237.

Base-catalyzed rearrangement reactions of 4a-aminomethyl-1,2,3,4,4a,9-hexahydrophenanthrenes-synthesis of D-nor-morphinans. T. T. Conway, T. W. Doyle, Y. G. Perron, J. Chapuis, and B. Belleau, 245.

Drake, J. E. An ESCA investigation of some halogeno(methyl)-silane and -germane series. J. E. Drake, C. Riddle, and L. Coatsworth, 3602.

Drew, R. E. Erratum: The crystal structure of tripotassium bis(oxalato)dioxovanadate(V) trihydrate. R. E. Drew, F. W. B. Einstein, and S. E. Gransden, 1536.

Dubé, S. The hydrolysis of imidate salts. Stereoelectronic control in the cleavage of the hemiorthoamide tetrahedral intermediate. P. Deslongchamps, S. Dubé, C. Lebreux, D. R. Patterson, and R. J. Taillefer, 2791.

Synthèse de l'aza-1-twistane. P. Deslongchamps, L. Ruest et S. Dubé, 3613.

Dubinsky, R. N. Determination of the rate constant of the $\text{O} + \text{H}_2 \rightarrow \text{OH} + \text{H}$ reaction using atomic oxygen resonance fluorescence and the air afterglow techniques. R. N. Dubinsky and D. J. McKenney, 3531.

Ducep, J.-B. Sulfur-free penicillin derivatives. V. Preparation, hydrolysis, and oxidative rearrangement of fused oxazoline-azetidinones. S. Wolfe, S.-L. Lee, J.-B. Ducep, G. Kannengiesser, and W. S. Lee, 497.

A novel base-promoted rearrangement of penicillin G. S. Wolfe, J.-B. Ducep, and J. D. Greenhorn, 3435.

Duff, J. M. Acylsilane photolyses: 1,1-diphenyl-1-silacyclohexanone-2 in cyclohexane. A. G. Brook, J. B. Pierce, and J. M. Duff, 2874.

Duncan, G. R. Regioselective *O*-alkylation of sterically hindered steroidal ethynyl carbinols. Z. G. Hajos and G. R. Duncan, 2971.

Dunford, H. B. Horseradish peroxidase. XVII. Reactions of compounds I and II with *p*-aminobenzoic acid in deuterium oxide. C. D. Hubbard, H. B. Dunford, and W. D. Hewson, 1563.

Horseradish peroxidase. XVIII. The Arrhenius activation energy for the formation of compound I. W. D. Hewson and H. B. Dunford, 1928.

Eaton, D. R. The structure and stability of Ni(II) complexes of thiourea and related ligands. D. R. Eaton and K. Zaw, 633.

Eber, J. Conversion of bicyclo[2.2.2]octane systems into tricyclo[3.2.1.0^{2,7}]octanes: a third synthesis of the diterpenoid trachylolane. R. B. Kelly, B. A. Beckett, J. Eber, H.-K. Hung, and J. Zamecnik, 143.

Edward, J. T. Relation between van der Waals and partial molal volumes of organic molecules in water. J. T. Edward and P. G. Farrell, 2965.

Stereochemistry of the Bucherer-Bergs and Strecker reactions of 4-*tert*-butylcyclohexanone. J. T. Edward and C. Jitrangsri, 3339.

Edwards, O. E.
A photochemical route to *N*-acyl imines. W. A. Court, O. E. Edwards, C. Grieco, W. Rank, and T. Sano, 463.
Reactions of alkyl azidoformates with norbornylene. O. E. Edwards, J. W. Elder, M. Lesage, and R. W. Retallack, 1019.
Acid-catalyzed reactions of 3β -acetoxy- 9α -hydroxy-11-keto- 5α -lanostane: $19(10\rightarrow 9\beta)$ abeo-lanostenes. O. E. Edwards and Z. Paryzek, 3498.

Egan, R. W.
Chemistry of transition metals. V. Further studies on the mechanism of reaction of *n*-alkyl chlorides with metals of the first transition period. R. W. Egan and J. F. Harrod, 2619.

Einstein, F. W. B.
Erratum: The crystal structure of tripotassium bis(oxalato)dioxovanadate(V) trihydrate. R. E. Drew, F. W. B. Einstein, and S. E. Gransden, 1536.

Elder, J. W.
Reactions of alkyl azidoformates with norbornylene. O. E. Edwards, J. W. Elder, M. Lesage, and R. W. Retallack, 1019.

El Gaied, M.
Isomérisation d'exoxydes d'acettes d'enols en série pinanique. Y. Bessière, M. M. El Gaied et G. Boussac, 738.

El-hawari, A.-m.
Derivatives of 2-pyrazolin-5-one. II. Catalyzed sodium borohydride reduction of some 4-(2-nitrobenzylidene)-2-pyrazolin-5-ones. A reappraisal. R. T. Coutts and A.-m. El-hawari, 3637.
Derivatives of 2-pyrazolin-5-one. III. The preparation and properties of some 1'-phenylspiro[indoline-2,4'-[2-pyrazoline]-5'-ones. R. T. Coutts, A.-m. El-hawari, and D. F. Biggs, 3645.

Elliott, A. J.
The rearrangement of aryl thiohydrazonates. A. J. Elliott, P. D. Callaghan, M. S. Gibson, and S. T. Nemeth, 1484.
Cyclization of some 2,3,5,6-tetrafluorophenylhydrazine derivatives. Use of nuclear Overhauser effect measurements in structural assignment. A. J. Elliott and M. S. Gibson, 2534.

El-Sherief, H. A. H.
Molecular rearrangements. Part VI. Aryl(alkyl)amines (II) thermal rearrangement of *N*-benzyl aniline. M. Z. A. Badr and H. A. H. El-Sherief, 3836.

Elson, C. M.
Electrochemistry of ruthenium ammine complexes. C. E. Elson, I. J. Itzkovitch, J. McKenney, and J. A. Page, 2922.

Enanoza, R. M.
Organic sulfur mechanisms. 17. A brief study of the photolysis of an unsaturated cyclic sulfone. J. F. King, E. G. Lewars, D. R. K. Harding, and R. M. Enanoza, 3656.

Engel, R.
The thermal decomposition of alkoxy carbonyl thiocyanates and isothiocyanates. D. Liotta and R. Engel, 907.

England, T. E.
Oligoribonucleotide synthesis. VIII. Insertion of terminal 5'-phosphate groupings. T. Neilson, K. V. Deugau, T. E. England, and E. S. Werstiuk, 1093.

Fabes, L.
Reagents for high temperature aqueous chemistry: trifluoromethanesulfonic acid and its salts. L. Fabes and T. W. Swaddle, 3053.

Faggiani, R.
Structure of nickel orthophosphate. C. Calvo and R. Faggiani, 1516.
Crystal structure of the glaserite form of BaNaPO₄. C. Calvo and R. Faggiani, 1849.

Falk, M.
Infrared studies of water in crystalline hydrates: K₂FeCl₅ · H₂O (erythrosiderite) and related aquopentachloroferrates(III). M. Falk, C.-H. Huang, and O. Knop, 51.
Infrared spectra of the ammonium ion in crystals. I. Ammonium hexachloroplatinate(IV) and hexachlorotellurate-(IV). I. A. Oxton, O. Knop, and M. Falk, 2675.
Infrared spectra of the ammonium ion in crystals. II. The ammonium ion in trigonal environments, with a consideration of hydrogen bonding. I. A. Oxton, O. Knop, and M. Falk, 3394.
Fermi-resonance minima in the vibrational spectrum of water in crystalline hydrates. D. A. Othen, O. Knop, and M. Falk, 3837.

Fallis, A. G.
Photoisomerization of bicyclo[3.1.1]heptan-2-ones in methanol: chemical transformations of 'verbanones'. A. G. Fallis, 1657.

Fanning, R. J.
Synthesis and fungicidal activity of *N,S*-substituted α -thio- β -aminocrotonanilides. J. B. Pierce, R. J. Fanning, and R. A. Davis, 1327.

Farrell, P. G.
Relation between van der Waals and partial molal volumes of organic molecules in water. J. T. Edward and P. G. Farrell, 2965.

Faucher, A.
Sur la structure cristalline des diméthyl-1,1 germa-1 (et sila-1) cycloundécanediols-6,7. F. Brisse, A. Battat, J.-C. Richer, P. Mazerolles et A. Faucher, 3596.

Faure, R.
Etudes expérimentales et théoriques des déplacements chimiques du carbone-13 en série isothiazolique. R. Faure, J.-R. Llinas, E.-J. Vincent et M. Rajzmann, 1677.

Fawcett, W. R.
Separation of the enthalpic and entropic contributions to substituent effects for the equilibrium constants of aromatic acids. T. M. Krygowski and W. R. Fawcett, 3622.

Ferdinandi, E.
Thiophene isosters of phenylethanolamines. J. F. Bagli and E. Ferdinandi, 2598.

Ferguson, G.
Perchlorato, nitrato, and acetylacetonato complexes of copper(I). The crystal and molecular structure of perchloratobis(tricyclohexylphosphine)copper(I). R. J. Restivo, A. Costin, G. Ferguson, and A. J. Carty, 1949.
The stereochemistry of some organic derivatives of group Vb elements. Part X. The crystal and molecular structure of triphenylarsenic difluoride. A. Augustine, G. Ferguson, and F. C. March, 1647.

Ferrero, L.
Aziridines saturées et insaturées. Synthèses par réduction de cyclohexénones oximes et études spectroscopiques. L. Ferrero, S. Geribaldi, M. Rouillard et M. Azzaro, 3227.

Filby, J. E.
Preparation and thermolysis of some 1,2-dioxetanes. K. R. Kopecky, J. E. Filby, C. Mumford, P. A. Lockwood, and J. Ding, 1103.

Filler, R.
Tetrafluoro- and octafluoro[4.2]paracyclophanes. R. Filler and E. W. Choe, 1491.

Fischer, A.
Nitration of 3,4-dimethylacetophenone and 3,4-dimethylbenzophenone. Formation and rearomatization of adducts. A. Fischer, C. C. Greig, and R. Röderer, 1570.

Fischer, J. C.
Détermination du pouvoir sulfonant des acides disulfurique et chlorosulfurique dans le sulfolane. P. Pierens, Y. Auger, J. C. Fischer et M. Wartel, 2989.

Fischer, S.
Erratum: Syntheses of some phosphino- and phosphinatoazoles. S. Fischer, L. K. Peterson, and J. F. Nixon, 1854.

Flanagan, T. B.
The reaction of hydrogen atoms with palladium and its alloys. W. A. Oates and T. B. Flanagan, 694.

Fleming, B. I.
Reductive cleavage of acetals and ketals by borane. Part II. The kinetics of the reaction. H. L. Bolker and B. I. Fleming, 2818.

Fletcher, J. L.
The question of σ -participation in the bonding of fluorosubstituted arenes to chromium tricarbonyl. A ^{19}F nuclear magnetic resonance investigation. J. L. Fletcher and M. J. McGlinchey, 1525.

Fletcher, J. W.
Pulse radiolysis of alkali metal solutions in methylamine. J. W. Fletcher, W. A. Seddon, J. J. Jevcak, and F. C. Sopchyshyn, 3571.

Fliszár, S.
Charge distributions and chemical effects. IX. On the charge dependence of C-13 chemical shifts in alkylcyclohexanes and cyclopropane. R. Roberge and S. Fliszár, 2400.

Flood, J.
Kinetic electron spin resonance and product studies of the reaction between 2,2-diphenyl-1-picrylhydrazyl and 2,4,6-tri-*t*-butylbenzenethiol. J. Flood and K. E. Russell, 1123.

Fong, H.
4-Methylene-1,2,3-benzotriazines. H. Fong and K. Vaughan, 3714.

Forchioni, A.
 ^1H , ^{13}C , ^{14}N , ^{19}F nuclear magnetic resonance contact shifts and electron spin distribution in aniline and fluor-anilines - Ni II acetylacetone complexes. C. Chachaty, A. Forchioni, and J. Virlet, 648.

Forst, W.
Kinetics of the fully inhibited thermal decomposition of bis(trifluoromethyl) peroxide, CF_3OOCF_3 . B. Descamps and W. Forst, 1442.

Forte, P. A.
The mechanism for the thermal decomposition of *E*-aldoxime carbonates. J. M. Prokipcak and P. A. Forte, 3481.

Foubert, F.
Etude par spectrométrie infrarouge de la complexation entre les *N,N*-diméthyl-*N'*-phénylformamidines et quelques donneurs de proton. J. Vaes, F. Foubert et Th. Zeegers-Huyskens, 604.

Fraser, J. R.
Photolysis of pyridazine in the gas phase. J. R. Fraser, L. H. Low, and N. A. Weir, 1456.

Fraser, R. R.

Conformational study of *N*-alkyl 5,6-dihydro-7*H*,12*H*-dibenz[*c,f*]azocines by nuclear molecular resonance spectroscopy. R. R. Fraser, M. Raza, R. N. Renaud, and R. B. Layton, 167.
Conformational analysis of *N*-nitrosopiperidines by ^{13}C nuclear magnetic resonance. The orientation preference of an α -methyl group. R. R. Fraser and T. B. Grindley, 2465.
Stereoselectivity in the reactions of nitrosopiperidine carbanions. Steric *vs.* stereoelectronic control. R. R. Fraser, T. B. Grindley, and S. Passannanti, 2473.

Fraser-Reid, B.

Lithium aluminum hydride reductive rearrangement of allylic acetals to vinyl ethers: a synthesis of 3-deoxy glycals. B. Fraser-Reid, S. Y.-K. Tam, and B. Radatus, 2005.
The 2- and 3-C-methyl derivatives of methyl 2,3-dideoxy- α -D-*erythro* hex-2-enopyranosid-4-ulose. D. R. Hicks and B. Fraser-Reid, 2017.

Fréchet, J. M. J.

Concerning the problem of stereospecific glycosylation. Synthesis and methanolysis of some 2-*O*-benzylated D-galactopyranosyl and D-galactofuranosyl halides. J. M. J. Fréchet and H. H. Baer, 670.

Fredette, M. C.

Studies of β -diketone complexes of rhenium. VIII. The reaction of β -diketones with chloropentacarbonylrhenium(I) and the preparation of complexes of the type $\text{Re}(\text{CO})_4(\text{dik})$, $\text{Re}_2(\text{CO})_6(\text{dik})_2$, $\text{Re}_2(\text{CO})_6\text{Cl}_2(\text{dikH})_2$, $\text{Re}(\text{CO})_3\text{L}$ -(dik), and $\text{Re}(\text{CO})_2(\text{dik})\text{L}_2$. M. C. Fredette and C. J. L. Lock, 2481.

Freeman, G. R.

Electron mobilities and ranges in liquid ethers: ion-like and conduction band mobilities. J.-P. Dodelet and G. R. Freeman, 1263.
Radiolysis of liquid nitrous oxide: alcohol and carbonyl additives. T. E. M. Sambrook and G. R. Freeman, 1521.
Electron mobilities and ranges in liquid hydrocarbons: cyclic and polycyclic, saturated and unsaturated compounds. K. Shinsaka, J.-P. Dodelet, and G. R. Freeman, 2714.
Free ion yields and electron ranges in X irradiated simple liquids: unusual behavior in carbon dioxide and carbon disulfide. T. E. M. Sambrook and G. R. Freeman, 2822.

Fréhel, D.

Oxidation of benzylidene acetals by ozone. P. Deslongchamps, C. Moreau, D. Fréhel, and R. Chênevert, 1204.

French, M.

Pyrolysis of C_2H_7^+ and other ion-molecule reactions in methane containing traces of ethane. M. French and P. Kebarle, 2268.

Fried, A. R.

Thermal decomposition of EDTA, NTA, and nitrilotrimethylenephosphonic acid in aqueous solution. A. E. Martell, R. J. Motekaitis, A. R. Fried, and D. T. MacMillan, 3471.

Friedlander, B. T.

Stereospecific synthesis and acetolysis of *anti*-tricyclo[4.4.1.1^{2,5}]dodecan-11-yl and related derivatives. J. Haywood-Farmer, B. T. Friedlander, A. Crawford, L. M. Thompson, and W. Wetzer, 3078.

Fuchs, R.

The synthesis of primary alkyl chlorides from alcohols and hydrogen chloride in hexamethylphosphoric triamide. R. Fuchs and L. L. Cole, 3620.

Fuhr, B. J.

Nuclear magnetic resonance studies of the solution chemistry of metal complexes. XIII. The lability of the metal-nitrogen bonds in the cadmium, zinc, and mercury complexes of selected polyaminocarboxylic acids. D. L. Rabenstein, G. Blakney, and B. J. Fuhr, 787.

Fukumoto, K.

Studies on the syntheses of heterocyclic compounds. Part DCXXXVI. An alternative synthesis of pentazocine. T. Kametani, T. Honda, S.-P. Huang, and K. Fukumoto, 3820.

Studies on the syntheses of heterocyclic compounds. Part DCXXXVIII. Simple synthesis of benz[*d*]indeno[1,2-*b*]-azepine from 1-benzoyl-3,4-dihydroisoquinoline. T. Kametani, M. S. Premila, S. Hirata, H. Seto, H. Nemoto, and K. Fukumoto, 3824.

Fulea, A. O.

Vibrations around the C(S)—phenyl bond in *N*-thiobenzoylmorpholines observed by 220 MHz proton magnetic resonance spectroscopy. A. O. Fulea and P. J. Krueger, 3315.

Funabashi, M.

Base-catalyzed degradations of carbohydrates. IX. β -Eliminations of 4-*O*-substituted hexopyranosiduronates. G. O. Aspinall, M. Funabashi, T. N. Krishnamurthy, and W. Mitura, 2182.

Furda, I.

Base-catalyzed degradations of carbohydrates. VII. Alkaline degradation of 3,6-di-*O*-substituted hexoses. G. O. Aspinall, I. Furda, R. Khan, and T. N. Krishnamurthy, 2171.

Base-catalyzed degradations of carbohydrates. VIII. Disaccharide syntheses. G. O. Aspinall, I. Furda, and T. N. Krishnamurthy, 2178.

Furimsky, E.

The role of cobalt in unsupported MoS_2 hydrodesulfurization catalysts. E. Furimsky and C. H. Amberg, 2542.
On the preparation of MoS_2 catalysts from MoS_3 . E. Furimsky and C. H. Amberg, 3567.

Gagnon, P.

The origin of the methyl radical in the photolysis of propane at 123.6 nm. J. Gawłowski, J. A. Herman, and P. Gagnon, 1348.

Gainsford, A. R.

Hydrothermal formation of ferrite spinels. A. R. Gainsford, M. J. Sisley, and T. W. Swaddle, 12.

Gan, L. H.

The photolyses of fully aromatic amides. D. J. Carlsson, L. H. Gan, and D. M. Wiles, 2337.

Gardner, J. N.

The use of magnesium and its salts in the reaction of α,β -unsaturated carbonyl compounds with sodium acetylide. J. N. Gardner, 2157.

Gurdy, E. M.

Direct observation of the radicals formed in the radiolysis of liquid benzyl alcohol. An electron spin resonance and spin trapping method. F. P. Sargent and E. M. Gurdy, 3128.

Garmaise, D. L.

2-Deacetylchelocardin: a degradation product of chelocardin. D. T. W. Chu, D. L. Garmaise, and E. Bernstein, 1434.

Garnett, M.

Magnetic and spectral studies on cobalt(II) and copper(II) salts of methylsulfuric, trifluoromethylsulfuric, and para-tolylsulfuric acids. A. L. Arduini, M. Garnett, R. C. Thompson, and T. C. T. Wong, 3812.

Garrigou-Lagrange, C.

Protonation du N,N -diméthylformamide étude par spectrométries vibrationnelle et électronique. P. Combelas, M. Costes et C. Garrigou-Lagrange, 442.

Gawłowski, J.

The origin of the methyl radical in the photolysis of propane at 123.6 nm. J. Gawłowski, J. A. Herman, and P. Gagnon, 1348.

Geanangel, R. A.

Preparation of the piperazine- and triethylenediamine-monoborane adducts of BH_3 , BH_2F , BHF_2 , and BF_3 . J. M. VanPaasschen and R. A. Geanangel, 723.

Gedye, R. N.

The stereochemistry of the Reformatsky reaction of methyl 4-bromo-3-methylbut-2-enoate with β -cyclocitral and related compounds. R. N. Gedye, P. Arora, and A. H. Khalil, 1943.

Geraghty, M. B.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: preparation of $(-)(1S,4S,5R,7R)-1,7$ -dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione and $(+)(1R,4S,5S,7S)-1,7$ -dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Kezire, and R. D. Smillie, 2827.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: $(+)$ -copacamphor, $(-)$ -copaborneol, $(+)$ -copa-isoborneol, $(-)$ -ylangocamphor, $(-)$ -ylangoborneol, $(-)$ -ylangoisoborneol. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Kezire, and F. Kido, 2838.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: $(-)$ -copacamphene, $(-)$ -cyclocopacamphene, $(+)$ -sativene, $(+)$ -cyclosativene. E. Piers, M. B. Geraghty, R. D. Smillie, and M. Soucy, 2849.

Geribaldi, S.

Aziridines saturées et insaturées. Synthèses par réduction de cyclohexénones oximes et études spectroscopiques. L. Ferrero, S. Geribaldi, M. Rouillard et M. Azzaro, 3227.

Gerig, J. T.

Deacylation of fluorine-substituted *trans*-cinnamoyl- α -chymotrypsins. J. T. Gerig and R. S. McLeod, 513.

Ghali, E. L.

Chromic acid esters as corrosion inhibitors. E. L. Ghali, J.-M. Hachey, and B. Girard, 3702.

Ghibaudi, E.

Rotating ring-disc electrode studies of lead in HCl and NaCl solutions. R. C. Barradas, K. Belinko, and E. Ghibaudi, 407.

Giam, C. S.

Some reactions of 1-lithio-2-phenyl-1,2-dihydropyridine. IV. Synthesis of β -substituted pyridines. C. S. Giam, E. E. Knaus, R. A. Lockhart, and I. G. Keener, 2305.

Gibbons, C. S.

Crystal structures of K_2MgCl_4 and Cs_2MgCl_4 . C. S. Gibbons, V. C. Reinsborough, and W. A. Whitla, 114.

Gibson, H. W.

Linear free energy relationships. IV. Synthesis and spectral characterization of some new solvatochromics. N -(*p*-substituted)benzyl-2'-hydroxy-4-stilbazolium betaines. H. W. Gibson and F. C. Bailey, 2162.

Gibson, J. A.

Reaction of xenon difluoride. Part II. Oxidative-fluorination of phosphorus and iodine compounds and cleavage of silicon-sulfur and silicon-nitrogen bonds. J. A. Gibson, R. K. Marat, and A. F. Janzen, 3044.

Gibson, M. S.

The rearrangement of aryl thiohydrazonates. A. J. Elliott, P. D. Callaghan, M. S. Gibson, and S. T. Nemeth, 1484. Cyclization of some 2,3,5,6-tetrafluorophenylhydrazine derivatives. Use of nuclear Overhauser effect measurements in structural assignment. A. J. Elliott and M. S. Gibson, 2534.

Reaction of hydrazonyl halides with derivatives of thiourea and thiosemicarbazide; a new source of C-amino- and C-hydrazino-1,2,4-triazoles. P. Wolkoff, S. T. Nemeth, and M. S. Gibson, 3211.

Aryne formation from 2-bromolaudanosine. Fate of the 5,6,12,12a-tetrahydrodibenzo[*b,g*]indolizinium ion and an alternative synthesis of glaucine. I. Ahmad and M. S. Gibson, 3660.

Giguère, P. A.

Studies on hydrogen-oxygen systems in the electrical discharge. VII. Deuterium isotope effects in the chemistry of the hydrogen polyoxides. J. L. Arnau and P. A. Giguère, 2490.

Giles, H. G.

Hindered internal rotation about aryl C—N bonds in aryl substituted heterocyclic compounds: 3-aryl-2-benzyl-4-(3H)-quinazolinones. L. D. Colebrook and H. G. Giles, 3431.

Gillen, M. F.

The use of the *n*-propylammonium and *n*-butylammonium salts of *d*-10-camphorsulfonic acid for the calibration of spectropolarimeters: circular dichrometer calibration. M. F. Gillen and R. E. Williams, 2351.

Gillespie, R. J.

The radical ion $S_3N_2^+$. Preparation, electron spin resonance spectrum, and crystal structure of thiodithiazyl hexa-fluoroarsenate $S_3N_2^+AsF_6^-$. R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 3147.

Gillet, H.

ΔG° , ΔH° , ΔS° de transfert de H_2O et du couple H^+, OH^- de l'eau a ses melanges contenant jusqu'a 40% de EtOH, *tert*-BuOH, DMSO, acetone et uree à 25 °C. H. Gillet, L. Avedikian et J.-P. Morel, 455.

Girard, B.

Chromic acid esters as corrosion inhibitors. E. L. Ghali, J.-M. Hachey, and B. Girard, 3702.

Given, R.

The kinetics and mechanism of H_2 - D_2 exchange catalyzed by hydridochlorotris(triphenylphosphine)ruthenium(II). G. Strathdee and R. Given, 106.

Homogeneous catalysis of hydrogen isotope exchange between D_2 and ethanol by dichlorotris(triphenylphosphine) ruthenium(II). G. Strathdee and R. Given, 1402.

Gladstone, W. A. F.

Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrosine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Goddard, J. D.

A relationship between the sizes and energies of atomic orbitals. R. Daudel, P. G. Mezey, J. D. Goddard, and I. G. Csizmadia, 3739.

Goher, M. A. S.

Synthesis and characterization of Cu(I) complex compounds with methyl isonicotinate. M. A. S. Goher, 2657.

Goldenberg, M. S.

Ion pair formation and solvation energies in solutions of alkali halides in dimethyl sulfoxide. II. Model calculations. M. S. Goldenberg, P. Kruus, and S. K. F. Luk, 1007.

Goldman, S.

The calculation of effective pair potentials in solution from activity coefficient data: nitrobenzene in benzene. S. Goldman, 2608.

Semi-empirical calculations on the free energy and enthalpy of hydration for the trivalent lanthanides and actinides. S. Goldman and L. R. Morss, 2695.

Gopinathan, M. S.

The electronic structure and localized molecular orbitals in S_4N_4 by the CNDO/BW theory. M. S. Gopinathan and M. A. Whitehead, 1343.

Gorin, P. A. J.

Further studies on the assignment of signals in ^{13}C magnetic resonance spectra of aldoses and derived methyl glycosides. P. A. J. Gorin and M. Mazurek, 1212.

Goring, D. A. I.

The role of hemicellulose in the delignification of wood. A. J. Kerr and D. A. I. Goring, 952.

Gough, S. R.

1,4-Dioxane hydrate: dielectric absorption by a nondipolar enclathrated molecule. S. R. Gough, J. A. Ripmeester, and D. W. Davidson, 2215.

Goyal, G. C.

Reactions of OH, CH_2OH , Br_2^- , and $(CNS)^-$ free radicals with cysteine at pH 5.3. G. C. Goyal and D. A. Armstrong, 1475.

Graham, W. A. G.
Silyl-, germyl-, and stannylpentacarbonylmetalates of chromium, molybdenum, and tungsten. E. E. Isaacs and W. A. G. Graham, 467.
Dicarbonylcycloheptatrienylmolybdenum derivatives of silicon, germanium, and tin. E. E. Isaacs and W. A. G. Graham, 975.
Arene derivatives of bis(trichlorogermanium)tetracarbonylruthenium(II). R. K. Pomeroy and W. A. G. Graham, 2985.

Gransden, S. E.
Erratum: The crystal structure of tripotassium bis(oxalato)dioxovanadate(V) trihydrate. R. E. Drew, F. W. B. Einstein, and S. E. Gransden, 1536.

Gravel, D.
New access to noradamantanes via generation of selectively protected bicyclic β -diketones. D. Gravel and S. Rahal, 2671.
Mass spectrometry of *N*-benzoyl-2-hydroxyalkylamines. Role of the hydroxylc hydrogen in the fragmentation pattern. D. C. DeJongh, D. C. K. Lin, P. LeClair-Lanteigne, and D. Gravel, 3175.

Gravestock, M. B.
Synthesis of methyl 12*S*- and 12*R*-hydroxylabd-8(17)-en-19-oates. R. A. Bell, M. B. Gravestock, and V. Y. Taguchi, 2869.

Green, R. D.
 ^{13}C nuclear molecular resonance and ^{14}C tracer studies on 1,2-phenyl shifts in the reaction of labeled triphenylvinyl bromide with acetic acid and silver acetate. F. H. A. Rummens, R. D. Green, M. Oka, and C. C. Lee, 314.

Greenhorn, J. D.
A novel base-promoted rearrangement of penicillin G. S. Wolfe, J.-B. Ducep, and J. D. Greenhorn, 3435.

Greig, C. C.
Nitration of 3,4-dimethylacetophenone and 3,4-dimethylbenzophenone. Formation and rearomatization of adducts. A. Fischer, C. C. Greig, and R. Röderer, 1570.

Grieco, C.
A photochemical route to *N*-acyl imines. W. A. Court, O. E. Edwards, C. Grieco, W. Rank, and T. Sano, 463.

Griffith, E. A. H.
Conformations of bridged diphenyls. VII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenoxy)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 2084.

Grindley, T. B.
Conformational analysis of *N*-nitrosopiperidines by ^{13}C nuclear magnetic resonance. The orientation preference of an α -methyl group. R. R. Fraser and T. B. Grindley, 2465.
Stereoselectivity in the reactions of nitrosopiperidine carbanions. Steric *vs.* stereoelectronic control. R. R. Fraser, T. B. Grindley, and S. Passannanti, 2473.

Grover, S. H.
 ^{13}C nuclear magnetic resonance studies. 47. ^{13}C spectra of some *exo*-methylene cycloalkanes and -norbornanes. S. H. Grover and J. B. Stothers, 589.
 ^{13}C nuclear magnetic resonance studies. Part 48. ^{13}C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 1351.
Erratum: ^{13}C nuclear magnetic resonance studies. Part 48. ^{13}C Spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 2808.

Grozinger, K.
C-nucleosides and related compounds. IV. The synthesis and chemistry of *D,L*-2,5-anhydroallose derivatives. G. Just, A. Martel, K. Grozinger, and M. Ramjeesingh, 131.
A total synthesis of dimethyl 2,3-*O*-isopropylidene-1-*O*-oxalyl- β -*D,L*-ribo-hexofuran-5-ulosuronate. G. Just and K. Grozinger, 2701.

Gruner, A. C.
The activity of AgCl in AgCl - LiCl - KCl melts. A. C. Gruner and W. T. Thompson, 1084.

Guay, M.
Vibrational spectra of $\text{N}_2\text{H}_5\text{HC}_2\text{O}_4$ and $\text{N}_2\text{D}_5\text{DC}_2\text{O}_4$. R. Savoie and M. Guay, 1387.

Gübeli, A. O.
Formation et stabilité de lyato-complexes de l'argent(I) en solution hydro-méthanolique. J. Piuze et A. O. Gübeli, 3250.

Guimon, C.
Structure électronique de dérivés sulfures. XI. Thiétanne et dérivés. C. Guimon, D. Liotard et G. Pfister-Guillouzo, 1224.

Gunn, P. A.
Ring C functionalized diterpenoids. Part IV. Minor products from the cleavage of the cyclopropane ring in methyl *ent*-trachyloban-19-oate with thallium acetate. H. M. Campbell, P. A. Gunn, A. J. McAlees, and R. McCrindle, 20.

Gurtu, K.
Conformations of bridged diphenyls. VIII. Crystal structure of 2-(2',6'-dinitrophenoxy)-*t*-butylbenzene. K. Gurtu, W. D. Chandler, and B. E. Robertson, 2093.

Guthrie, J. P.

Carbonyl addition reactions: factors affecting the hydrate-hemiacetal and hemiacetal-acetal equilibrium constants. J. P. Guthrie, 898.

General base catalysis of β elimination by a steroid enzyme model. J. P. Guthrie and S. O'Leary, 2150.

Guy, R. D.

The application of a simple chemical model of natural waters to metal fixation in particulate matter. R. D. Guy, C. L. Chakrabarti, and L. L. Schramm, 661.

Hachey, J.-M.

Esters chromiques dérivés d'alcools tertiaires. J.-C. Richer et J.-M. Hachey, 3087.

Chromic acid esters as corrosion inhibitors. E. L. Ghali, J.-M. Hachey, and B. Girard, 3702.

Hadjikostas, C. C.

Five-coordinate bromobis(dialkyldithiocarbamate) complexes of arsenic, antimony, and bismuth. G. E. Manousakis, C. A. Tsipis, and C. C. Hadjikostas, 1530.

Hadley, M.

On the mechanism of oxetan formation in the photocycloaddition of *p*-benzoquinone to alkenes. N. J. Bunce and M. Hadley, 3240.

Hajos, Z. G.

Regioselective *O*-alkylation of sterically hindered steroid ethynyl carbinols. Z. G. Hajos and G. R. Duncan, 2971.

Hall, L. D.

A nuclear magnetic resonance study of the conformation of six-membered chelate rings in four-coordinate complexes. W. R. Cullen, L. D. Hall, J. T. Price, and G. Spendjani, 366.

Variable temperature nuclear magnetic resonance studies of some five-membered ring chelate complexes. W. R. Cullen, L. D. Hall, and J. E. H. Ward, 1038.

Hanaya, K.

Photoreaction of nitroso compounds in solution. Part XXXII. Synthesis and reaction of 2-nitro-3-aminonorbornanes. K. S. Pillay, K. Hanaya, and Y. L. Chow, 3022.

Handa, Y. P.

Vapor pressures of triethylamine + chloroform and of diethyl ether + chloroform at 298.15 K. Y. P. Handa and D. E. Jones, 3299.

Hanessian, S.

The preparation and synthetic utility of *tert*-butyldiphenylsilyl ethers. S. Hanessian and P. Lavallee, 2975.

Hanssen, H. W.

Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrosine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Harding, D. R. K.

Organic sulfur mechanisms. 17. A brief study of the photolysis of an unsaturated cyclic sulfone. J. F. King, E. G. Lewars, D. R. K. Harding, and R. M. Enanoza, 365.

Hardstaff, W. R.

Chlorine-water oxidation of some α -methylsulfonyl sulfides. W. R. Hardstaff, R. F. Langler, J. Leahy, and M. J. Newman, 2664.

Harris, I.

Substituent effects in the thermal isomerization of 1,2-dicarbonyl derivatives of 3,6-bridged 1,2,3,6-tetrahydropyridazines. J. A. Campbell, I. Harris, D. Mackay, and T. D. Sauer, 535.

Harrison, A. G.

The chemical ionization mass spectra of fluorotoluenes. A. G. Harrison and P.-H. Lin, 1314.

Harrod, J. F.

Chemistry of transition metals. V. Further studies on the mechanism of reaction of *n*-alkyl chlorides with metals of the first transition period. R. W. Egan and J. F. Harrod, 2619.

Hartman, J. S.

Mixed boron trihalide adducts. A nuclear magnetic resonance study of halogen redistribution in adducts of trimethylphosphine, trimethylphosphine oxide, and trimethylphosphine sulfide. M. J. Bula, J. S. Hartman, and C. V. Raman, 326.

Hasan, S. K.

Alkaline hydrolysis products of *N*-substituted phthalimides. S. K. Hasan and S. A. Abbas, 2450.

Haseltine, R.

The observable thirty-fold-degenerate camphenehydro cation. A stereospecific *exo*-3,2-methyl shift and *endo*-6,2(*exo*-6,1)-hydride shift. R. Haseltine, E. Huang, K. Ranganayakulu, and T. S. Sorensen, 1056.

Predicting the most favored path and the overall rate of multistep 2-norbornyl cation rearrangements. The assignment of a trial activation energy for each unique step. R. Haseltine, E. Huang, K. Ranganayakulu, T. S. Sorensen, and N. Wong, 1876.

A kinetic and thermodynamic behavioral comparison of observable secondary and tertiary 2-norbornyl cations. R. Haseltine, N. Wong, T. S. Sorensen, and A. J. Jones, 1891.

Reaction sequences involving the mutual interconversion of all 10 tertiary dimethyl-2-norbornyl cations. A comparison of predicted products and rates with experiment. R. Haseltine, K. Ranganayakulu, N. Wong, and T. S. Sorensen, 1901.

Haseltine, R. P.
A comparison of the stereospecificity of carbocation to rearranged carbocation reactions under observable ion and steady-state intermediate conditions. R. P. Haseltine and T. S. Sorensen, 1067.

Hay, G. W.
Studies on the synthesis of novel carbohydrates with sulfur in the ring. Part III. The synthesis of derivatives of 2,6-dithio-hex-4-en-2-ulopyranosidonitriles. D. M. Vyas and G. W. Hay, 1362.

Haywood-Farmer, J.
Stereospecific synthesis and acetolysis of *anti*-tricyclo[4.4.1.1^{2,5}]dodecan-11-yl and related derivatives. J. Haywood-Farmer, B. T. Friedlander, A. Crawford, L. M. Thompson, and W. Wetzer, 3078.

Heicklen, J.
Infrared spectroscopic study of ammonia – sulfur dioxide – water solid state system. I. C. Hisatsune and J. Heicklen, 2646.

Hencher, J. L.
The molecular structure of tetramethylgermane determined by gas phase electron diffraction. J. L. Hencher and F. J. Mustoe, 3542.

Hendrickson, D. K.
The far infrared spectra and X-ray powder diffraction patterns of the structure I hydrates of cyclopropane and ethylene oxide at 100 K. J. E. Bertie, F. E. Bates, and D. K. Hendrickson, 71.

Henry, P. M.
Equilibria between palladium(II) acetate and olefins in acetic acid containing sodium acetate. R. N. Pandey and P. M. Henry, 1833.
Palladium(II) catalyzed exchange reactions. XI. Vinyl propionate exchange with acetic acid catalyzed by palladium(II) acetate. R. N. Pandey and P. M. Henry, 2223.
Kinetics and mechanism of the oxidation of thiocyanate by tris(1,10-phenanthroline)iron(III) and its derivatives. F. T. T. Ng and P. M. Henry, 3319.

Hepler, L. G.
Zinc hydroxide: Solubility product and hydroxy-complex stability constants from 12.5–75 °C. R. A. Reichle, K. G. McCurdy, and L. G. Hepler, 3841.

Herman, J. A.
The origin of the methyl radical in the photolysis of propane at 123.6 nm. J. Gawlowski, J. A. Herman, and P. Gagnon, 1348.

Hersh, K. A.
Kinetics of environmental averaging, and the stereochemistry of $(\text{CH}_3\text{Cl})\text{Ge}(\text{C}_5\text{H}_7\text{O}_2)_2$. A case of a second order kinetic process. K. A. Hersh and N. Serpone, 448.

Hewson, W. D.
Horseradish peroxidase. XVII. Reactions of compounds I and II with *p*-aminobenzoic acid in deuterium oxide. C. D. Hubbard, H. B. Dunford, and W. D. Hewson, 1563.
Horseradish peroxidase. XVIII. The Arrhenius activation energy for the formation of compound I. W. D. Hewson and H. B. Dunford, 1928.

Heyding, R. D.
The copper–selenium system at temperatures to 850 K and pressures to 50 kbar. R. M. Murray and R. D. Heyding, 878.

Hiatt, R.
The reaction of hydroperoxides with triphenylarsine and triphenylstibine. R. Hiatt, C. McColeman, and G. R. Howe, 559.

Hicks, D. R.
The 2- and 3-C-methyl derivatives of methyl 2,3-dideoxy- α -D-*erythro* hex-2-enopyranosid-4-ulose. D. R. Hicks and B. Fraser-Reid, 2017.

Hinman, D.
Electric dipole moments of a series of $\Delta^{8(14)}$ cholestenyl esters. J. M. Pochan, J. E. Kuder, J. Y. C. Chu, D. Wychick, and D. Hinman, 578.

Hiraoka, K.
Information on the proton affinity and protolysis of propane from measurement of the ion cluster equilibrium: $\text{C}_2\text{H}_5^+ + \text{CH}_4 = \text{C}_3\text{H}_9^+$. K. Hiraoka and P. Kebarle, 970.

Hirata, S.
Studies on the syntheses of heterocyclic compounds. Part DCXXXVIII. Simple synthesis of benz[d]indeno[1,2-*b*]-azepine from 1-benzoyl-3,4-dihydroisoquinoline. T. Kametani, M. S. Premila, S. Hirata, H. Seto, H. Nemoto, and K. Fukumoto, 3824.

Hisatsune, I. C.
Infrared spectroscopic study of ammonia – sulfur dioxide – water solid state system. I. C. Hisatsune and J. Heicklen, 2646.

Ho, P.

On the construction of delphinine type alkaloids via the rearrangement of substituted denudatine derivatives. K. Wiesner, P. Ho, W.-C. Liu, and M. N. Shanbhag, 2140.

Ho, T.-L.

Stereospecific synthesis of *dl*-triacetyl daunosamine. C. M. Wong, T.-L. Ho, and W. P. Niemczura, 3144.

Hogg, J. W.

Four new sesquiterpene analogs of common monoterpenes. S. J. Terhune, J. W. Hogg, A. C. Bromstein, and B. M. Lawrence, 3285.

Holah, D. G.

Reactions of sodium tetrahydroborate and cyanotrihydroborate with rhodium(I), (II), and (III) systems in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, and B. C. Hui, 3669.

Holland, H. L.

The mechanism of the microbial hydroxylation of steroids. Part 1. The C-21 hydroxylation of progesterone by *Aspergillus niger* ATCC 9142. H. L. Holland and B. J. Auret, 845.

The mechanism of the microbial hydroxylation of steroids. Part 2. Hydroxylation of a Δ^4 -3-ketosteroid analog by *Rhizopus arrhizus* ATCC 11145. H. L. Holland and B. J. Auret, 2041.

Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

Holmes, J. L.

Metastable ion studies. V. The identification of $C_2H_4O^{+}$ ion structures from their characteristic kinetic energy releases. J. L. Holmes and J. K. Terlouw, 2076.

Holzbecher, J.

The determination of traces of nickel(II) by solid state spectroscopy. D. E. Ryan and J. Holzbecher, 311.

Honda, T.

Studies on the syntheses of heterocyclic compounds. Part DCXXXVI. An alternative synthesis of pentazocine. T. Kametani, T. Honda, S.-P. Huang, and K. Fukumoto, 3820.

Hoodless, I. M.

The catalytic decomposition of 2-propanol on magnesium oxide. I. M. Hoodless and G. D. Martin, 2729.

Hooper, D. G.

The temperature dependence of the ratio k_d/k_c for ethyl radicals. D. G. Hooper, M. Simon, and M. H. Back, 1237.

Hope, C. J.

A differential spectroscopic technique for obtaining the spectra of chemisorbed molecules. M. Moskovits, C. J. Hope, and B. Jantzi, 3313.

Hopkinson, A. C.

Substituent effects on the ionization equilibria of 9-aryl-9-fluorenols and 10-aryl-10-hydroxyanthracen-9-ones. T. W. Toone, E. Lee-Ruff, and A. C. Hopkinson, 1635.

Hou, F. L.

A kinetic study of the thermal isomerization of $(CH_3)_2AsC=CaAs(CH_3)_2CF_2CF_2Mn_2(CO)_8$ and related complexes. W. R. Cullen and F. L. Hou, 1735.

Howard, J. A.

A kinetic electron spin resonance study of the transfer of a hydrogen atom from α -tetralin hydroperoxide to a tertiary alkylperoxy radical. J. H. B. Chenier and J. A. Howard, 623.

Autoxidation and photooxidation of 1,3-diphenylisobenzofuran: A kinetic and product study. J. A. Howard and G. D. Mendenhall, 2199.

An electron spin resonance study of some reactions of pentafluorosulfuranyl (SF_5). J. C. Tait and J. A. Howard, 2361.

Erratum: A kinetic electron spin resonance study of the transfer of a hydrogen atom from α -tetralin hydroperoxide to a tertiary alkylperoxy radical. J. H. B. Chenier and J. A. Howard, 2512.

Howe, G. R.

The reaction of hydroperoxides with triphenylarsine and triphenylstibine. R. Hiatt, C. McColeman, and G. R. Howe, 559.

Howie, R. A.

Pyrophosphates of tetravalent elements and a Mössbauer study of SnP_2O_7 . C.-H. Huang, O. Knop, D. A. Othen, F. W. D. Woodhams, and R. A. Howie, 79.

Hruska, F. E.

A proton magnetic resonance study of the ultraviolet photoproduct of $d(TpT)$ in aqueous solution. F. E. Hruska, D. J. Wood, K. K. Ogilvie, and J. L. Charlton, 1193.

Proton magnetic resonance studies of dinucleotide conformation in aqueous solution. 2'-Deoxythymidyl-(3',5')-2'-deoxy-3'-thymidylate, $d(TpTp)$. D. J. Wood, K. K. Ogilvie, and F. E. Hruska, 2781.

Huang, C.-H.

Infrared studies of water in crystalline hydrates: $K_2FeCl_5 \cdot H_2O$ (erythrosiderite) and related aquopentachloroferrates(III). M. Faik, C.-H. Huang, and O. Knop, 51.

Pyrophosphates of tetravalent elements and a Mössbauer study of SnP_2O_7 . C.-H. Huang, O. Knop, D. A. Othen, F. W. D. Woodhams, and R. A. Howie, 79.

Huang, E.

The observable thirty-fold-degenerate camphenehydro cation. A stereospecific *exo*-3,2-methyl shift and *endo*-6,2(*exo*-6,1)-hydride shift. R. Haseltine, E. Huang, K. Ranganayakulu, and T. S. Sorensen, 1056.
Predicting the most favored path and the overall rate of multistep 2-norbornyl cation rearrangements. The assignment of a trial activation energy for each unique step. R. Haseltine, E. Huang, K. Ranganayakulu, T. S. Sorensen, and N. Wong, 1876.

Huang, S.-P.

Studies on the syntheses of heterocyclic compounds. Part DCXXXVI. An alternative synthesis of pentazocine. T. Kometani, T. Honda, S.-P. Huang, and K. Fukumoto, 3820.

Hubbard, C. D.

Horseradish peroxidase. XVII. Reactions of compounds I and II with *p*-aminobenzoic acid in deuterium oxide. C. D. Hubbard, H. B. Dunford, and W. D. Hewson, 1563.

Hubert, J.

The crystal structure of the [Pt(diethylenetriamine)Br]Br complex. R. Melanson, J. Hubert, and F. D. Rochon, 1139.
Crystal and molecular structure of dithiocyanato(triphenylarsine)mercury(II). J. Hubert, A. L. Beauchamp, and R. Rivest, 3383.

Hughes, A. N.

Reactions of sodium tetrahydroborate and cyanotrihydroborate with rhodium(I), (II), and (III) systems in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, and B. C. Hui, 3669.

Hui, B. C.

Reactions of sodium tetrahydroborate and cyanotrihydroborate with rhodium(I), (II), and (III) systems in the presence of tertiary phosphines. D. G. Holah, A. N. Hughes, and B. C. Hui, 3669.

Hund, F. H.

Nuclear magnetic resonance studies of enantiomeric internal rotational isomers of 1- and 3-arylhydantoins in achiral and chiral solvents. L. D. Colebrook, S. Icli, and F. H. Hund, 1556.

Hung, H-K.

Conversion of bicyclo[2.2.2]octane systems into tricyclo[3.2.1.0^{2,7}]octanes: a third synthesis of the diterpenoid trachylobane. R. B. Kelly, B. A. Beckett, J. Eber, H-K. Hung, and J. Zamecnik, 143.

Hunter, D. H.

A 2-azapentadienyl carbanion: a nonstereospecific electrocyclization. D. H. Hunter and R. P. Steiner, 355.

Husebye, S.

The ¹²⁵Te Mössbauer absorption spectra of tellurium complexes with sulfur-containing ligands. R. M. Cheyne, C. H. W. Jones, and S. Husebye, 1855.

Icli, S.

Steric crowding and the reactivity of substituted *tert*-butyl perbenzoates. S. Icli, K. A. Kandil, C. Thankachan, and T. T. Tidwell, 979.

Nuclear magnetic resonance studies of enantiomeric internal rotational isomers of 1- and 3-arylhydantoins in achiral and chiral solvents. L. D. Colebrook, S. Icli, and F. H. Hund, 1556.

Idler, K. L.

Crystal structure of Zn₃V_{0.5}P_{1.5}O₈. K. L. Idler and C. Calvo, 3665.

Inaba, T.

Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Ireland, P. R.

The radical ion S₃N₂⁺. Preparation, electron spin resonance spectrum, and crystal structure of thiodithiazyl hexa-fluoroarsenate S₃N₂⁺AsF₆⁻. R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 3147.

Irish, D. E.

A Raman spectral study of the kinetics of hydrolysis of acetonitrile catalyzed by Hg(II). Y.-K. Sze and D. E. Irish, 427.

Raman spectral studies of cadmium-nitrite interactions in aqueous solutions and crystals. D. E. Irish and R. V. Thorpe, 1414.

The temperature dependence of Raman band parameters for aquated Mg(II) and Zn(II). J. T. Bulmer, D. E. Irish, and L. Odberg, 3806.

Isaacs, E. E.

Silyl-, germyl-, and stannyl-pentacarbonylmetalates of chromium, molybdenum, and tungsten. E. E. Isaacs and W. A. G. Graham, 467.

Dicarbonylcycloheptatrienylmolybdenum derivatives of silicon, germanium, and tin. E. E. Isaacs and W. A. G. Graham, 975.

Ishige, M.

Investigation on the favorable formation of 5 α -cholestane-3 α -ol and 5-cholestene-3 α -ol by catalytic hydrogenation. M. Ishige and M. Shiota, 1700.

Itoh, T. Studies related to antitumor antibiotics. Part III. Syntheses of 1,2,3,4,5,6-hexahydro-2,3-benzazocin-5-ones as possible intermediates in the biosynthesis of mitomycins. J. W. Lown and T. Itoh, 960.

Itzkovitch, I. J. Electrochemistry of ruthenium ammine complexes. C. E. Elson, I. J. Itzkovitch, J. McKenney, and J. A. Page, 2922.

Jack, T. R. Solution studies of the dynamic stereochemistry of palladium(II) carboxylate complexes. T. R. Jack and J. Powell, 2558.

Jacquignon, P. Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

James, B. R. Homogeneous hydrogenation of unsaturated carboxylic acids using chlororhodate(I) complexes and rhodium(I) diethylsulfide complexes. B. R. James and F. T. T. Ng, 797.

Jantzi, B. A differential spectroscopic technique for obtaining the spectra of chemisorbed molecules. M. Moskovits, C. J. Hope, and B. Jantzi, 3313.

Janzen, A. F. Reaction of xenon difluoride. Part II. Oxidative-fluorination of phosphorus and iodine compounds and cleavage of silicon-sulfur and silicon-nitrogen bonds. J. A. Gibson, R. K. Marat, and A. F. Janzen, 3044.

Jarczewski, A. Kinetics of proton transfer reactions of carbon acids. V. Variation of primary deuterium isotope effect with solvent composition for the reaction of di-(4-nitrophenyl)methane with *t*-butoxide in *t*-butyl alcohol - toluene mixtures. A. Jarczewski, P. Pruszynski, and K. T. Leffek, 1176.

Jarrell, H. C. Carbon-13 nuclear magnetic resonance spectra of some dendroketose and other furanose derivatives. D. M. Vyas, H. C. Jarrell, and W. A. Szarek, 2748.

Jeminet, G. Constantes d'association de quelques éthers de polyéthylène glycols avec Na^+ , K^+ , Cs^+ et Tl^+ . G. Chaput, G. Jeminet et J. Juillard, 2240.

Jennings, H. J. A carbon-13 nuclear magnetic resonance study of chlorinated and polyol analogs of glucose and related oligomers. P. Colson, K. N. Slessor, H. J. Jennings, and I. C. P. Smith, 1030.

Jerram, W. A. The chemistry of cochliodinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 727.

Erratum: The chemistry of cochliodinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 2031.

Jevcak, J. J. Pulse radiolysis of alkali metal solutions in methylamine. J. W. Fletcher, W. A. Seddon, J. J. Jevcak, and F. C. Sopchyn, 3571.

Jitrangsri, C. Stereochemistry of the Bucherer-Bergs and Strecker reactions of 4-*tert*-butylcyclohexanone. J. T. Edward and C. Jitrangsri, 3339.

Johnson, A. L. Nuclear magnetic resonance studies. XXVII. Homoenoization of fenchone. A mechanistic study utilizing ^{13}C and ^2H nuclear magnetic resonance. A. L. Johnson, J. B. Stothers, and C. T. Tan, 212.

Erratum: Bicyclooctanone rearrangement, [3.2.1] \rightarrow [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo[3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 2808.

Johnson, D. Studies related to antitumor antibiotics. Part VI. Correlation of covalent cross-linking of DNA by bifunctional aziridinoquinones with their antineoplastic activity. M. H. Akhtar, A. Begleiter, D. Johnson, J. W. Lown, L. McLaughlin, and S.-K. Sim, 2891.

Johnston, A. J. The equivalent conductivity of aqueous solutions of salts of carboxymethylcellulose: a test of Manning's limiting law. J. C. T. Kwak and A. J. Johnston, 792.

Jolicoeur, C. Thermodynamic properties of aqueous organic solutes in relation to their structure. Part II. Apparent molal volumes and heat capacities of cycloalkylamine hydrobromides in water. C. Jolicoeur, J. Boileau, S. Bazinet, and P. Picker, 716.

Direct specific heat measurements on solutions of volatile solutes by flow microcalorimetry: partial molal heat capacity of benzene in water at 25 °C. C. Jolicoeur, P. Picker, and G. Perron, 3634.

Jończyk, A.
The 1,3,5-trinitrobenzene-phenoxide σ -complex. Ambident phenoxide ion in SNAr systems. E. Buncel, A. Jończyk, and J. G. K. Webb, 3761.

Jones, A. J.
A kinetic and thermodynamic behavioral comparison of observable secondary and tertiary 2-norbornyl cations. R. Haseltine, N. Wong, T. S. Sorensen, and A. J. Jones, 1891.

Jones, C. H. W.
The ^{125}Te Mössbauer absorption spectra of tellurium complexes with sulfur-containing ligands. R. M. Cheyne, C. H. W. Jones, and S. Husebye, 1855.

Jones, D. E.
Vapor pressures of triethylamine + chloroform and of diethyl ether + chloroform at 298.15 K. Y. P. Handa and D. E. Jones, 3299.

Jones, P. F.
The thermal rearrangement of α -substituted silanes. A. R. Bassindale, A. G. Brook, P. F. Jones, and J. M. Lennon, 332.

Jones, W. E.
Rate constants for the reaction of fluorine atoms with nitric oxide in the presence of various third bodies. E. G. Skolnik, S. W. Veysey, M. G. Ahmed, and W. E. Jones, 3188.

Joussot-Dubien, J.
Thione photochemistry: the *peri* cyclization of some polycyclic aromatic thiones. A. Cox, D. R. Kemp, R. Lapouyade, P. de Mayo, J. Joussot-Dubien, and R. Bonneau, 2386.

Juillard, J.
Constantes d'association de quelques éthers de polyéthylène glycols avec Na^+ , K^+ , Cs^+ et Tl^+ . G. Chaput, G. Jeminet et J. Juillard, 2240.

Just, G.
C-Nucleosides and related compounds. IV. The synthesis and chemistry of D,L-2,5-anhydroallose derivatives. G. Just, A. Martel, K. Grozinger, and M. Ramjeesingh, 131.
A total synthesis of dimethyl 2,3-*O*-isopropylidene-1-*O*-oxalyl- β -DL-*ribo*-hexofuran-5-ulosuronate. G. Just and K. Grozinger, 2701.

Kakushima, M.
An epitetraiodiodoxopiperazine with 3S,6S configuration from *Hyalodendron* sp. G. M. Strunz, M. Kakushima, and M. A. Stillwell, 295.

Kamata, S.
A general, selective synthesis of thiol esters. S. Masamune, S. Kamata, J. Diakur, Y. Sugihara, and G. S. Bates, 3693.

Kametani, T.
Studies on the syntheses of heterocyclic compounds. Part DCXXXVI. An alternative synthesis of pentazocine. T. Kametani, T. Honda, S.-P. Huang, and K. Fukumoto, 3820.
Studies on the syntheses of heterocyclic compounds. Part DCXXXVIII. Simple synthesis of benz[d]indenol[1,2-*b*]-azepine from 1-benzoyl-3,4-dihydroisoquinoline. T. Kametani, M. S. Premila, S. Hirata, H. Seto, H. Nemoto, and K. Fukumoto, 3824.

Kandil, K. A.
Steric crowding and the reactivity of substituted *tert*-butyl perbenzoates. S. Icli, K. A. Kandil, C. Thankachan, and T. T. Tidwell, 979.

Kane-Maguire, N. A. P.
Ligand field photochemistry of cobalt(III) phenanthroline and bipyridyl complexes. C. P. J. Vuik, N. A. P. Kane-Maguire, and C. H. Langford, 3121.

Kannengiesser, G.
Sulfur-free penicillin derivatives. V. Preparation, hydrolysis, and oxidative rearrangement of fused oxazoline-azetidinones. S. Wolfe, S.-L. Lee, J.-B. Ducep, G. Kannengiesser, and W. S. Lee, 497.

Kari, R. E.
A systematic *ab initio* LCAO-MO-SCF study of the ionization potentials, electron, proton, hydrogen, and hydride affinities of SH_n molecules and ions. R. E. Kari and I. G. Csizmadia, 3747.

Kartzmark, E. M.
Erratum: Solubility of indium trichloride and some double salts. E. M. Kartzmark, 1854.
The systems indium trichloride - pyridine and indium trichloride - pyridine - water: equilibrium diagrams and heat of formation of $\text{InCl}_3 \cdot 3\text{C}_5\text{H}_5\text{N}$. E. M. Kartzmark, 2995.

Katon, J. E.
The vibrational spectra and structure of dimethyl carbonate and its conformational behavior. J. E. Katon and M. D. Cohen, 1378.

Katritzky, A. R.
Mise en évidence des tautomères énoliques des hydroxypyridines dans la source du spectromètre de masse. A. Maquestiau, Y. van Haverbeke, C. de Meyer, A. R. Katritzky, M. J. Cook et A. D. Page, 490.

Katz, M.

Thermodynamic properties of binary liquid acid-base mixtures. H. N. Sólímo, R. Riggio, F. Davolio, and M. Katz, 1258.

Kebarle, P.

Information on the proton affinity and protolysis of propane from measurement of the ion cluster equilibrium: $C_2H_5^+ + CH_4 = C_3H_9^+$. K. Hiraoka and P. Kebarle, 970.

Pyrolysis of $C_2H_7^+$ and other ion-molecule reactions in methane containing traces of ethane. M. French and P. Kebarle, 2268.

Keener, I. G.

Some reactions of 1-lithio-2-phenyl-1,2-dihydropyridine. IV. Synthesis of β -substituted pyridines. C. S. Giam, E. E. Knaus, R. A. Lockhart, and I. G. Keener, 2305.

Kelly, R. B.

Conversion of bicyclo[2.2.2]octane systems into tricyclo[3.2.1.0^{2,7}]octanes: a third synthesis of the diterpenoid trachylobane. R. B. Kelly, B. A. Beckett, J. Eber, H-K. Hung, and J. Zamecnik, 143.

Synthesis of *cis*-9-cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin and its conversion into an intermediate for a synthesis of thelepogine. R. B. Kelly, S. J. Alward, and J. Zamecnik, 2441.

Kemp, D. R.

Thione photochemistry: the *peri* cyclization of some polycyclic aromatic thiones. A. Cox, D. R. Kemp, R. La-pouyade, P. de Mayo, J. Joussot-Dubien, and R. Bonneau, 2386.

Kerr, A. J.

The role of hemicellulose in the delignification of wood. A. J. Kerr and D. A. I. Goring, 952.

Keziere, R. J.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: preparation of (−)-(1*S*,4*S*,5*R*,7*R*)-1,7-dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione and (+)-(1*R*,4*S*,5*S*,7*S*)-1,7-dimethyl-4-isopropylbicyclo[3.2.1]-octa-6,8-dione. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and R. D. Smillie, 2827.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: (+)-copacamphor, (+)-copaborneol, (+)-copaisoborneol, (−)-ylangocamphor, (−)-ylangoborneol, (−)-ylangoisoborneol. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and F. Kido, 2838.

Khalil, H.

A new thiophene synthesis. J. M. McIntosh and H. Khalil, 209.

The stereochemistry of the Reformatsky reaction of methyl 4-bromo-3-methylbut-2-enoate with β -cyclocitral and related compounds. R. N. Gedye, P. Arora, and A. H. Khalil, 1943.

Khan, M. A.

Pyrazolo[1,5-*a*]pyrimidine: synthesis and regiospecific electrophilic substitution in the pyrazole and/or pyrimidine rings. B. M. Lynch, M. A. Khan, S. C. Sharma, and H. C. Teo, 119.

Khan, R.

Base-catalyzed degradations of carbohydrates. VII. Alkaline degradation of 3,6-di-*O*-substituted hexoses. G. O. Aspinall, I. Furda, R. Khan, and T. N. Krishnamurthy, 2171.

Khan, T. R.

Kinetics and equilibrium of binding of Fe^{3+} by a fulvic acid: a study by stopped flow methods. C. H. Langford and T. R. Khan, 2979.

Khazanie, P.

Acid catalyzed rearrangements of conjugated cyclopropyl and epoxy ketones. E. Lee-Ruff and P. Khazanie, 1708.

Khulbe, K. C.

Thermal decomposition of ammonium metavanadate. K. C. Khulbe and R. S. Mann, 2917.

Khullar, I. P.

Complexes of 2-mercapto benzothiazole with Cu(II), Ni(II), Co(II), Cd(II), Zn(II), Pb(II), Ag(I), and Tl(I). I. P. Khullar and U. Agarwala, 1165.

Khurana, A. L.

Reduction of some alkylisoxazoles with lithium aluminum hydride. A. L. Khurana and A. M. Unrau, 3011.

Kido, F.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: (+)-copacamphor, (+)-copaborneol, (+)-copaisoborneol, (−)-ylangocamphor, (−)-ylangoborneol, (−)-ylangoisoborneol. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and F. Kido, 2838.

Kielland, S. L.

Water-soluble lysine-containing polypeptides. II. The interaction of several sequential lysine-glycine polypeptides with DNA. A circular dichroism study of DNA conformation in annealed complexes. R. E. Williams and S. L. Kielland, 542

Erratum: Water-soluble lysine-containing polypeptides. II. The interaction of several sequential lysine-glycine polypeptides with DNA. A circular dichroism study of DNA conformation in annealed complexes. R. E. Williams and S. L. Kielland, 2210.

Kim, C. B.

Kinetic study of the reaction between substituted triphenylmethyl perchlorates with pyridines in nitromethane and 1,2-dichloroethane solvents. C. B. Kim and K. T. Lefek, 3408.

Kimbell, G. H. Emission from electronically excited C₂. S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 2419.

Kimmerle, F. M. The electroreduction of some *N*-haloamides. D. Bérubé, J. Caza, F. M. Kimmerle, and J. Lessard, 3060.

King, J. F. Organic sulfur mechanisms. 17. A brief study of the photolysis of an unsaturated cyclic sulfone. J. F. King, E. G. Lewars, D. R. K. Harding, and R. M. Enanoza, 3656.

King, R. R. A facile route to 1 → 6 linked disaccharides: syntheses of 6-*O*- β -D-glucopyranosyl- β -D-glucose (gentiobiose) and of 2-acetamido-6-*O*-(2-acetamido-2-deoxy- β -D-galactopyranosyl)-2-deoxy-D-galactose. R. R. King and C. T. Bishop, 1970.

Kirk, A. D. The photolyses of chloropentammine and chloropentakis(alkylamine) chromium(III) complexes in acetone/water mixtures. C. F. C. Wong and A. D. Kirk, 419.

Kiyohara, O. Synthesis and spectral properties of [Cr(en)₂NH₃X]ⁿ⁺ compounds. C. F. C. Wong and A. D. Kirk, 3388.

Kiyohara, O. A micrometer syringe dilatometer: application to the measurement of the excess volumes of some ethylbenzene systems at 298.15 K. R. Tanaka, O. Kiyohara, P. J. D'Arcy, and G. C. Benson, 2262.

Knaus, E. E. Volumes and heat capacities of cyclic ethers and amines in water and of some electrolytes in these mixed aqueous solvents. O. Kiyohara, G. Perron, and J. E. Desnoyers, 2591.

Knittel, P. Volumes and heat capacities of dimethylsulfoxide, acetone, and acetamide in water and of some electrolytes in these mixed aqueous solvents. O. Kiyohara, G. Perron, and J. E. Desnoyers, 3263.

Kluger, R. Models for the role of magnesium in enzymic catalysis. The effect of magnesium ion on the general base catalyzed enolization of methyl acetonylphosphonate. R. Kluger and A. Wayda, 2354.

Knaus, E. E. Some reactions of 1-lithio-2-phenyl-1,2-dihydropyridine. IV. Synthesis of β -substituted pyridines. C. S. Giam, E. E. Knaus, R. A. Lockhart, and I. G. Keener, 2305.

Knop, O. Infrared studies of water in crystalline hydrates: K₂FeCl₅ · H₂O (erythrosiderite) and related aquopentachloroferrates(III). M. Falk, C.-H. Huang, and O. Knop, 51.

Knott, P. Pyrophosphates of tetravalent elements and a Mössbauer study of SnP₂O₇. C.-H. Huang, O. Knop, D. A. Othen, F. W. D. Woodhams, and R. A. Howie, 79.

Koch, H. J. Infrared spectra of the ammonium ion in crystals. I. Ammonium hexachloroplatinate(IV) and hexachlorotellurate(IV). I. A. Oxton, O. Knop, and M. Falk, 2675.

Kopecky, K. R. Infrared spectra of the ammonium ion in crystals. II. The ammonium ion in trigonal environments, with a consideration of hydrogen bonding. I. A. Oxton, O. Knop, and M. Falk, 3394.

Kotowycz, G. Fermi-resonance minima in the vibrational spectrum of water in crystalline hydrates. D. A. Othen, O. Knop, and M. Falk, 3837.

Korsch, B. Carbon-13 chemical shifts of furanosides and cyclopentanols. Configurational and conformational influences. R. G. S. Ritchie, N. Cyr, B. Korsch, H. J. Koch, and A. S. Perlin, 1424.

Krause, J. L. Preparation and thermolysis of some 1,2-dioxetanes. K. R. Kopecky, J. E. Filby, C. Mumford, P. A. Lockwood, and J. Ding, 1103.

Kratovil, B. Conductance study of ion pairing of alkali metal tetrafluoroborates and hexafluorophosphates in acetonitrile. H. L. Yeager and B. Kratovil, 3448.

Krause, J. R. Mass spectrometric studies of the ionization and thermal decomposition of tungsten π -cyclopentadienyl tricarbonyl dimer. J. R. Krause and D. R. Bidinosti, 628.

Krishnamurthy, T. N.
Base-catalyzed degradations of carbohydrates. VII. Alkaline degradation of 3,6-di-*O*-substituted hexoses. G. O. Aspinall, I. Furda, R. Khan, and T. N. Krishnamurthy, 2171.
Base-catalyzed degradations of carbohydrates. VIII. Disaccharide syntheses. G. O. Aspinall, I. Furda, and T. N. Krishnamurthy, 2178.
Base-catalyzed degradations of carbohydrates. IX. β -Eliminations of 4-*O*-substituted hexopyranosiduronates. G. O. Aspinall, M. Funabashi, T. N. Krishnamurthy, and W. Mitura, 2182.

Krueger, P. J.
Librations around the C(S)—phenyl bond in *N*-thiobenzoylmorpholines observed by 220 MHz proton magnetic resonance spectroscopy. A. O. Fulea and P. J. Krueger, 3315.

Kruszewski, J.
An extension of the Hückel $4N + 2$ rule to polycyclic non-alternant conjugated hydrocarbons. J. Kruszewski and T. M. Krygowski, 945.

Kruus, P.
Ion pair formation and solvation energies in solutions of alkali halides in dimethyl sulfoxide. II. Model calculations. M. S. Goldenberg, P. Kruus, and S. K. F. Luk, 1007.

Krygowski, T. M.
An extension of the Hückel $4N + 2$ rule to polycyclic non-alternant conjugated hydrocarbons. J. Kruszewski and T. M. Krygowski, 945.
Separation of the enthalpic and entropic contributions to substituent effects for the equilibrium constants of aromatic acids. T. M. Krygowski and W. R. Fawcett, 3622.

Kuder, J. E.
Electric dipole moments of a series of $\Delta^{8(14)}$ cholestenyl esters. J. M. Pochan, J. E. Kuder, J. Y. C. Chu, D. Wychick, and D. Hinman, 578.

Kuntz, G. P. P.
The kinetics and mechanisms of exchange in the binary system manganese(II)-adenosine 5'-triphosphate. G. P. P. Kuntz, Y.-F. Lam, and G. Kotowycz, 926.

Kutney, J. P.
Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.
Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrosidine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Kwak, J. C. T.
The equivalent conductivity of aqueous solutions of salts of carboxymethylcellulose: a test of Manning's limiting law. J. C. T. Kwak and A. J. Johnston, 792.

Labrie, P.
Conformational studies on oligomethylene glycol derivatives. III. Ethylene glycol diacetate. P. R. Sundararajan, P. Labrie, and R. H. Marchessault, 3557.

LaLonde, R. T.
 ^{13}C chemical shifts of quinolizidines. 2. ^{13}C Spectra of some *Nuphar* alkaloids. R. T. LaLonde, T. N. Donvito, and A. I-M. Tsai, 1714.
Thiobinupharidines epimeric at C-1 and C-1'. R. T. LaLonde and C. Wong, 3545.

Lam, S. Y.
Hydration of some acids in sulfolane. R. L. Benoit and S. Y. Lam, 2683.

Lam, Y.-F.
The kinetics and mechanisms of exchange in the binary system manganese(II)-adenosine 5'-triphosphate. G. P. P. Kuntz, Y.-F. Lam, and G. Kotowycz, 926.

Lamarre, C.
Synthèse et propriétés des *tert*-butyl-5 triméthyl-2,3,3 cyclohexanols. J.-C. Richer et C. Lamarre, 556.
Hydroboration du *tert*-butyl-4 diméthyl-2,2 méthylène-1 cyclohexane et du triméthyl-3,3,5 méthylène-1 cyclohexane. Préparation des *tert*-butyl-4 hydroxyméthyl-1 diméthyl-2,2 cyclohexanes et des hydroxyméthyl-1 triméthyl-3,3,5 cyclohexanes. J.-C. Richer et C. Lamarre, 2033.
Stéréochimie de l'addition homolytique de l'acide thioacétique à des dérivés méthylènes cyclohexaniques. J.-C. Richer et C. Lamarre, 3005.

Landberg, B. E.
Further synthetic applications of functionalized 1,3-dipoles. J. W. Lown and B. E. Landberg, 3782.

Langford, C. H.
Solvent effects on solvent exchange reactions at nickel(II) centers. C. H. Langford, J. P. K. Tong, and A. Merbach, 702.
The charge transfer photochemistry of the hexaaquoiron(III) ion, the chloropentaquoiron(III) ion, and the μ -dihydroxo dimer explored with *tert*-butyl alcohol scavenging. C. H. Langford and J. H. Carey, 2430.

Outer sphere oxidations of alcohols and formic acid by charge transfer excited states of iron(III) species. J. H. Carey and C. H. Langford, 2436.

Kinetics and equilibrium of binding of Fe^{3+} by a fulvic acid: a study by stopped flow methods. C. H. Langford and T. R. Khan, 2979.

Ligand field photochemistry of cobalt(III) phenanthroline and bipyridyl complexes. C. P. J. Vuik, N. A. P. Kane-Maguire, and C. H. Langford, 3121.

Langler, R. F.
Chlorine-water oxidation of some α -methylsulfonyl sulfides. W. R. Hardstaff, R. F. Langler, J. Leahy, and M. J. Newman, 2664.

Lanteri, R.
Recherches sur les composés éthyléniques. V. Liens entre la structure des alcènes et leur fréquence de vibration $\nu_{C=C}$, influence des effets structuraux et établissement d'une relation de topo-information. J. H. Basso, S. Delattre, R. Lanteri et R. Luft, 2580.

Lapointe, P.
Spectres de masse d'hydrazino-2 benzo- et naphtothiazoles et d'hydrazones des méthyl-3 benzo- et naphtothiazolinones-2. J.-C. Richer, P. Lapointe, M. Beljean et M. Pays, 3677.

Lapouyade, R.
Thione photochemistry: the *peri* cyclization of some polycyclic aromatic thiones. A. Cox, D. R. Kemp, R. Lapouyade, P. de Mayo, J. Jousset-Dubien, and R. Bonneau, 2386.

Lapper, R. D.
Carbon-13 nuclear magnetic resonance studies of compounds of the vitamin B₆ group and related pyridine derivatives. R. D. Lapper, H. H. Mantsch, and I. C. P. Smith, 2406.

Lau, S.
Kinetic studies of copper(II)-exchange from L-histidine to human serum albumin and diglycyl-L-histidine, a peptide mimicking the copper(II)-transport site of albumin. S. Lau and B. Sarkar, 710.

Laurence, C.
Sur la sensibilité différente du vibrateur carbonyle d'acétophénones *meta* et *para* substitués aux facteurs σ_m^+ et σ_p^+ . M. Berthelot et C. Laurence, 993.

Lavallee, P.
The preparation and synthetic utility of *tert*-butyldiphenylsilyl ethers. S. Hanessian and P. Lavallee, 2975.

Lawrence, B. M.
Four new sesquiterpene analogs of common monoterpenes. S. J. Terhune, J. W. Hogg, A. C. Bromstein, and B. M. Lawrence, 3285.

Layton, R. B.
Conformational study of *N*-alkyl 5,6-dihydro-7*H*,12*H*-dibenz[*c,f*]azocines by nuclear molecular resonance spectroscopy. R. R. Fraser, M. A. Raza, R. N. Renaud, and R. B. Layton, 167.

Leahy, J.
Chlorine-water oxidation of some α -methylsulfonyl sulfides. W. R. Hardstaff, R. F. Langler, J. Leahy, and M. J. Newman, 2664.

Lebreux, C.
The hydrolysis of imidate salts. Stereoelectronic control in the cleavage of the hemiorthoamide tetrahedral intermediate. P. Deslongchamps, S. Dubé, C. Lebreux, D. R. Patterson, and R. J. Taillefer, 2791.

LeClair-Lanteigne, P.
Mass spectrometry of *N*-benzoyl-2-hydroxyalkylamines. Role of the hydroxylic hydrogen in the fragmentation pattern. D. C. DeJongh, D. C. K. Lin, P. LeClair-Lanteigne, and D. Gravel, 3175.

Leduc, G.
La photolyse du sulfure de méthyle et de vinyle. G. Leduc et Y. Rousseau, 483.

Lee, C. C.
Isotopic scrambling and mass spectral fragmentation studies with 2-ferrocenylethyl and 2-ferrocenylethyl-1,1-*d*₂ systems. C. C. Lee, S.-C. Chen, and R. G. Sutherland, 232.

¹³C nuclear molecular resonance and ¹⁴C tracer studies on 1,2-phenyl shifts in the reaction of labeled triphenylvinyl bromide with acetic acid and silver acetate. F. H. A. Rummens, R. D. Green, M. Oka, and C. C. Lee, 314.

Nuclear molecular resonance studies on the acetolysis and trifluoroacetolysis of trianisylvinyl-2-¹³C bromide. M. Oka and C. C. Lee, 320.

Lee, D. G.
Oxidation of hydrocarbons. VII. Kinetics of the oxidation of naphthalenes by ruthenium tetroxide. U. A. Spitzer and D. G. Lee, 2865.

Kinetics and mechanism of the oxidation of benzyl alcohol and benzaldehyde by aqueous sodium dichromate. D. G. Lee and U. A. Spitzer, 3709.

Lee, S.-L.
Sulfur-free penicillin derivatives. V. Preparation, hydrolysis, and oxidative rearrangement of fused oxazoline-azetidinones. S. Wolfe, S.-L. Lee, J.-B. Ducep, G. Kannengiesser, and W. S. Lee, 497.

Lee, W. S.
Sulfur-free penicillin derivatives. V. Preparation, hydrolysis, and oxidative rearrangement of fused oxazoline-azetidinones. S. Wolfe, S.-L. Lee, J.-B. Ducep, G. Kannengiesser, and W. S. Lee, 497.

Lee, Y.
The structure of the dimethylthallium ion oriented in a lyotropic nematic phase. Y. Lee and L. W. Reeves, 161.

Lee-Ruff, E.
Substituent effects on the ionization equilibria of 9-aryl-9-fluorens and 10-aryl-10-hydroxyanthracen-9-ones. T. W. Toone, E. Lee-Ruff, and A. C. Hopkinson, 1635.

Acid catalyzed rearrangements of conjugated cyclopropyl and epoxy ketones. E. Lee-Ruff and P. Khazanie, 1708.

Leffek, K. T.
Kinetics of proton transfer reactions of carbon acids. V. Variation of primary deuterium isotope effect with solvent composition for the reaction of di-(4-nitrophenyl)methane with *t*-butoxide in *t*-butyl alcohol - toluene mixtures. A. Jarczewski, P. Prusynski, and K. T. Leffek, 1176.

Reaction of 4,4'-bis(dimethylamino)triphenylmethyl tetrafluoroborate with alkoxide ions. I. Determination of ion-pair dissociation constant for sodium alkoxides. K. T. Leffek and A. Suszka, 1537.

Kinetic study of the reaction between substituted triphenylmethyl perchlorates with pyridines in nitromethane and 1,2-dichloroethane solvents. C. B. Kim and K. T. Leffek, 3408.

Lemire, A. E.
Preparation and properties of some trimethylgeranyl and trimethylplumbyl esters of dimethylcarbamic and dimethylthiocarbamic acid. A. E. Lemire and J. C. Thompson, 3727.

Studies of hindered rotation in some group IV esters of dimethylcarbamic and dimethylthiocarbamic acids. A. E. Lemire and J. C. Thompson, 3732.

Lennon, J. M.
The thermal rearrangement of α -substituted silanes. A. R. Bassindale, A. G. Brook, P. F. Jones, and J. M. Lennon, 332.

Lenzi, F.
Thermodynamics of mixed electrolyte solutions. J. Sangster and F. Lenzi, 1410.

The water-activity of supersaturated aqueous solutions of NaCl, KCl, and K₂SO₄ at 25 °C. F. Lenzi, T.-T. Tran, and T.-T. Teng, 3133.

Leong, S. Y.
Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Le Roy, D. J.
Theoretical and experimental investigation of primary reactions in sodium diffusion flames. K. J. Mintz and D. J. Le Roy, 1726.

Lesage, M.
Reactions of alkyl azidoformates with norbornylene. O. E. Edwards, J. W. Elder, M. Lesage, and R. W. Retallack, 1019.

Lessard, J.
The electroreduction of some *N*-haloamides. D. Bérubé, J. Caza, F. M. Kimmerle, and J. Lessard, 3060.

Leung, K. Y.
Configurational entropy change of sodium pyrophosphate. K. Y. Leung, 1739.

Levi, E. M.
Ariil azines. II. Hydrogenation of *p*-tolil monoazine. P. Yates and E. M. Levi, 748.

Lewars, E. G.
Organic sulfur mechanisms. 17. A brief study of the photolysis of an unsaturated cyclic sulfone. J. F. King, E. G. Lewars, D. R. K. Harding, and R. M. Enanoza, 3656.

Lewis, N. A.
Substituent effects in electron transfer reactions: the preparation and chromium(II) reduction of 3-formylpentane-2,4-dionatobis(ethylenediamine)cobalt(III). Preparation of the linkage isomer 2-acetylbutane-1,3-dionatobis(ethylenediamine)cobalt(III). R. J. Balahura and N. A. Lewis, 1154.

Leznoff, C. C.
Photocyclization reactions of aryl polyenes. IX. The photocyclization of stilbenecarboxaldehydes and 1-formyl-phenyl-4-phenyl-1,3-butadienes. C. Manning and C. C. Leznoff, 805.

Lhoste, J. M.
Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Liard, J.-L.
Facile synthesis of thiols and sulfides J.-R. Brindle and J.-L. Liard, 1480.

Lin, D. C. K.
Effect of the *N*-phenyl substituent on the pyrolyses of 1-phenyl-2-benzothiazolinone and 1-phenyl-2-benzothiazolinethione. D. C. K. Lin, M. L. Thomson, and D. C. DeJongh, 2293.

Mass spectrometry of *N*-benzoyl-2-hydroxyalkylamines. Role of the hydroxylc hydrogen in the fragmentation pattern. D. C. DeJongh, D. C. K. Lin, P. LeClair-Lanteigne, and D. Gravel, 3175.

Lin, P-H.
The chemical ionization mass spectra of fluorotoluenes. A. G. Harrison and P-H. Lin, 1314.

Liotard, D.
Structure électronique de dérivés sulfures. XI. Thiétanne et dérivés. C. Guimon, D. Liotard et G. Pfister-Guillouzo, 1224.

Liotta, D.
The thermal decomposition of alkoxy carbonyl thiocyanates and isothiocyanates. D. Liotta and R. Engel, 907.

Liu, W-C.
On the construction of delphinine type alkaloids via the rearrangement of substituted denudatine derivatives. K. Wiesner, P. Ho, W-C. Liu, and M. N. Shanbhag, 2140.

Liu, W-S.
Photoionization cross sections at 11.6-11.8 eV. J. A. Beran, A. K. Dhingra, W-S. Liu, and D. F. Mullica, 1616.

Llinas, J.-R.
Etudes expérimentales et théoriques des déplacements chimiques du carbone-13 en série isothiazolique. R. Faure, J.-R. Llinas, E.-J. Vincent et M. Rajzmann, 1677.

Analyse en résonance magnétique nucléaire du ^1H et du ^{13}C de dérivés azuléniques extraits de l'*Eriocnephala punctulatus*. J.-R. Llinas, D. Roard, M. Derbesy et E.-J. Vincent, 2911.

Lock, C. J. L.
Studies of β -diketone complexes of rhenium. VII. The crystal and molecular structure of oxodichloropentane-2,4-dionato-triphenylphosphine rhenium(V). C. J. L. Lock and C. Wan, 1548.

Studies of β -diketone complexes of rhenium. VIII. The reaction of β -diketones with chloropentacarbonyl rhenium(I) and the preparation of complexes of the type $\text{Re}(\text{CO})_4(\text{dik})$, $\text{Re}_2(\text{CO})_6(\text{dik})_2$, $\text{Re}_2(\text{CO})_6\text{Cl}_2(\text{dikH})_2$, $\text{Re}(\text{CO})_3\text{L}(\text{dik})$, and $\text{Re}(\text{CO})_2(\text{dik})\text{L}_2$. M. C. Fredette and C. J. L. Lock, 2481.

The crystal and molecular structure of pentane-2,4-dionato-(2,3,5,6-tetrahapto-2,3-dicarbomethoxy[2.2.1]bicycloheptadiene)-rhodium(I), $\text{Rh}(\text{C}_5\text{H}_8\text{O}_2)(\text{C}_7\text{H}_6(\text{CO}_2\text{CH}_3)_2)$. D. Allen, C. J. L. Lock, G. Turner, and J. Powell, 2707.

Lockhart, R. A.
Some reactions of 1-lithio-2-phenyl-1,2-dihydropyridine. IV. Synthesis of β -substituted pyridines. C. S. Giam, E. E. Knaus, R. A. Lockhart, and I. G. Keener, 2305.

Lockwood, P. A.
Preparation and thermolysis of some 1,2-dioxetanes. K. R. Kopecky, J. E. Filby, C. Mumford, P. A. Lockwood, and J. Ding, 1103.

Low, L. H.
Photolysis of pyridazine in the gas phase. J. R. Fraser, L. H. Low, and N. A. Weir, 1456.

Low, J. W.
Studies related to antitumor antibiotics. Part III. Syntheses of 1,2,3,4,5,6-hexahydro-2,3-benzazocin-5-ones as possible intermediates in the biosynthesis of mitomycins. J. W. Low and T. Itoh, 960.

Studies related to antitumor antibiotics. Part VI. Correlation of covalent cross-linking of DNA by bifunctional aziridinoquinones with their antineoplastic activity. M. H. Akhtar, A. Begleiter, D. Johnson, J. W. Low, L. McLaughlin, and S.-K. Sim, 2891.

Further synthetic applications of functionalized 1,3-dipoles. J. W. Low and B. E. Landberg, 3782.

Loyola, L. A.
Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

Luft, R.
Recherches sur les composés éthyléniques. V. Liens entre la structure des alcènes et leur fréquence de vibration $\nu_{\text{C}=\text{C}}$, influence des effets structuraux et établissement d'une relation de topo-information. J. H. Basso, S. Delattre, R. Lanteri et R. Luft, 2580.

Luk, S. K. F.
Ion pair formation and solvation energies in solutions of alkali halides in dimethyl sulfoxide. II. Model calculations. M. S. Goldenberg, P. Kruus, and S. K. F. Luk, 1007.

Lumbroso-Bader, N.
Effet de substituant et de solvant sur l'enthalpie de dimérisation de diméthyl-2,6 phénols. Etude par résonance magnétique nucléaire. D. Baron, M. Tanguy et N. Lumbroso-Bader, 1129.

Lynch, B. M.
Pyrazolo[1,5-a]pyrimidine: synthesis and regiospecific electrophilic substitution in the pyrazole and/or pyrimidine rings. B. M. Lynch, M. A. Khan, S. C. Sharma, and H. C. Teo, 119.

Lynton, H.
An X-ray study of the synthetic intermediate 9-cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin. H. Lynton and P-Y. Siew, 192.

Maass, W. S. G.

The chemistry of cochlidiol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 727.

Erratum: The chemistry of cochlidiol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 2031.

MacAulay, P. J.

Sterically hindered aromatic compounds. VI. A remote ϵ -deuterium kinetic isotope effect in the solvolysis of per-deutero-2,4,6-tri-*tert*-butylbenzyl chloride. L. R. C. Barclay, J. R. Mercer, and P. J. MacAulay, 3171.

MacCoss, M.

Nucleic acid related compounds. 16. Direct fluorination of uracil nucleotides using trifluoromethyl hypofluorite. M. J. Robins, G. Ramani, and M. MacCoss, 1302.

Mackay, D.

Substituent effects in the thermal isomerization of 1,2-dicarbonyl derivatives of 3,6-bridged 1,2,3,6-tetrahydro-pyridazines. J. A. Campbell, I. Harris, D. Mackay, and T. D. Sauer, 535.

Isomerization of bicyclic hydrazine monoesters to *N*-amino-2-pyridone esters, precursors to bicyclic "isosydnone". D. Mackay and L. L. Wong, 1973.

Mackay, G.

The equilibrium $\text{SH}^- + \text{HCN} \rightleftharpoons \text{CN}^- + \text{H}_2\text{S}$ and the determination of $D_0^0(\text{H}-\text{CN})$. D. Betowski, G. Mackay, J. Payzant, and D. Bohme, 2365.

MacLean, D. B.

Biosynthesis of lycopodine. The question of the intermediacy of piperidine-2-acetic acid. W. D. Marshall, T. T. Nguyen, D. B. MacLean, and I. D. Spenser, 41.

A synthesis of (\pm)-cularicine. I. Noguchi and D. B. MacLean, 125.

Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

MacMillan, D. T.

Thermal decomposition of EDTA, NTA, and nitrilotrimethylenephosphonic acid in aqueous solution. A. E. Martell, R. J. Motekaitis, A. R. Fried, and D. T. MacMillan, 3471.

Mahadev, K. N.

The reactivity of tungsten halides with organic sulfides: S-dealkylation and reductive elimination reactions. P. M. Boorman, T. Chivers, and K. N. Mahadev, 383.

Malatesta, V.

Single crystal electron spin resonance of low spin Co(II) and of Cu(II) Schiff base complexes. V. Malatesta and B. R. McGarvey, 3791.

Malek, A.

Synthesis and characterization of some dibasic tridentate Schiff base ligands. E. C. Alyea and A. Malek, 939.

Erratum: Synthesis and characterization of some dibasic tridentate Schiff base ligands. E. C. Alyea and A. Malek, 2809.

Malinski, E.

Substituent effects of phosphorus and arsenic containing groups in aromatic substitution. IV. Nitration of aromatic phosphine oxides. E. Malinski, A. Piekos, and T. A. Modro, 1468.

Mann, R. S.

Thermal decomposition of ammonium metavanadate. K. C. Khulbe and R. S. Mann, 2917.

Manning, C.

Photocyclization reactions of aryl polyenes. IX. The photocyclization of stilbenecarboxaldehydes and 1-formyl-phenyl-4-phenyl-1,3-butadienes. C. Manning and C. C. Leznoff, 805.

Manoussakis, G. E.

Five-coordinate bromobis(dialkyldithiocarbamate) complexes of arsenic, antimony, and bismuth. G. E. Manousakis, C. A. Tsipis, and C. C. Hadjikostas, 1530.

Mantsch, H. H.

Carbon-13 nuclear magnetic resonance studies of compounds of the vitamin B₆ group and related pyridine derivatives. R. D. Lapper, H. H. Mantsch, and I. C. P. Smith, 2406.

Manville, J. F.

Juvabione and its analogs. Juvabione and Δ^4 -dehydrojuvabione isolated from the whole wood of *Abies balsamea*, have the *R,R* stereoconfigurations, not the *R,S*. J. F. Manville, 1579.

Maquestiau, A.

Mise en évidence des tautomères énoliques des hydroxypyridines dans la source du spectromètre de masse. A. Maquestiau, Y. van Haverbeke, C. de Meyer, A. R. Katritzky, M. J. Cook et A. D. Page, 490.

Marat, R. K.

Reaction of xenon difluoride. Part II. Oxidative-fluorination of phosphorus and iodine compounds and cleavage of silicon-sulfur and silicon-nitrogen bonds. J. A. Gibson, R. K. Marat, and A. F. Janzen, 3044.

March, F. C.

The stereochemistry of some organic derivatives of group Vb elements. Part X. The crystal and molecular structure of triphenylarsenic difluoride. A. Augustine, G. Ferguson, and F. C. March, 1647.

Marchand, R.

Structure cristalline de Tl_2CO_3 . R. Marchand, Y. Piffard et M. Tournoux, 2454.

Marchessault, R. H.

Conformational studies on oligomethylene glycol derivatives. III. Ethylene glycol diacetate. P. R. Sundararajan, P. Labrie, and R. H. Marchessault, 3557.

Virtual bond method in conformational analysis of polymers. P. R. Sundararajan and R. H. Marchessault, 3563.

Marr, D. H.

^{13}C nuclear magnetic resonance studies. Part 48. ^{13}C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 1351.

Erratum: ^{13}C nuclear magnetic resonance studies. Part 48. ^{13}C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 2808.

Marshall, W. D.

Biosynthesis of lycopodine. The question of the intermediacy of piperidine-2-acetic acid. W. D. Marshall, T. T. Nguyen, D. B. MacLean, and I.D. Spenser, 41.

Martel, A.

C-nucleosides and related compounds. IV. The synthesis and chemistry of D,L-2,5-anhydroallose derivatives. G. Just, A. Martel, K. Grozinger, and M. Ramjeesingh, 131.

Martell, A. E.

Thermal decomposition of EDTA, NTA, and nitrilotrimethylenephosphonic acid in aqueous solution. A. E. Martell, R. J. Motekaitis, A. R. Fried, and D. T. MacMillan, 3471.

Martin, G. D.

The catalytic decomposition of 2-propanol on magnesium oxide. I. M. Hoodless and G. D. Martin, 2729.

Martin, J. L.

Complexes of the early transition metals with *o*-mercaptophenol and 1,2-dihydroxybenzene. J. L. Martin and J. Takats, 572.

Masamune, S.

1-Phenyl-2,2-dialkyl vinyl cation. S. Masamune, M. Sakai, and K. Morio, 784.

The photoelectron spectrum of methyl tri-*t*-butylecylobutadienecarboxylate. R. S. Brown and S. Masamune, 972.

A general, selective synthesis of thiol esters. S. Masamune, S. Kamata, J. Diakur, Y. Sugihara, and G. S. Bates, 3693.

Mason, S. G.

Particle motions in sheared suspensions. XXVIII. Configurations of coiled fibers in shear flow. A. Okagawa and S. G. Mason, 2689.

Matheson, H. B.

Photolysis of aqueous solutions of 9,10-anthraquinone-2-sulfonate. Part II. Dependence of rates of hydroxylation on reaction conditions. A. D. Broadbent, H. B. Matheson, and R. P. Newton, 826.

Mathey, F.

Réactions du phénol-1 diméthyl-3,4 phosphole avec divers chlorures d'acides aromatiques. F. Mathey, D. Thavard et B. Bartet, 855.

Mathieu, A.

Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Matsuoka, S.

Radiation-sensitized thermal cracking of *n*-butane. II. Ionic reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 92.

Mazaleyrat, J.-P.

Réactivité de la combinaison anthracène-lithium vis-à-vis des nitriles. J.-P. Mazaleyrat, 3158.

Mazerolles, P.

Sur la structure cristalline des diméthyl-1,1 germa-1 (et sila-1) cycloundécane diols-6,7. F. Brisse, A. Battat, J.-C. Richer, P. Mazerolles et A. Faucher, 3596.

Mazurek, M.

Further studies on the assignment of signals in ^{13}C magnetic resonance spectra of aldoses and derived methyl glycosides. P. A. J. Gorin and M. Mazurek, 1212.

McAlees, A. J.

Ring C functionalized diterpenoids. Part IV. Minor products from the cleavage of the cyclopropane ring in methyl *ent*-trachyloban-19-oate with thallic acetate. H. M. Campbell, P. A. Gunn, A. J. McAlees, and R. McCrindle, 20.

McAlpine, R. D.

Chemically induced dynamic nuclear polarization during irradiation of phenol in the presence of amides. S. P. Vaish, H. E. Chen, M. Tomkiewicz, R. D. McAlpine, and M. Cocivera, 2459.

McBride, D. W.

π -Perfluoroallyltricarbonylcobalt: synthesis and reaction with triphenylphosphine. K. Stanley and D. W. McBride, 2537.

McClelland, R. A.

Mechanisms of acyl hydrolysis in sulfuric acid solutions. R. A. McClelland, 2763.

Mechanisms of thioacyl hydrolysis in sulfuric acid solutions. R. A. McClelland, 2772.

McColeman, C.

The reaction of hydroperoxides with triphenylarsine and triphenylstibine. R. Hiatt, C. McColeman, and G. R. Howe, 559.

McCindle, R.

Ring C functionalized diterpenoids. Part IV. Minor products from the cleavage of the cyclopropane ring in methyl *ent*-trachyloban-19-oate with thallic acetate. H. M. Campbell, P. A. Gunn, A. J. McAlees, and R. McCindle, 20. Microbiological transformations of 17-norkauran-16-one, *ent*-17 norkauran-16-one, and 17-norphyllocladan-16-one by *Aspergillus niger*. A. B. Anderson, R. McCindle, and J. K. Turnbull, 1181.

McCulloch, A. W.

Synthesis of 6-hydroxyfulvenes. II. Isomerization of 7-oxanorbornadienes and 3-oxaquadracyclanes. R. K. Bansal, A. W. McCulloch, P. W. Rasmussen, and A. G. McInnes, 138.

Reaction of 2,5-dimethylfuran with ethyl propiolate: the chemistry of ethyl 1,4-dimethyl-7-oxabicyclo[2.2.1]hepta-2,5-diene-2-carboxylate. A. W. McCulloch and A. G. McInnes, 1496.

McCurdy, K. G.

Zinc hydroxide: Solubility product and hydroxy-complex stability constants from 12.5–75 °C. R. A. Reichle, K. G. McCurdy, and L. G. Hepler, 3841.

McGarvey, B. R.

Theory of the spin Hamiltonian parameters for low spin cobalt(II) complexes. B. R. McGarvey, 2498.

Single crystal electron spin resonance of low spin Co(II) and of Cu(II) Schiff base complexes. V. Malatesta and B. R. McGarvey, 3791.

McGlinchey, M. J.

The question of σ -participation in the bonding of fluorosubstituted arenes to chromium tricarbonyl. A ^{19}F nuclear magnetic resonance investigation. J. L. Fletcher and M. J. McGlinchey, 1525.

McInnes, A. G.

Synthesis of 6-hydroxyfulvenes. II. Isomerization of 7-oxanorbornadienes and 3-oxaquadracyclanes. R. K. Bansal, A. W. McCulloch, P. W. Rasmussen, and A. G. McInnes, 138.

The chemistry of cochlidiolinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 727.

Reaction of 2,5-dimethylfuran with ethyl propiolate: the chemistry of ethyl 1,4-dimethyl-7-oxabicyclo[2.2.1]hepta-2,5-diene-2-carboxylate. A. W. McCulloch and A. G. McInnes, 1496.

Erratum: The chemistry of cochlidiolinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 2031.

McIntosh, J. M.

A new thiophene synthesis. J. M. McIntosh and H. Khalil, 209.

The direct formation of 3-vinylthiophenes using butadienylphosphonium salts. J. M. McIntosh and F. P. Seguin, 3526.

McKenney, D. J.

Determination of the rate constant of the $\text{O} + \text{H}_2 \rightarrow \text{OH} + \text{H}$ reaction using atomic oxygen resonance fluorescence and the air afterglow techniques. R. N. Dubinsky and D. J. McKenney, 3531.

McKenney, J.

Electrochemistry of ruthenium ammine complexes. C. E. Elson, I. J. Itzkovitch, J. McKenney, and J. A. Page, 2922.

McKinnon, D.

The proton-proton and proton-carbon-13 spin-spin coupling constants in 1,3-dioxole and bis-1,3-dioxolyl. Conformational dependence. T. Schaefer, K. Chum, D. McKinnon, and M. S. Chauhan, 2734.

McKinnon, D. M.

Carbon-13 nuclear molecular resonance spectra of isothiazole, 1,2-dithiole, and 1,3-dithiole derivatives. N. Plavac, I. W. J. Still, M. S. Chauhan, and D. M. McKinnon, 836.

The preparation and properties of some 2,1-benzisoxazole and 2,1-benzothiazole derivatives. M. S. Chauhan and D. M. McKinnon, 1336.

McLaughlin, L.

Studies related to antitumor antibiotics. Part VI. Correlation of covalent cross-linking of DNA by bifunctional aziridinoquinones with their antineoplastic activity. M. Akhtar, A. Begleiter, D. Johnson, J. Lown, L. McLaughlin, and S-K. Sim, 2891.

McLeod, R. S.

Deacylation of fluorine-substituted *trans*-cinnamoyl- α -chymotrypsins. J. T. Gerig and R. S. McLeod, 513.

Mead, E. L.

The ultrasonic degradation of thymine. E. L. Mead, R. G. Sutherland, and R. E. Verrall, 2394.

Méallier, P.

Etude spectroscopique de l'aniline dans les solvants. P. Méallier, A. Berthelon et B. Pouyet, 1461.

Melanson, R.

The crystal structure of the $[\text{Pt}(\text{diethylenetriamine})\text{Br}]\text{Br}$ complex. R. Melanson, J. Hubert, and F. D. Rochon, 1139. The crystal structure of *cis*-dichlorobis(dimethylsulfoxide)platinum (II). R. Melanson and F. D. Rochon, 2371.

Melanson, R. J.
The redox behavior of 9,10-anthraquinone-2-sulfonate in acidic aqueous solution. A. D. Broadbent and R. J. Melanson, 3757.

Mendenhall, G. D.
Autoxidation and photooxidation of 1,3-diphenylisobenzofuran: A kinetic and product study. J. A. Howard and G. D. Mendenhall, 2199.

Merbach, A.
Solvent effects on solvent exchange reactions at nickel(II) centers. C. H. Langford, J. P. K. Tong, and A. Merbach, 702.

Mercer, J. R.
Sterically hindered aromatic compounds. VI. A remote ϵ -deuterium kinetic isotope effect in the solvolysis of per-deutero-2,4,6-tri-*tert*-butylbenzyl chloride. L. R. C. Barclay, J. R. Mercer, and P. J. MacAulay, 3171.

Metzger, J.
Etude des spectres de vibration des dérivés monosubstitués en position 5 de l'isothiazole. G. Mille, J.-C. Poite, J. Chouteau et J. Metzger, 1642.

Meunier, J.
Syntheses of pentacyclic morphinan analogs. J. L. Douglas and J. Meunier, 3681.

Mezey, P. G.
A relationship between the sizes and energies of atomic orbitals. R. Daudel, P. G. Mezey, J. D. Goddard, and I. G. Csizmadia, 3739.

Mihichuk, L.
Group VI metal carbonyl derivatives of *cis*-(CH₃)₂AsC(CF₃)=C(CF₃)As(CH₃)₂. W. R. Cullen and L. Mihichuk, 3401.

Mille, G.
Etude des spectres de vibration des dérivés monosubstitués en position 5 de l'isothiazole. G. Mille, J.-C. Poite, J. Chouteau et J. Metzger, 1642.

Millero, F. J.
Apparent molal volumes and heat capacities of some sulfates and carbonates in water at 25 °C. G. Perron, J. E. Desnoyers, and F. J. Millero, 1134.

Milne, J.
Spectrophotometric studies on Sb(III) in hydrochloric acid solutions. J. Milne, 888.

Mintz, K. J.
Theoretical and experimental investigation of primary reactions in sodium diffusion flames. K. J. Mintz and D. J. Le Roy, 1726.

Mitura, W.
Base-catalyzed degradations of carbohydrates. IX. β -Eliminations of 4-*O*-substituted hexopyranosiduronates. G. O. Aspinall, M. Funabashi, T. N. Krishnamurthy, and W. Mitura, 2182.

Modro, T. A.
Substituent effects of phosphorus and arsenic containing groups in aromatic substitution. IV. Nitration of aromatic phosphine oxides. E. Malinski, A. Piekos, and T. A. Modro, 1468.

Mojelsky, T.
Photoreaction of nitroso compounds in solution. Part XXXI. Mechanisms of intramolecular acid catalyzed cleavage reactions and a hydride initiated rearrangement of *C*-nitroso alkanes. K. S. Pillay, S. C. Chen, T. Mojelsky, and Y. L. Chow, 3014.

Monković, I.
Substituted 5-allyl-9-oxobenzomorphans. Versatile intermediates for investigations in the field of analgesics and narcotic antagonists. Part 1. I. Monković, 1189.

Synthetic morphinans and hasubanans. Part IV. Total synthesis of 3,14-dihydroxyisomorphinans, 3-methoxy- $\Delta^{8,14}$ -morphinans, and 9 α -hydroxy-3-methoxyhasuban. I. Monković, H. Wong, B. Belleau, I. J. Pachter, and Y. G. Perron, 2515.

Erratum: Substituted 5-allyl-9-oxobenzomorphans. Versatile intermediates for investigations in the field of analgesics and narcotic antagonists. Part 1. I. Monković, 2808.

Oxilorphan and butorphanol. Potent narcotic antagonists and nonaddicting analgesics in the 3,14-dihydroxy-morphinan series. Part. V. I. Monković, H. Wong, A. W. Pircio, Y. G. Perron, I. J. Pachter, and B. Belleau, 3094.

5-Allyl-9-oxobenzomorphans. Part 2. The crystal and molecular structure of an unusual product of dequaternization of 5-allyl-9-oxobenzomorphinan methobromide. F. R. Ahmed, M. Saucier, and I. Monković, 3276.

Monteil, Y.
Erratum: Sur l'existence des composés P₄Se_x ($x \leq 3$) et P₄Se_{3-n}S_n ($n = 1, 2$). Y. Monteil et H. Vincent, 1536.

Morales, G.
Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

Moreau, C.
Oxidation of benzylidene acetals by ozone. P. Deslongchamps, C. Moreau, D. Fréhel, and R. Chênevert, 1204.

The hydrolysis of cyclic orthoesters. Stereoelectronic control in the cleavage of hemi-orthoester tetrahedral intermediates. P. Deslongchamps, R. Chênevert, R. J. Taillefer, C. Moreau, and J. K. Saunders, 1601.

Morel, J.-P.
 ΔG° , ΔH° , ΔS° de transfert de H_2O et du couple H^+ , OH^- de l'eau à ses mélanges contenant jusqu'à 40% de EtOH, *tert*-BuOH, DMSO, acétone et urée à 25 °C. H. Gillet, L. Avedikian et J.-P. Morel, 455.

Morio, K.
1-Phenyl-2,2-dialkyl vinyl cation. S. Masamune, M. Sakai, and K. Morio, 784.

Morris, L.
The synthesis of 4a-aminoalkyl-1,2,3,4,4a,9-hexahydrophenanthrenes. Versatile intermediates for potential CNS drugs. B. Belleau, T. T. Conway, T. W. Doyle, L. Morris, and W. Verbestel, 237.

Morss, L. R.
Semi-empirical calculations on the free energy and enthalpy of hydration for the trivalent lanthanides and actinides. S. Goldman and L. R. Morss, 2695.

Moskovits, M.
A differential spectroscopic technique for obtaining the spectra of chemisorbed molecules. M. Moskovits, C. J. Hope, and B. Jantzi, 3313.

Motekaitis, R. J.
Thermal decomposition of EDTA, NTA, and nitrilotrimethylenephosphonic acid in aqueous solution. A. E. Martell, R. J. Motekaitis, A. R. Fried, and D. T. MacMillan, 3471.

Mujtaba, S. Q.
Synthesis and ion-exchange properties of tantalum arsenate. J. P. Rawat and S. Q. Mujtaba, 2586.

Mullica, D. F.
Photoionization cross sections at 11.6–11.8 eV. J. A. Beran, A. K. Dhingra, W.-S. Liu, and D. F. Mullica, 1616.

Mullins, F. P.
Mössbauer and related studies of complexes of $R_2Sn(NCS)_2$ with neutral ligands containing oxygen donor atoms. F. P. Mullins and C. Curran, 3200.

Mumford, C.
Preparation and thermolysis of some 1,2-dioxetanes. K. R. Kopecky, J. E. Filby, C. Mumford, P. A. Lockwood, and J. Ding, 1103.

Murphy, J.
Substrate inhibition in the hydrolysis of hippuric acid esters by carboxypeptidase. A. J. Murphy and J. W. Bunting, 283.

Murray, R. M.
The copper–selenium system at temperatures to 850 K and pressures to 50 kbar. R. M. Murray and R. D. Heyding, 878.

Murray-Rust, P.
The stability and conformation of the 1,3,6,8-tetraazatricyclo[4.4.1.1^{3,8}]dodecane system: the structure of the condensation product of 1,2-diaminocyclohexane and formaldehyde. P. Murray-Rust and F. G. Riddell, 1933.

Mustoe, F. J.
The molecular structure of tetramethylgermane determined by gas phase electron diffraction. J. L. Hencher and F. J. Mustoe, 3542.

Myers, C. D.
Reversible inhibition of carboxypeptidase A. III. Inhibition of specific esterase activity by substituted benzoate and related anions. J. W. Bunting and C. D. Myers, 1984.

Reversible inhibition of carboxypeptidase A. IV. Inhibition of specific esterase activity by hippuric acid and related species and other amino acid derivatives and a comparison with substrate inhibition. J. W. Bunting and C. D. Myers, 1993.

Nagra, S. S.
Mechanism of electron capture and hydrogen formation by HBr irradiated in mixtures with C_2F_6 , CO_2 , and Xe . S. S. Nagra and D. A. Armstrong, 3305.

Nair, G. V.
Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrosine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Nakashima, T. T.
Carbon-13 nuclear magnetic resonance studies of some *Lycopodium* alkaloids. T. T. Nakashima, P. P. Singer, L. M. Browne, and W. A. Ayer, 1936.

Narasimham, K. C.
Consumption of cetyl trimethyl ammonium bromide (CTAB) during electrodeposition of lead dioxide. K. C. Narasimham, S. Vasundara, and H. V. Udupa, 3327.

Natarajan, M.
Electrical conductivity and phase transformation studies on pure and doped (Mg^{2+} , Zn^{2+} , Cu^{2+} , and Mn^{2+}) crystals of K_2SO_4 . M. Natarajan and E. A. Secco, 1542.

Naugler, D.
¹³C Fourier transform nuclear magnetic resonance. XI. Pyridine *N*-oxide derivatives. R. J. Cushley, D. Naugler, and C. Ortiz, 3419.

Neilson, T.
Oligoribonucleotide synthesis. VIII. Insertion of terminal 5'-phosphate groupings. T. Neilson, K. V. Deugau, T. E. England, and E. S. Werstiuk, 1093.

Nemeth, S. T.
The rearrangement of aryl thiohydrazonates. A. J. Elliott, P. D. Callaghan, M. S. Gibson, and S. T. Nemeth, 1484.
Reaction of hydrazonyl halides with derivatives of thiourea and thiosemicarbazide; a new source of *C*-amino- and *C*-hydrazino-1,2,4-triazoles. P. Wolkoff, S. T. Nemeth, and M. S. Gibson, 3211.

Nemoto, H.
Studies on the syntheses of heterocyclic compounds. Part DCXXXVIII. Simple synthesis of benz[*d*]indeno[1,2-*b*]-azepine from 1-benzoyl-3,4-dihydroisoquinoline. T. Kametani, M. S. Premila, S. Hirata, H. Seto, H. Nemoto, and K. Fukumoto, 3824.

Newlands, M. J.
Photo-oxidation of iodomethane in solid argon. J. F. Ogilvie, V. R. Salares, and M. J. Newlands, 269.

Newman, M. J.
Chlorine-water oxidation of some α -methylsulfonyl sulfides. W. R. Hardstaff, R. F. Langler, J. Leahy, and M. J. Newman, 2664.

Newton, R. P.
Photolysis of aqueous solutions of 9,10-anthraquinone-2-sulfonate. Part II. Dependence of rates of hydroxylation on reaction conditions. A. D. Broadbent, H. B. Matheson, and R. P. Newton, 826.

Ng, F. T. T.
Homogeneous hydrogenation of unsaturated carboxylic acids using chlororhodate(I) complexes and rhodium(I) diethylsulfide complexes. B. R. James and F. T. T. Ng, 797.
Kinetics and mechanism of the oxidation of thiocyanate by tris(1,10-phenanthroline)iron(III) and its derivatives. F. T. T. Ng and P. M. Henry, 3319.

Ng, H. N.
Crystal structure of and electron paramagnetic resonance of Mn²⁺ in Cd₂(NH₄)₂(SO₄)₃. H. N. Ng and C. Calvo, 1449.
Refinement of the crystal structure of the low-quartz modification of ferric phosphate. H. N. Ng and C. Calvo, 2064.

Ngan, Y-M.
The two-step synthesis and crystal and molecular structure of tetracyclo[6.4.0^{2,11}.0^{4,9}]dodec-6-ene-3,10-dione. Y-M. Ngan, S. J. Rettig, J. R. Scheffer, and J. Trotter, 2068.

Nguyen, T. T.
Biosynthesis of lycopodine. The question of the intermediacy of piperidine-2-acetic acid. W. D. Marshall, T. T. Nguyen, D. B. MacLean, and I. D. Spenser, 41.

Niemczura, W. P.
Stereospecific synthesis of *dl*-triacetyldaunosamine. C. M. Wong, T.-L. Ho, and W. P. Niemczura, 3144.

Nishikawa, M.
Geminate recombination of ion pairs in the radiolysis of dense hydrocarbon gases. M. Nishikawa, 3075.

Nixon, J. F.
Erratum: Syntheses of some phosphino- and phosphinatoazoles. S. Fischer, L. K. Peterson, and J. F. Nixon, 1854.

Noble, L. M.
A primary hydrogen-deuterium isotope effect study on the carbonyl elimination reaction of 9-fluorenyl nitrate with various bases. P. J. Smith and L. M. Noble, 263.

Noguchi, I.
A synthesis of (\pm)-cularicine. I. Noguchi and D. B. MacLean, 125.

Oakley, R. T.
The crystal and molecular structure of the dihydrochloride of 2-*trans*-6-diethyl-2,4,4,6,8,8-hexamethylcyclotetraphosphazene. H. P. Calhoun, R. T. Oakley, N. L. Paddock, and J. Trotter, 2413.
The preparation of hexamethylcyclotriphosphazene. R. T. Oakley and N. L. Paddock, 3038.

Oates, W. A.
The reaction of hydrogen atoms with palladium and its alloys. W. A. Oates and T. B. Flanagan, 694.

Ochiai, T.
Polar radicals. VIII. Kinetic studies on the mechanism of the vapor phase bromination of 1-chlorobutane. The role of reversible hydrogen abstraction. D. D. Tanner, T. Pace, and T. Ochiai, 2202.

Odberg, L.
The temperature dependence of Raman band parameters for aquated Mg(II) and Zn(II). J. T. Bulmer, D. E. Irish, and L. Odberg, 3806.

Odiot, S.
Synthèse et réactions d'une bis(α -dicétone) carboranique. Explication par la méthode CNDO/2. G. Rabilloud, B. Sillion, J. Rossarie, M. Blain et S. Odiot, 2955.

Ogilvie, J. F.

Photo-oxidation of iodomethane in solid argon. J. F. Ogilvie, V. R. Salares, and M. J. Newlands, 269.

Ogilvie, K. K.

A proton magnetic resonance study of the ultraviolet photoproduct of d(TpT) in aqueous solution. F. E. Hruska, D. J. Wood, K. K. Ogilvie, and J. L. Charlton, 1193.

Proton magnetic resonance studies of dinucleotide conformation in aqueous solution. 2'-Deoxythymidyl-(3',5')-2'-deoxy-3'-thymidylate, d(TpTp). D. J. Wood, K. K. Ogilvie, and F. E. Hruska, 2781.

Oka, M.

^{13}C nuclear molecular resonance and ^{14}C tracer studies on 1,2-phenyl shifts in the reaction of labeled triphenylvinyl bromide with acetic acid and silver acetate. F. H. A. Rummens, R. D. Green, M. Oka, and C. C. Lee, 314.

Nuclear molecular resonance studies on the acetolysis and trifluoroacetylation of trianisylvinyl-2- ^{13}C bromide. M. Oka and C. C. Lee, 320.

Okagawa, A.

Particle motions in sheared suspensions. XXVIII. Configurations of coiled fibers in shear flow. A. Okagawa and S. G. Mason, 2689.

O'Leary, S.

General base catalysis of β elimination by a steroid enzyme model. J. P. Guthrie and S. O'Leary, 2150.

Ortiz, C.

^{13}C Fourier transform nuclear magnetic resonance. XI. Pyridine *N*-oxide derivatives. R. J. Cushley, D. Naugler, and C. Ortiz, 3419.

Oshima, K.

Radiation-sensitized thermal cracking of *n*-butane. II. Ionic reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 92.

Oshima, Y.

Radiation-sensitized thermal cracking of *n*-butane. II. Ionic reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 92.

Othen, D. A.

Pyrophosphates of tetravalent elements and a Mössbauer study of SnP_2O_7 . C.-H. Huang, O. Knop, D. A. Othen, F. W. D. Woodhams, and R. A. Howie, 79.

Fermi-resonance minima in the vibrational spectrum of water in crystalline hydrates. D. A. Othen, O. Knop, and M. Falk, 3837.

Overend, R.

The role of excess kinetic energy in the reactions of $\text{O}({}^1\text{D})$ atoms. R. Overend, G. Paraskevopoulos, J. R. Crawford, and H. A. Wiebe, 1915.

Overend, R. P.

Rates of OH radical reactions. I. Reactions with H_2 , CH_4 , C_2H_6 , and C_3H_8 at 295 K. R. P. Overend, G. Paraskevopoulos, and R. J. Cvetanović, 3374.

Oxton, I. A.

Infrared spectra of the ammonium ion in crystals. I. Ammonium hexachloroplatinate(IV) and hexachlorotellurate(IV). I. A. Oxton, O. Knop, and M. Falk, 2675.

Infrared spectra of the ammonium ion in crystals. II. The ammonium ion in trigonal environments, with a consideration of hydrogen bonding. I. A. Oxton, O. Knop, and M. Falk, 3394.

Ozubko, R. S.

Carbon-13 nuclear magnetic resonance spectra of carcinogenic polynuclear hydrocarbons. II. Benzo[*a*]pyrene. G. W. Buchanan and R. S. Ozubko, 1829.

Pace, T.

Polar radicals. VIII. Kinetic studies on the mechanism of the vapor phase bromination of 1-chlorobutane. The role of reversible hydrogen abstraction. D. D. Tanner, T. Pace, and T. Ochiai, 2202.

Pacey, P. D.

The initial stages of the pyrolysis of dimethyl ether. P. D. Pacey, 2742.

Pachler, K. G. R.

High resolution ^{13}C spectrum and long-range $^{13}\text{C},\text{H}$ couplings in 2-pyrone. A. A. Chalmers and K. G. R. Pachler, 1980.

Pachter, I. J.

Synthetic morphinans and hasubanans. Part IV. Total synthesis of 3,14-dihydroxyisomorphinans, 3-methoxy- $\Delta^{8,14}$ -morphinans, and 9 α -hydroxy-3-methoxyhasubanans. I. Monković, H. Wong, B. Belleau, I. J. Pachter, and Y. G. Perron, 2515.

Oxilorphan and butorphanol. Potent narcotic antagonists and nonaddicting analgesics in the 3,14-dihydroxy-morphinan series. Part V. I. Monkovic, H. Wong, A. W. Pircio, Y. G. Perron, I. J. Pachter, and B. Belleau, 3094.

Paddock, N. L.

Complexes of dimethylaminophosphazenes with metal ions. H. P. Calhoun, N. L. Paddock, and J. N. Wingfield, 1765.

The crystal and molecular structure of the dihydrochloride of 2-*trans*-6-diethyl-2,4,4,6,8,8-hexamethylcyclotetraphosphazene. H. P. Calhoun, R. T. Oakley, N. L. Paddock, and J. Trotter, 2413.

The preparation of hexamethylcyclotriphosphazene. R. T. Oakley and N. L. Paddock, 3038.

Page, A. D.
Mise en évidence des tautomères énoliques des hydroxypyridines dans la source du spectromètre de masse. A. Maquestiau, Y. van Haverbeke, C. de Meyer, A. R. Katritzky, M. J. Cook et A. D. Page, 490.

Page, J. A.
Electrochemistry of ruthenium ammine complexes. C. E. Elson, I. J. Itzkovich, J. McKenney, and J. A. Page, 2922.

Pandey, R. N.
Equilibria between palladium(II) acetate and olefins in acetic acid containing sodium acetate. R. N. Pandey and P. M. Henry, 1833.

Palladium(II) catalyzed exchange reactions. XI. Vinyl propionate exchange with acetic acid catalyzed by palladium(II) acetate. R. N. Pandey and P. M. Henry, 2223.

Panizo, F. M.
Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

Paquette, G.
 Cinétique de la formation de la métalloporphyrine Cu(II)-hématoporphyrine IX dans l'acide acétique aqueux. G. Paquette et M. Zador, 2375.

Paraskevopoulos, G.
The role of excess kinetic energy in the reactions of O(¹D) atoms. R. Overend, G. Paraskevopoulos, J. R. Crawford, and H. A. Wiebe, 1915.

Rates of OH radical reactions. I. Reactions with H₂, CH₄, C₂H₆, and C₃H₈ at 295 K. R. P. Overend, G. Paraskevopoulos, and R. J. Cvitanović, 3374.

Paryzek, Z.
Acid-catalyzed reactions of 3β-acetoxy-9α-hydroxy-11-keto-5α-lanostane: 19(10 → 9β)abeo-lanostenes. O. E. Edwards and Z. Paryzek, 3498.

Passannanti, S.
Stereoselectivity in the reactions of nitrosopiperidine carbanions. Steric *vs.* stereoelectronic control. R. R. Fraser, T. B. Grindley, and S. Passannanti, 2473.

Patil, K. C.
Metal halide ammines. III. Thermal analyses and calorimetry of fluorosilicate ammines and hydrates of bivalent metals. Infrared spectra of the ammines. K. C. Patil and E. A. Secco, 2426.

Patterson, D. R.
Alkylation of 1-methyl-2-piperidones. P. Deslongchamps, U. O. Cherian, and D. R. Patterson, 1682.

The hydrolysis of imidate salts. Stereoelectronic control in the cleavage of the hemiorthoamide tetrahedral intermediate. P. Deslongchamps, S. Dubé, C. Lebreux, D. R. Patterson, and R. J. Taillefer, 2791.

Paul, S.
A kinetic determination of the dissociation energy of the C—O bond in anisole. S. Paul and M. H. Back, 3330.

Pays, M.
Spectres de masse d'hydrazino-2 benzo- et naphthothiazoles et d'hydrazones des méthyl-3 benzo- et naphthothiazolines-2. J.-C. Richer, P. Lapointe, M. Beljean et M. Pays, 3677.

Payzant, J.
The equilibrium SH⁻ + HCN ⇌ CN⁻ + H₂S and the determination of D₀⁰(H—CN). D. Betowski, G. Mackay, J. Payzant, and D. Bohme, 2365.

Peach, M. E.
Preparation and properties of carboxylic, monothiocarboxylic, dithiocarboxylic, and sulfinic acid derivatives of trithiane, tetrathiocane, and pentathiecan. M. E. Peach, M. Schmidt, and E. Weissflog, 3720.

Pelletier, J.
Synthesis of substituted hydrindananes. Part I. Products arising from the cyclization of acetonyl cyclohexanones and acetonyl cyclohexadiones. A. Beth, J. Pelletier, R. Russo, M. Soucy, and R. H. Burnell, 1504.

Peng, Y. K.
The adsorption, desorption, and exchange reactions of oxygen, hydrogen, and water on platinum surfaces. II. Hydrogen adsorption, exchange, and equilibration. Y. K. Peng and P. T. Dawson, 298.

Pepper, L.
Azole chemistry. IX. A new synthesis of fused pyrimidines tetrahydropyrimido[1,2-*a*]benzimidazoles. H. Alper and L. Pepper, 894.

Pérez, S.
Etudes conformationnelles de dérivés d'oligométhylène glycols et de composés apparentés. Partie II. Structure cristalline et moléculaire du di(*para*-chlorobenzoate) d'éthylène glycol, C₁₆H₁₂O₄Cl₂. S. Pérez et F. Brisse, 3551.

Periasamy, N.
Electrochemiluminescence of phenanthrene-*d*₁₀: A possible case of efficient triplet-triplet annihilation. N. Periasamy and K. S. V. Santhanam, 76.

Perin, F.
Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Perin-Roussel, O.

Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Perlin, A. S.

Carbon-13 chemical shifts of furanosides and cyclopentanols. Configurational and conformational influences. R. G. S. Ritchie, N. Cyr, B. Korsch, H. J. Koch, and A. S. Perlin, 1424.

Orientation effects and the sign of two-bond $^{13}\text{C}-^1\text{H}$ coupling. J. A. Schwarcz, N. Cyr, and A. S. Perlin, 1872.

Perron, G.

Apparent molal volumes and heat capacities of some sulfates and carbonates in water at 25 °C. G. Perron, J. E. Desnoyers, and F. J. Millero, 1134.

Volumes and heat capacities of cyclic ethers and amines in water and of some electrolytes in these mixed aqueous solvents. O. Kiyohara, G. Perron, and J. E. Desnoyers, 2591.

Volumes and heat capacities of dimethylsulfoxide, acetone, and acetamide in water and of some electrolytes in these mixed aqueous solvents. O. Kiyohara, G. Perron, and J. E. Desnoyers, 3263.

Direct specific heat measurements on solutions of volatile solutes by flow microcalorimetry: partial molal heat capacity of benzene in water at 25 °C. C. Jolicoeur, P. Picker, and G. Perron, 3634.

Perron, Y. G.

Base-catalyzed rearrangement reactions of 4a-aminomethyl-1,2,3,4,4a,9-hexahydrophenanthrenes-synthesis of D-nor-morphinans. T. T. Conway, T. W. Doyle, Y. G. Perron, J. Chapuis, and B. Belleau, 245.

Synthetic morphinans and hasubanans. Part IV. Total synthesis of 3,14-dihydroxyisomorphinans, 3-methoxy- $\Delta^{8,14}$ -morphinans, and 9 α -hydroxy-3-methoxyhasuban. I. Monković, H. Wong, B. Belleau, I. J. Pachter, and Y. G. Perron, 2515.

Oxilorphan and butorphanol. Potent narcotic antagonists and nonaddicting analgesics in the 3,14-dihydroxy-morphinan series. Part V. I. Monković, H. Wong, A. W. Pircio, Y. G. Perron, I. J. Pachter, and B. Belleau, 3094.

Petersen, N. O.

Erratum: Bicyclooctanone rearrangement, [3.2.1] \rightarrow [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo[3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 2808.

Peterson, L. K.

Erratum: Syntheses of some phosphino- and phosphinatoazoles. S. Fischer, L. K. Peterson, and J. F. Nixon, 1854.

Petrella, G.

The ionization of picric acid in ethanol-sulfolane and *t*-butyl alcohol - sulfolane mixtures at 30 °C. M. Castagnolo, A. de Giglio, A. Dell'Atti, and G. Petrella, 1651.

Pfister-Guillouzo, G.

Structure électronique de dérivés sulfures. XI. Thiétanne et dérivés. C. Guimon, D. Liotard et G. Pfister-Guillouzo, 1224.

Phillips-Johnson, W. M.

A synthetic approach to cadinane and amorphane type sesquiterpenoids via annelation of cyclohexanone derivatives with (*E*)-2-methyl-3-hepten-5-one. A simple synthesis of (\pm)-cadinene dihydrochloride. E. Piers and W. M. Phillips-Johnson, 1281.

Synthesis and novel stereochemical results in the lithium-ammonia reduction of some 4-alkyl- $\Delta^{1(9)}$ -2-octalones. E. Piers, W. M. Phillips-Johnson, and C. Berger, 1291.

Picker, P.

Thermodynamic properties of aqueous organic solutes in relation to their structure. Part II. Apparent molal volumes and heat capacities of cycloalkylamine hydrobromides in water. C. Jolicoeur, J. Boileau, S. Bazinet, and P. Picker, 716.

Direct specific heat measurements on solutions of volatile solutes by flow microcalorimetry: partial molal heat capacity of benzene in water at 25 °C. C. Jolicoeur, P. Picker, and G. Perron, 3634.

Piekos, A.

Substituent effects of phosphorus and arsenic containing groups in aromatic substitution. IV. Nitration of aromatic phosphine oxides. E. Malinski, A. Piekos, and T. A. Modro, 1468.

Pierce, J. B.

Synthesis and fungicidal activity of *N,S*-substituted α -thio- β -aminocrotonanilides. J. B. Pierce, R. J. Fanning, and R. A. Davis, 1327.

Acylsilane photolyses: 1,1-diphenyl-1-silacyclohexanone-2 in cyclohexane. A. G. Brook, J. B. Pierce, and J. M. Duff, 2874.

Pierens, P.

Détermination du pouvoir sulfonant des acides disulfurique et chlorosulfurique dans le sulfolane. P. Pierens, Y. Auger, J. C. Fischer et M. Wartel, 2989.

Piers, E.

A synthetic approach to cadinane and amorphane type sesquiterpenoids via annelation of cyclohexanone derivatives with (*E*)-2-methyl-3-hepten-5-one. A simple synthesis of (\pm)-cadinene dihydrochloride. E. Piers and W. M. Phillips-Johnson, 1281.

Synthesis and novel stereochemical results in the lithium-ammonia reduction of some 4-alkyl- $\Delta^{1(9)}$ -2-octalones. E. Piers, W. M. Phillips-Johnson, and C. Berger, 1291.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: preparation of $(-)(1S,4S,5R,7R)$ -1,7-dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione and $(+)(1R,4S,5S,7S)$ -1,7-dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and R. D. Smillie, 2827.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: $(+)$ -copacamphor, $(+)$ -copaboroneol, $(+)$ -copaisoborneol, $(-)$ -ylangocamphor, $(-)$ -ylangoborneol, $(-)$ -ylangoisoborneol. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and F. Kido, 2838.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: $(-)$ -copacamphene, $(-)$ -cyclocopacamphene, $(+)$ -sativene, $(+)$ -cyclosativene. E. Piers, M. B. Geraghty, R. D. Smillie, and M. Soucy, 2849.

Piffard, Y.
Structure cristalline de Tl_2CO_3 . R. Marchand, Y. Piffard et M. Tournoux, 2454.

Pikulik, I.
The 7-cycloheptatrienylmethyl/7-norcaradienylmethyl cation system. I. Pikulik and R. F. Childs, 1818.

Pillay, K. S.
Photoreaction of nitroso compounds in solution. Part XXXI. Mechanisms of intramolecular acid catalyzed cleavage reactions and a hydride initiated rearrangement of *C*-nitroso alkanes. K. S. Pillay, S. C. Chen, T. Mojelsky, and Y. L. Chow, 3014.

Photoreaction of nitroso compounds in solution. Part XXXII. Synthesis and reaction of 2-nitro-3-aminonorbornanes. K. S. Pillay, K. Hanaya, and Y. L. Chow, 3022.

Pinkus, A. G.
Electric dipole moment investigation of buttressing in alkyl duryl ketones. A. G. Pinkus and H. C. Custard, Jr., 2024.

Pircio, A. W.
Oxilorphan and butorphanol. Potent narcotic antagonists and nonaddicting analgesics in the 3,14-dihydroxy-morphinan series. Part V. I. Monković, H. Wong, A. W. Pircio, Y. G. Perron, I. J. Pachter, and B. Belleau, 3094.

Piuzé, J.
Formation et stabilité de lyato-complexes de l'argent(I) en solution hydro-méthanolique. J. Piuzé et A. O. Gübeli, 3250.

Plavac, N.
Carbon-13 nuclear molecular resonance spectra of isothiazole, 1,2-dithiole, and 1,3-dithiole derivatives. N. Plavac, I. W. J. Still, M. S. Chauhan, and D. M. McKinnon, 836.

Pochan, J. M.
Electric dipole moments of a series of $\Delta^{8(14)}$ cholesteryl esters. J. M. Pochan, J. E. Kuder, J. Y. C. Chu, D. Wychick, and D. Hinman, 578.

Poë, A.
The *trans*-effect in octahedral complexes. VI. Base hydrolysis of *trans*-hydroxybromo and *trans*-hydroxychloro-bis(ethylenediamine)rhodium(III) complexes. A. Poë and C. Vuik, 1842.

Poirier, R. A.
Isotope effects in nucleophilic substitution reactions. I. The mechanism of the reaction of phenylbenzylidemethyl-ammonium ion with thiophenoxyde ion. K. C. Westaway and R. A. Poirier, 3216.

Poite, J.-C.
Etude des spectres de vibration des dérivés monosubstitués en position 5 de l'isothiazole. G. Mille, J.-C. Poite, J. Chouteau et J. Metzger, 1642.

Pollock, C. A.
Isotope effect studies on elimination reactions. X. The nature of the transition state for the E_{CO_2} reaction of *para*-substituted benzyl nitrates with base in 90% by volume ethanol-water. P. J. Smith, C. A. Pollock, and A. N. Bourns, 1319.

Pomeroy, R. K.
Arene derivatives of bis(trichlorogermanium)tetracarbonylruthenium(II). R. K. Pomeroy and W. A. G. Graham, 2985.

Pouteau, R. M. L.
Hydrogen-water deuterium exchange over metal oxide promoted nickel catalysts. N. H. Sagert, P. E. Shaw-Wood, and R. M. L. Pouteau, 3257.

Pouyet, B.
Etude spectroscopique de l'aniline dans les solvants. P. Méallier, A. Berthelon et B. Pouyet, 1461.

Powell, J.
Solution studies of the dynamic stereochemistry of palladium(II) carboxylate complexes. T. R. Jack and J. Powell, 2558.

The crystal and molecular structure of pentane-2,4-dionato-(2,3,5,6-tetrahapto-2,3-dicarbomethoxo[2.2.1]bicycloheptadiene)rhodium(I), $Rh(C_5H_7O_2)(C_7H_6(CO_2CH_3)_2)$. D. Allen, C. J. L. Lock, G. Turner, and J. Powell, 2707.

Prausnitz, J. M.
Combinatorial entropy of mixing molecules that differ in size and shape. A simple approximation for binary and multicomponent mixtures. M. D. Donohue and J. M. Prausnitz, 1586.

Premila, M. S.

Studies on the syntheses of heterocyclic compounds. Part DCXXXVIII. Simple synthesis of benz[*d*]indeno[1,2-*b*]-azepine from 1-benzoyl-3,4-dihydroisoquinoline. T. Kametani, M. S. Premila, S. Hirata, H. Seto, H. Nemoto, and K. Fukumoto, 3824.

Premović, P. I.

Electron spin resonance studies and electronic structure of *trans*-[Ti(H₂O)₄F₂]⁺. P. I. Premović and P. R. West, 1593.

Electron spin resonance studies on Ti(H₂O)₆³⁺ in frozen aqueous solutions of titanium(III) chloride, bromide, iodide, and sulfate. P. I. Premović and P. R. West, 1630.

Preti, C.

Complexes of cobalt(II), nickel(II), and copper acetates, perchlorates, and tetrafluoroborates with heterocyclic ligands containing VA and VIA group donor atoms. C. Preti and G. Tosi, 177.

Price, J. T.

A nuclear magnetic resonance study of the conformation of six-membered chelate rings in four-coordinate complexes. W. R. Cullen, L. D. Hall, J. T. Price, and G. Spendjian, 366.

Pritchard, H. O.

Entropy production in simple chemical reactions. H. O. Pritchard, 1756.

Prokipcak, J. M.

The mechanism for the thermal decomposition of *E*-aldoxime carbonates. J. M. Prokipcak and P. A. Forte, 3481.

Pruszynski, P.

Kinetics of proton transfer reactions of carbon acids. V. Variation of primary deuterium isotope effect with solvent composition for the reaction of di-(4-nitrophenyl)methane with *t*-butoxide in *t*-butyl alcohol - toluene mixtures. A. Jarczewski, P. Pruszynski, and K. T. Lefsek, 1176.

Puranik, G. S.

Uses of sydnone for heterocyclic syntheses. B. V. Badami and G. S. Puranik, 913.

Rabenstein, D. L.

Nuclear magnetic resonance studies of the solution chemistry of metal complexes. XIII. The lability of the metal-nitrogen bonds in the cadmium, zinc, and mercury complexes of selected polyaminocarboxylic acids. D. L. Rabenstein, G. Blakney, and B. J. Fuhr, 787.

Rabilloud, G.

Synthèse et réactions d'une bis(α-dicétone) carboranique. Explication par la méthode CNDO/2. G. Rabilloud, B. Sillion, J. Rossarie, M. Blain et S. Odiot, 2955.

Radatus, B.

Lithium aluminum hydride reductive rearrangement of allylic acetals to vinyl ethers: a synthesis of 3-deoxy glycals. B. Fraser-Reid, S. Y-K. Tam, and B. Radatus, 2005.

Radley, K.

Studies of ternary nematic phases by nuclear magnetic resonance. Alkali metal decyl sulfates/decanol/D₂O. K. Radley and L. W. Reeves, 2998.

Rahal, S.

New access to noradamantanes via generation of selectively protected bicyclic β-diketones. D. Gravel and S. Rahal, 2671.

Rajzmann, M.

Etudes expérimentales et théoriques des déplacements chimiques du carbone-13 en série isothiazolique. R. Faure, J.-R. Llinas, E.-J. Vincent et M. Rajzmann, 1677.

Raman, C. V.

Mixed boron trihalide adducts. A nuclear magnetic resonance study of halogen redistribution in adducts of trimethylphosphine, trimethylphosphine oxide, and trimethylphosphine sulfide. M. J. Bula, J. S. Hartman, and C. V. Raman, 326.

Ramani, G.

Nucleic acid related compounds. 16. Direct fluorination of uracil nucleotides using trifluoromethyl hypofluorite. M. J. Robins, G. Ramani, and M. MacCoss, 1302.

Ramjeesingh, M.

C-nucleosides and related compounds. IV. The synthesis and chemistry of D,L-2,5-anhydroallose derivatives. G. Just, A. Martel, K. Grozinger, and M. Ramjeesingh, 131.

Rampersad, M. B.

Erratum: Bicyclooctanone rearrangement, [3.2.1] → [3.3.0], via β-enolization. Evidence for γ'-enolization in bicyclo-[3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 2808.

Ranganayakulu, K.

The observable thirty-fold-degenerate camphenehydro cation. A stereospecific *exo*-3,2-methyl shift and *endo*-6,2(*exo*-6,1)-hydride shift. R. Haseltine, E. Huang, K. Ranganayakulu, and T. S. Sorensen, 1056.

Predicting the most favored path and the overall rate of multistep 2-norbornyl cation rearrangements. The assignment of a trial activation energy for each unique step. R. Haseltine, E. Huang, K. Ranganayakulu, T. S. Sorensen, and N. Wong, 1876.

Reaction sequences involving the mutual interconverse of all 10 tertiary dimethyl-2-norbornyl cations. A comparison of predicted products and rates with experiment. R. Haseltine, K. Ranganayakulu, N. Wong, and T. S. Sorenson, 1901.

Rank, W.
A photochemical route to *N*-acyl imines. W. A. Court, O. E. Edwards, C. Grieco, W. Rank, and T. Sano, 463.

Rao, B.
Dielectric models for porous adsorbent - adsorbate systems. M. J. Dignam and B. Rao, 2252.

Rao, Ch. V. S. R.
Determination of 3×3 harmonic force field of planar X_2YZ molecules. J. C. D. Brand and Ch. V. S. R. Rao, 437.

Rasmussen, P. W.
Synthesis of 6-hydroxyfulvenes. II. Isomerization of 7-oxanorbornadienes and 3-oxaquadricyclanes. R. K. Bansal, A. W. McCulloch, P. W. Rasmussen, and A. G. McInnes, 138.

Rawat, J. P.
Synthesis and ion-exchange properties of tantalum arsenate. J. P. Rawat and S. Q. Mujtaba, 2586.

Raza, M. A.
Conformational study of *N*-alkyl 5,6-dihydro-7*H*,12*H*-dibenz[*c,f*]azocines by nuclear molecular resonance spectroscopy. R. R. Fraser, M. A. Raza, R. N. Renaud, and R. B. Layton, 167.

Reeves, L. W.
The structure of the dimethylthallium ion oriented in a lyotropic nematic phase. Y. Lee and L. W. Reeves, 161.
Studies of ternary nematic phases by nuclear magnetic resonance. Alkali metal decyl sulfates/decanol/D₂O. K. Radley and L. W. Reeves, 2998.

Reich, H. J.
Organoselenium chemistry. Addition of tolueneselenenyl chloride to ethylene: concerning the reported isolation of a stable episelenurane. H. J. Reich and J. E. Trend, 1922.

Reichle, R. A.
Zinc hydroxide: Solubility product and hydroxy-complex stability constants from 12.5-75 °C. R. A. Reichle, K. G. McCurdy, and L. G. Hepler, 3841.

Reinsborough, V. C.
Crystal structures of K_2MgCl_4 and Cs_2MgCl_4 . C. S. Gibbons, V. C. Reinsborough, and W. A. Whitla, 114.

Renaud, R. N.
Conformational study of *N*-alkyl 5,6-dihydro-7*H*,12*H*-dibenz[*c,f*]azocines by nuclear molecular resonance spectroscopy. R. R. Fraser, M. A. Raza, R. N. Renaud, and R. B. Layton, 167.
Electrochemical oxidation of trifluoroacetic acid in an organic substrate. III. In the presence of substituted malonic acid half esters and unsaturated carboxylic acid esters. R. N. Renaud and P. J. Champagne, 529.

Rendle, D. F.
The crystal and molecular structures of pyrazolyl-, 3-methylpyrazolyl-, and indazolylgallium dimethyl dimers. D. F. Rendle, A. Storr, and J. Trotter, 2930.
The crystal and molecular structures of the 3,5-dimethylpyrazolylgallium dimethyl dimer, $[Me_2Ga \cdot N_2C_5H_7]_2$, and the hydroxy-bridged species, $[Me_2Ga(OH)(N_2C_5H_7)GaMe_2 \cdot 2N_2C_5H_8]$. D. F. Rendle, A. Storr, and J. Trotter, 2944.

Restivo, R. J.
Perchlorato, nitrate, and acetylacetato complexes of copper(I). The crystal and molecular structure of perchloratobis(tricyclohexylphosphine)copper(I). R. J. Restivo, A. Costin, G. Ferguson, and A. J. Carty, 1949.

Retallack, R. W.
Reactions of alkyl azidoformates with norbornylene. O. E. Edwards, J. W. Elder, M. Lesage, and R. W. Retallack, 1019.

Rettig, S. J.
Synthesis and crystal and molecular structures of the *N,N*-dimethylethanolaminogallane and *N,N*-dimethylethanol-aminogallium dimethyl dimers. S. J. Rettig, A. Storr, and J. Trotter, 58.
Crystal and molecular structure of a novel polycyclic Ga, O, N cage compound: $(GaH)_6(GaH_2)_2(\mu_3-O)_2(\mu_3-NCH_2-CH_2NMe_2)_4(\mu-NHCH_2CH_2NMe_2)_2$. S. J. Rettig, A. Storr, and J. Trotter, 753.
Crystal and molecular structure of (\pm)-7,7-(2',2'-dimethyl)pentamethylene-1-methyl-norbornane-2-oxime. S. J. Rettig and J. Trotter, 765.
Crystal and molecular structure of 2,5-bis(2'-hydroxyethylamino)-1,4-benzoquinone. S. J. Rettig and J. Trotter, 777.
Crystal and molecular structure of *B*-phenyl-*diptych*boroxazolidine, $C_6H_5BN(CH_2CH_2O)_2$. S. J. Rettig and J. Trotter, 1393.
The two-step synthesis and crystal and molecular structure of tetracyclo[6.4.0.0^{2,11}.0^{4,9}]dodec-6-ene-3,10-dione. Y.-M. Ngan, S. J. Rettig, J. R. Scheffer, and J. Trotter, 2068.

Reynolds, W. F.
Investigations of substituent effects by nuclear magnetic resonance spectroscopy and all-valence electron molecular orbital calculations. IV. 4-Substituted phenylacetylenes. D. A. Dawson and W. F. Reynolds, 373.

Rice, K. C.
Nuclear magnetic resonance evidence for high barrier of conformational inversion in hexahydro-3,3,7,7-tetramethyl-1,2-oxazepine-5-one. R. E. Wasylshen, K. C. Rice, and U. Weiss, 414.

Richer, J.-C.

Synthèse et propriétés des *tert*-butyl-5 triméthyl-2,3,3 cyclohexanolans. J.-C. Richer et C. Lamarre, 556.

Hydroboration du *tert*-butyl-4 diméthyl-2,2 méthylène-1 cyclohexane et du triméthyl-3,3,5 méthylène-1 cyclohexane. Préparation des *tert*-butyl-4 hydroxyméthyl-1 diméthyl-2,2 cyclohexanes et des hydroxyméthyl-1 triméthyl-3,3,5 cyclohexanes. J.-C. Richer et C. Lamarre, 2033.

Stéréochimie de l'addition homolytique de l'acide thioacétique à des dérivés méthylènes cyclohexaniques. J.-C. Richer et C. Lamarre, 3005.

Esters chromiques dérivés d'alcools tertiaires. J.-C. Richer et J.-M. Hachey, 3087.

Synthèse et propriétés des pentaméthyl-2,3,3,5,5 et tétraméthyl-3,3,5,5 *N*-pipéridinométhyl-2 cyclohexanones et de leurs dérivés. J.-C. Richer et R. Arlotto, 3294.

Sur la structure cristalline des diméthyl-1,1 germa-1 (et sila-1) cycloundécane diols-6,7. F. Brisson, A. Battat, J.-C. Richer, P. Mazerolles et A. Faucher, 3596.

Spectres de masse d'hydrazino-2 benzo- et naphthothiazolinones-2. J.-C. Richer, P. Lapointe, M. Beljean et M. Pays, 3677.

Riddell, F. G.

The stability and conformation of the 1,3,6,8-tetraazatricyclo[4.4.1.1^{3,8}]dodecane system: the structure of the condensation product of 1,2-diaminocyclohexane and formaldehyde. P. Murray-Rust and F. G. Riddell, 1933.

Riddle, C.

An ESCA investigation of some halogeno(methyl)-silane and -germane series. J. E. Drake, C. Riddle, and L. Coatsworth, 3602.

Riggio, R.

Thermodynamic properties of binary liquid acid-base mixtures. H. N. Sólímo, R. Riggio, F. Davolio, and M. Katz, 1258.

Ripmeester, J. A.

1,4-Dioxane hydrate: dielectric absorption by a nondipolar enclathrated molecule. S. R. Gough, J. A. Ripmeester, and D. W. Davidson, 2215.

Ritchie, R. G. S.

Carbon-13 chemical shifts of furanosides and cyclopentanols. Configurational and conformational influences. R. G. S. Ritchie, N. Cyr, B. Korsch, H. J. Koch, and A. S. Perlin, 1424.

Rivest, R.

Crystal and molecular structure of dithiocyanato(triphenylarsine)mercury(II). J. Hubert, A. L. Beauchamp, and R. Rivest, 3383.

Roard, D.

Analyse en résonance magnétique nucléaire du ¹H et du ¹³C de dérivés azuléniques extraits de l'*Eriophyllum punctulatum*. J.-R. Llinas, D. Roard, M. Derbesy et E.-J. Vincent, 2911.

Roberge, P. C.

Phenyl substitution effects on triplet-triplet absorption spectra: I. Study of 1,3,6,8-tetraphenylpyrene. C. Rullière, E. C. Colson, and P. C. Roberge, 3269.

Roberge, R.

Charge distributions and chemical effects. IX. On the charge dependence of C-13 chemical shifts in alkylcyclohexanes and cyclopropane. R. Roberge and S. Fliszár, 2400.

Robertson, B. E.

Conformations of bridged diphenyls. VII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenoxy)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 2084.

Conformations of bridged diphenyls. VIII. Crystal structure of 2-(2',6'-dinitrophenoxy)-*t*-butylbenzene. K. Gurtu, W. D. Chandler, and B. E. Robertson, 2093.

Conformations of bridged diphenyls. IX. Crystal structure of 2-(4'-carbomethoxy-2'-nitrothiophenyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2102.

Conformations of bridged diphenyls. X. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenylsulfinyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2108.

Conformations of bridged diphenyls. XI. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenylsulfonyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. F. Robertson, 2115.

Conformations of bridged diphenyls. XII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrobenzyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2121.

Conformations of bridged diphenyls. XIII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrobenzoyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2127.

Robertson, R. E.

Neutral solvolysis of acyl carbon and the temperature dependence of the kinetic solvent isotope effect. B. Rossall and R. E. Robertson, 869.

Studies in solvolysis. Part VII. The neutral hydrolysis of methyl perchlorate. R. E. Robertson, A. Annesa, and J. M. W. Scott, 3106.

Robins, M. J.

Nucleic acid related compounds. 16. Direct fluorination of uracil nucleotides using trifluoromethyl hypofluorite. M. J. Robins, G. Ramani, and M. MacCoss, 1302.

Rochon, F. D.

The crystal structure of the $[\text{Pt}(\text{diethylenetriamine})\text{Br}]\text{Br}$ complex. R. Melanson, J. Hubert, and F. D. Rochon, 1139.
The crystal structure of *cis*-dichlorobis(dimethylsulfoxide)platinum(II). R. Melanson and F. D. Rochon, 2371.

Röderer, R.

Nitration of 3,4-dimethylacetophenone and 3,4-dimethylbenzophenone. Formation and rearomatization of adducts. A. Fischer, C. C. Greig, and R. Röderer, 1570.

Rodriguez, B.

Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

Roller, P.

Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Rooney, C. S.

3,4-Dihydro-2*H*-1,5-benzodioxepins. A novel class of β -adrenergic stimulants. C. S. Rooney, R. S. Stuart, B. K. Wasson, and H. W. R. Williams, 2279.

Ropal, R.

Structural studies of $(\pi\text{-C}_5\text{H}_5)_2\text{MX}_2$ complexes and their derivatives. The structure of bis(π -cyclopentadienyl)-titanium dichloride. A. Clearfield, D. K. Warren, C. H. Saldarriaga-Molina, R. Ropal, and I. Bernal, 1622.

Rossall, B.

Neutral solvolysis of acyl carbon and the temperature dependence of the kinetic solvent isotope effect. B. Rossall and R. E. Robertson, 869.

Rossarie, J.

Synthèse et réactions d'une bis(α -dicétone) carboranique. Explication par la méthode CNDO/2. G. Rabilloud, B. Sillion, J. Rossarie, M. Blain et S. Odiet, 2955.

Rouillard, M.

Aziridines saturées et insaturées. Synthèses par réduction de cyclohexénones oximes et études spectroscopiques. L. Ferrero, S. Geribaldi, M. Rouillard et M. Azzaro, 3227.

Rousseau, Y.

La photolyse du sulfure de méthyle et de vinyle. G. Leduc et Y. Rousseau, 483.

Rowbotham, J. B.

Stereospecific spin-spin coupling between hydroxyl protons and ^{19}F nuclei in *O*-, *m*-, and *p*-fluorophenol derivatives. "Through-space" interactions via the hydrogen bond. J. B. Rowbotham, M. Smith, and T. Schaefer, 986.

Ruest, L.

Synthèse de l'aza-1-twistane. P. Deslongchamps, L. Ruest et S. Dubé, 3613.

Rullière, C.

Phenyl substitution effects on triplet-triplet absorption spectra: I. Study of 1,3,6,8-tetraphenylpyrene. C. Rullière, E. C. Colson, and P. C. Roberge, 3269.

Rummens, F. H. A.

^{13}C nuclear molecular resonance and ^{14}C tracer studies on 1,2-phenyl shifts in the reaction of labeled triphenylvinyl bromide with acetic acid and silver acetate. F. H. A. Rummens, R. D. Green, M. Oka, and C. C. Lee, 314.

Russell, K. E.

Kinetic, electron spin resonance, and product studies of the reaction between 2,2-diphenyl-1-picrylhydrazyl and 2,4,6-tri-*t*-butylbenzenethiol. J. Flood and K. E. Russell, 1123.

Russo, R.

Synthesis of substituted hydrindanes. Part I. Products arising from the cyclization of acetyl cyclohexanones and acetyl cyclohexadiones. A. Beth, J. Pelletier, R. Russo, M. Soucy, and R. H. Burnell, 1504.

Rutherford, K. G.

The synthesis and pyrolytic rearrangement of phthalate esters of some tertiary silanols. An attempt to prepare a silicon carbon double bond species. K. G. Rutherford and R. J. Seidewand, 67.

The selective lithiation and *in situ* trimethylsilylation of benzylidiphenylchlorosilane and its methoxy analog. Compounds which could conceivably lead to stable Si=C species on pyrolysis. K. G. Rutherford and R. J. Seidewand, 3103.

Ruthven, D. M.

Sorption of the inert gases (Ar, Kr, and Xe) in type A zeolites. R. I. Derrah and D. M. Ruthven, 996.

Ruzo, L. O.

Photoreactions of simple halonaphthalenes in solution. L. O. Ruzo, N. J. Bunce, and S. Safe, 688.

Ryan, D. E.

The determination of traces of nickel(II) by solid state spectroscopy. D. E. Ryan and J. Holzbecher, 311.

Rybicky, J.

The kinetics of the catalyzed reaction between two substrates in a special case. J. Rybicky, 644.

Safe, L. M.

The isolation and synthesis of *E*-24-ethylidene-5 α -lanost-8-en-3 β -yl acetate. S. Safe and L. M. Safe, 3247.

Safe, S.

Photoreactions of simple halonaphthalenes in solution. L. O. Ruzo, N. J. Bunce, and S. Safe, 688.

The isolation and synthesis of *E*-24-ethylidene-5 α -lanost-8-en-3 β -yl acetate. S. Safe and L. M. Safe, 3247.

Sagert, N. H.

Hydrogen-water deuterium exchange over metal oxide promoted nickel catalysts. N. H. Sagert, P. E. Shaw-Wood, and R. M. L. Pouteau, 3257.

Sakai, M.

1-Phenyl-2,2-dialkyl vinyl cation. S. Masamune, M. Sakai, and K. Morio, 784.

Salares, V. R.

Photo-oxidation of iodomethane in solid argon. J. F. Ogilvie, V. R. Salares, and M. J. Newlands, 269.

Saldarriaga-Molina, C. H.

Structural studies of (π -C₅H₅)₂MX₂ complexes and their derivatives. The structure of bis(π -cyclopentadienyl)-titanium dichloride. A. Clearfield, D. K. Warren, C. H. Saldarriaga-Molina, R. Ropal, and I. Bernal, 1622.

Salomon, M.

CNDO/2 studies on ion solvation by methanol. M. Salomon, 3194.

Sambrook, T. E. M.

Radiolysis of liquid nitrous oxide: alcohol and carbonyl additives. T. E. M. Sambrook and G. R. Freeman, 1521.

Free ion yields and electron ranges in X irradiated simple liquids: unusual behavior in carbon dioxide and carbon disulfide. T. E. M. Sambrook and G. R. Freeman, 2822.

Sams, J. R.

Monosubstituted derivatives of (L-L)Fe₂(CO)₆ (L-L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 2232.

Sangster, J.

Thermodynamics of mixed electrolyte solutions. J. Sangster and F. Lenzi, 1410.

Sano, T.

A photochemical route to *N*-acyl imines. W. A. Court, O. E. Edwards, C. Grieco, W. Rank, and T. Sano, 463.

Santhanam, K. S. V.

Electrochemiluminescence of phenanthrene-*d*₁₀: A possible case of efficient triplet-triplet annihilation. N. Periasamy and K. S. V. Santhanam, 76.

Saperas, B.

Oxidation of dibenzo(*a,c*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Sargent, F. P.

Direct observation of the radicals formed in the radiolysis of liquid benzyl alcohol. An electron spin resonance and spin trapping method. F. P. Sargent and E. M. Gardy, 3128.

Sarkar, B.

Kinetic studies of copper(II)-exchange from L-histidine to human serum albumin and diglycyl-L-histidine, a peptide mimicking the copper(II)-transport site of albumin. S. Lau and B. Sarkar, 710.

Sastray, K. V. L. N.

The microwave spectrum, dipole moment, and structure of glycidol. W. V. F. Brooks, and K. V. L. N. Sastry, 2247.

Saucier, M.

5-Allyl-9-oxobenzomorphans. Part 2. The crystal and molecular structure of an unusual product of dequaternization of 5-allyl-9-oxobenzomorphan methobromide. F. R. Ahmed, M. Saucier, and I. Monković, 3276.

Sauer, T. D.

Substituent effects in the thermal isomerization of 1,2-dicarbonyl derivatives of 3,6-bridged 1,2,3,6-tetrahydro-pyridazines. J. A. Campbell, I. Harris, D. Mackay, and T. D. Sauer, 535.

Saunders, J. K.

Carbon-13 spin-lattice relaxation times for selected steroids. J. W. ApSimon, H. Beierbeck, and J. K. Saunders, 338. β -Carbon shielding effects in carbon-13 nuclear magnetic resonance spectroscopy. H. Beierbeck and J. K. Saunders, 1307.

The hydrolysis of cyclic orthoesters. Stereoelectronic control in the cleavage of hemi-orthoester tetrahedral intermediates. P. Deslongchamps, R. Chênevert, R. J. Taillefer, C. Moreau, and J. K. Saunders, 1601.

Sauriol-Lord, F.

Stereodynamic investigation of dibenzo-1,5-cyclooctadiene and 5,6,11,12-tetrahydrodibenzo[*b,f*][1,4]diazocine derivatives. F. Sauriol-Lord and M. St-Jacques, 3768.

Savoie, R.

Vibrational spectra of N₂H₅HC₂O₄ and N₂D₅DC₂O₄. R. Savoie and M. Guay, 1387.

Schaefer, T.

Stereospecific spin-spin coupling between hydroxyl protons and ¹⁹F nuclei in *O*-, *m*-, and *p*-fluorophenol derivatives. "Through-space" interactions via the hydrogen bond. J. B. Rowbotham, M. Smith, and T. Schaefer, 986.

The proton-proton and proton-carbon-13 spin-spin coupling constants in 1,3-dioxole and bis-1,3-dioxolyl. Conformational dependence. T. Schaefer, K. Chum, D. McKinnon, and M. S. Chauhan, 2734.

Scheffer, J. R.

The two-step synthesis and crystal and molecular structure of tetracyclo[6.4.0.0^{2,11}.0^{4,9}]dodec-6-ene-3,10-dione. Y.-M. Ngan, S. J. Rettig, J. R. Scheffer, and J. Trotter, 2068.

Schlegel, H. B.

On the π -donating abilities of sulfur and oxygen. A comparative quantum chemical investigation of the static and dynamic properties and gas phase acidities of CH_2OH and CH_2SH . F. Bernardi, I. G. Csizmadia, H. B. Schlegel, and S. Wolfe, 1144.

The structure of acetaldehyde enolate anion. S. Wolfe, H. B. Schlegel, I. G. Csizmadia, and F. Bernardi, 3365. *Ab initio* computation of force constants. II. The estimation of dissociation energies from *ab initio* SCF calculations. H. B. Schlegel, S. Wolfe, and F. Bernardi, 3599.

Schmid, P.

Isotope effect studies on elimination reactions. XI. The nature of the transition state for the E2 reaction of 2-phenyl-ethylidemethylanilinium salts containing substituents in the aniline ring with sodium ethoxide in ethanol. P. Schmid and A. N. Bourns, 3513.

Schramm, L. L.

Preparation and properties of carboxylic, monothiocarboxylic, dithiocarboxylic, and sulfinic acid derivatives of trithiane, tetrathiocane, and pentathiecan. M. E. Peach, M. Schmid, and E. Weissflog, 3720.

Schmidt, M.

The application of a simple chemical model of natural waters to metal fixation in particulate matter. R. D. Guy, C. L. Chakrabarti, and L. L. Schramm, 661.

Schwarcz, J. A.

Orientation effects and the sign of two-bond $^{13}\text{C}-^1\text{H}$ coupling. J. A. Schwarcz, N. Cyr, and A. S. Perlin, 1872.

Scott, J. C.

Monosubstituted derivatives of (L-L)Fe₂(CO)₆ (L-L = fluorocarbon bridged ligand). L. S. Chia, W. R. Cullen, J. R. Sams, and J. C. Scott, 2232.

Scott, J. M. W.

Studies in solvolysis. Part VI. An examination of the heat capacity of activation for the hydrolysis of 4-methoxybenzyl trifluoroacetate. J. G. Winter, J. P. Barron, and J. M. W. Scott, 1051.

Studies in solvolysis. Part VII. The neutral hydrolysis of methyl perchlorate. R. E. Robertson, A. Annesa, and J. M. W. Scott, 3106.

Secco, E. A.

Electrical conductivity and phase transformation studies on pure and doped (Mg^{2+} , Zn^{2+} , Cu^{2+} , and Mn^{2+}) crystals of K_2SO_4 . M. Natarajan and E. A. Secco, 1542.

Metal halide ammines. III. Thermal analyses and calorimetry of fluorosilicate ammines and hydrates of bivalent metals. Infrared spectra of the ammines. K. C. Patil and E. A. Secco, 2426.

Seddon, W. A.

Pulse radiolysis of alkali metal solutions in methylamine. J. W. Fletcher, W. A. Seddon, J. J. Jevcak, and F. C. Sopchyshyn, 3571.

Seguin, F. P.

The direct formation of 3-vinylthiophenes using butadienylphosphonium salts. J. M. McIntosh and F. P. Seguin, 3526.

Seidewand, R. J.

The synthesis and pyrolytic rearrangement of phthalate esters of some tertiary silanols. An attempt to prepare a silicon carbon double bond species. K. G. Rutherford and R. J. Seidewand, 67.

The selective lithiation and *in situ* trimethylsilylation of benzylidiphenylchlorosilane and its methoxy analog. Compounds which could conceivably lead to stable Si=C species on pyrolysis. K. G. Rutherford and R. J. Seidewand, 3103.

Serpone, N.

Kinetics of environmental averaging, and the stereochemistry of $(\text{CH}_3)\text{ClGe}(\text{C}_5\text{H}_7\text{O}_2)_2$. A case of a second order kinetic process. K. A. Hersh and N. Serpone, 448.

Seto, H.

Studies on the syntheses of heterocyclic compounds. Part DCXXXVIII. Simple synthesis of benz[d]indeno[1,2-*b*]-azepine from 1-benzoyl-3,4-dihydroisoquinoline. T. Kametani, M. S. Premila, S. Hirata, H. Seto, H. Nemoto, and K. Fukumoto, 3824.

Shah, J. J.

Iminosulfuranes (sulfilimines) infrared and ultraviolet spectroscopic studies. J. J. Shah, 2381.

Shanbhag, M. N.

On the construction of delphinine type alkaloids via the rearrangement of substituted denudatine derivatives. K. Wiesner, P. Ho, W.-C. Liu, and M. N. Shanbhag, 2140.

Sharma, S. C.

Pyrazolo[1,5-*a*]pyrimidine: synthesis and regiospecific electrophilic substitution in the pyrazole and/or pyrimidine rings. B. M. Lynch, M. A. Khan, S. C. Sharma, and H. C. Teo, 119.

Sharrock, P.
Etude des succinates simples et complexes de cobalt(II). P. Sharrock et T. Théophanides, 98.

Shaver, A.
Some reactions of *trans*-hydridochlorobis(tricyclohexylphosphine)nickel(II), *trans*-Ni(Cl)(H)[P(C₆H₁₁)₃]₂. H. C. Clark and A. Shaver, 3462.

Shaw, C.-K.
Carbon-13 Fourier transform nuclear magnetic resonance. IX. Complete assignments of some prodigiosins. Bio-incorporation of label. R. J. Cushley, R. J. Sykes, C.-K. Shaw, and H. H. Wasserman, 148.

Shaw-Wood, P. E.
Hydrogen-water deuterium exchange over metal oxide promoted nickel catalysts. N. H. Sagert, P. E. Shaw-Wood, and R. M. L. Pouteau, 3257.

Shinsaka, K.
Electron mobilities and ranges in liquid hydrocarbons: cyclic and polycyclic, saturated and unsaturated compounds. K. Shinsaka, J.-P. Dodelet, and G. R. Freeman, 2714.

Shiota, M.
Investigation on the favorable formation of 5 α -cholestan-3 α -ol and 5-cholest-3 α -ol by catalytic hydrogenation. M. Ishige and M. Shiota, 1700.

Shurvell, H. F.
Factor analysis as a complement to band resolution techniques. III. Self association in trichloroacetic acid. J. T. Bulmer and H. F. Shurvell, 1251.

Siew, P.-Y.
An X-ray study of the synthetic intermediate 9-cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin. H. Lynton and P.-Y. Siew, 192.

Sillion, B.
Synthèse et réactions d'une bis(α -dicétone) carboranique. Explication par la méthode CNDO/2. G. Rabilloud, B. Sillion, J. Rossarie, M. Blain et S. Odiet, 2955.

Sim, S.-K.
Studies related to antitumor antibiotics. Part VI. Correlation of covalent cross-linking of DNA by bifunctional aziridinoquinones with their antineoplastic activity. M. Akhtar, A. Begleiter, D. Johnson, J. Lown, L. McLaughlin, and S.-K. Sim, 2891.

Simon, M.
The temperature dependence of the ratio k_d/k_c for ethyl radicals. D. G. Hooper, M. Simon, and M. H. Back, 1237.
The mechanism of formation of hexene-1 in the photolysis of ethylene at 185 nm. M. Simon and M. H. Back, 1245.

Singer, P. P.
Carbon-13 nuclear magnetic resonance studies of some *Lycopodium* alkaloids. T. T. Nakashima, P. P. Singer, L. M. Browne, and W. A. Ayer, 1936.

Singh, I.
The crystal structure of dimedone. I. Singh and C. Calvo, 1046.
Paniculatine. A new alkaloid from *L. paniculatum* Desvaux. M. Castillo, G. Morales, L. A. Loyola, I. Singh, C. Calvo, H. L. Holland, and D. B. MacLean, 2513.

Sisley, M. J.
Hydrothermal formation of ferrite spinels. A. R. Gainsford, M. J. Sisley, and T. W. Swaddle, 12.

Skolnik, E. G.
Rate constants for the reaction of fluorine atoms with nitric oxide in the presence of various third bodies. E. G. Skolnik, S. W. Veysey, M. G. Ahmed, and W. E. Jones, 3188.

Slessor, K. N.
A carbon-13 nuclear magnetic resonance study of chlorinated and polyol analogs of glucose and related oligomers. P. Colson, K. N. Slessor, H. J. Jennings, and I. C. P. Smith, 1030.

Smillie, R. D.
Stereoselective total synthesis of copa and ylango sesquiterpenoids: preparation of (−)-(1*S*,4*S*,5*R*,7*R*)-1,7-dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione and (+)-(1*R*,4*S*,5*S*,7*S*)-1,7-dimethyl-4-isopropylbicyclo[3.2.1]octa-6,8-dione. E. Piers, R. W. Britton, M. B. Geraghty, R. J. Keziere, and R. D. Smillie, 2827.
Stereoselective total synthesis of copa and ylango sesquiterpenoids: (−)-copacamphene, (−)-cyclocopacamphene, (+)-sativene, (+)-cyclosativene. E. Piers, M. B. Geraghty, R. D. Smillie, and M. Soucy, 2849.

Smith, D. G.
The chemistry of cochliodinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 727.
Erratum: The chemistry of cochliodinal, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 2031.

Smith, I. C. P.
A carbon-13 nuclear magnetic resonance study of chlorinated and polyol analogs of glucose and related oligomers. P. Colson, K. N. Slessor, H. J. Jennings, and I. C. P. Smith, 1030.
Carbon-13 nuclear magnetic resonance studies of compounds of the vitamin B₆ group and related pyridine derivatives. R. D. Lapper, H. H. Mantsch, and I. C. P. Smith, 2406.

Smith, M.

Stereospecific spin-spin coupling between hydroxyl protons and ^{19}F nuclei in *O*-, *m*-, and *p*-fluorophenol derivatives. "Through-space" interactions via the hydrogen bond. J. B. Rowbotham, M. Smith, and T. Schaefer, 986.

Smith, M. J.

Phosphorescence lifetime of SO_2 in the $\tilde{\alpha}^3\text{B}_1$ state at low pressure. J. P. Briggs, R. B. Caton, and M. J. Smith, 2133.

Smith, P. J.

A primary hydrogen-deuterium isotope effect study on the carbonyl elimination reaction of 9-fluorenyl nitrate with various bases. P. J. Smith and L. M. Noble, 263.

Isotope effect studies on elimination reactions. X. The nature of the transition state for the $\text{E}_{\text{Co}2}$ reaction of *para*-substituted benzyl nitrates with base in 90% by volume ethanol-water. P. J. Smith, C. A. Pollock, and A. N. Bourns, 1319.

Snelling, D. R.

Emission from electronically excited C_2 . S. J. Arnold, G. H. Kimbell, and D. R. Snelling, 2419.

Snieckus, V.

Sodium borohydride reduction of 1-acyl-1,2(1*H*)-diazepines and their iron tricarbonyl complexes. Some reactions of 2,3-dihydro-1,2(1*H*)-diazepines. T. Tsuchiya and V. Snieckus, 519.

Snow, R. A.

Chemistry of proximal π -bond systems. Part III. Synthesis of substituted benzopolycyclic hydrocarbons. D. N. Butler and R. A. Snow, 256.

Sólomo, H. N.

Thermodynamic properties of binary liquid acid-base mixtures. H. N. Sólomo, R. Riggio, F. Davolio, and M. Katz, 1258.

Solinas, M.

The infrared spectrum between 4000 and 200 cm^{-1} and the X-ray powder diffraction pattern of hexamethylene-tetramine hexahydrate in four isotopic forms at 100 K. J. E. Bertie and M. Solinas, 2624.

The far infrared spectra of partially orientationally ordered water molecules: hexamethylenetetramine hexahydrate at 95 K. J. E. Bertie and M. Solinas, 2642.

Sood, A.

A synthetic approach to quassin. Introduction of functionality and stereochemistry by a Diels-Alder reaction. N. Stojanac, A. Sood, Ž. Stojanac, and Z. Valenta, 619.

Sopchysyn, F. C.

Pulse radiolysis of alkali metal solutions in methylamine. J. W. Fletcher, W. A. Seddon, J. J. Jevcak, and F. C. Sopchysyn, 3571.

Sorensen, T. S.

The observable thirty-fold-degenerate camphenehydro cation. A stereospecific *exo*-3,2-methyl shift and *endo*-6,2(*exo*-6,1)-hydride shift. R. Haseltine, E. Huang, K. Ranganayakulu, and T. S. Sorensen, 1056.

A comparison of the stereospecificity of carbocation to rearranged carbocation reactions under observable ion and steady-state intermediate conditions. R. P. Haseltine and T. S. Sorensen, 1067.

Predicting the most favored path and the overall rate of multistep 2-norbornyl cation rearrangements. The assignment of a trial activation energy for each unique step. R. Haseltine, E. Huang, K. Ranganayakulu, T. S. Sorensen, and N. Wong, 1876.

A kinetic and thermodynamic behavioral comparison of observable secondary and tertiary 2-norbornyl cations. R. Haseltine, N. Wong, T. S. Sorensen, and A. J. Jones, 1891.

Reaction sequences involving the mutual interconverse of all 10 tertiary dimethyl-2-norbornyl cations. A comparison of predicted products and rates with experiment. R. Haseltine, K. Ranganayakulu, N. Wong, and T. S. Sorensen, 1901.

Soucy, M.

Synthesis of substituted hydrindanes. Part I. Products arising from the cyclization of acetonyl cyclohexanones and acetonyl cyclohexadiones. A. Beth, J. Pelletier, R. Russo, M. Soucy, and R. H. Burnell, 1504.

Stereoselective total synthesis of copa and ylango sesquiterpenoids: (−)-copacamphene, (−)-cyclocopacamphene, (+)-sativene, (+)-cyclosativene. E. Piers, M. B. Geraghty, R. D. Smillie, and M. Soucy, 2849.

Spendjian, G.

A nuclear magnetic resonance study of the conformation of six-membered chelate rings in four-coordinate complexes. W. R. Cullen, L. D. Hall, J. T. Price, and G. Spendjian, 366.

Spenser, I. D.

Biosynthesis of lycopodine. The question of the intermediacy of piperidine-2-acetic acid. W. D. Marshall, T. T. Nguyen, D. B. MacLean, and I. D. Spenser, 41.

Spitzer, U. A.

Oxidation of hydrocarbons. VII. Kinetics of the oxidation of naphthalenes by ruthenium tetroxide. U. A. Spitzer and D. G. Lee, 2865.

Kinetics and mechanism of the oxidation of benzyl alcohol and benzaldehyde by aqueous sodium dichromate. D. G. Lee and U. A. Spitzer, 3709.

Spratley, R. D.

The infrared spectrum and force field of matrix isolated *cis*-thionylimide (HNSO). P. O. Tchir and R. D. Spratley, 2311.

The photolysis of matrix isolated *cis*-thionylimide: 1. The identification and infrared spectra of *cis*-HOSN, HSNO, and SNO. P. O. Tchir and R. D. Spratley, 2318.

The photolysis of matrix isolated *cis*-thionylimide: 2. The identification and infrared spectra of *trans*-HNSO and NSO. P. O. Tchir and R. D. Spratley, 2331.

Srinivasan, R.
The catalysis of proton exchange in creatinine by general acids and general bases. R. Srinivasan and R. Stewart, 224.
General-base-catalyzed proton exchange in glycocamidinium ions: a comparison of activation by protonation and by alkylation. R. Stewart and R. Srinivasan, 2906.

Stanley, K.
n-Perfluoroallyltricarbonylcobalt: synthesis and reaction with triphenylphosphine. K. Stanley and D. W. McBride, 2537.

Steer, R. P.
Mechanism of the direct photochemical decomposition of thietane and its derivatives in the vapor phase, in solution, and in glassy matrices. D. R. Dice and R. P. Steer, 1744.

Steiner, R. P.
A 2-azapentadienyl carbanion: a nonstereospecific electrocyclization. D. H. Hunter and R. P. Steiner, 355.

Stewart, R.
The catalysis of proton exchange in creatinine by general acids and general bases. R. Srinivasan and R. Stewart, 224.
General-base-catalyzed proton exchange in glycocamidinium ions: a comparison of activation by protonation and by alkylation. R. Stewart and R. Srinivasan, 2906.

Still, I. W. J.
The behavior of thiochromanone and isothiochromanone sulfoxides in the Schmidt reaction: isolation of a novel azide product from thiochromanone sulfone. I. W. J. Still, M. T. Thomas, and A. M. Clish, 276.
Carbon-13 nuclear molecular resonance spectra of isothiazole, 1,2-dithiole, and 1,3-dithiole derivatives. N. Plavac, I. W. J. Still, M. S. Chauhan, and D. M. McKinnon, 836.
 ^{13}C nuclear magnetic resonance spectra of organic sulfur compounds: cyclic sulfides, sulfoxides, sulfones, and thiones. M. S. Chauhan and I. W. J. Still, 2880.

Stillwell, M. A.
An epitetrathiodioxopiperazine with 3S,6S configuration from *Hyalodendron* sp. G. M. Strunz, M. Kakushima, and M. A. Stillwell, 295.

St-Jacques, M.
Stereodynamic investigation of dibenzo-1,5-cyclooctadiene and 5,6,11,12-tetrahydridobenzo[b,f][1,4]diazocine derivatives. F. Sauriol-Lord and M. St-Jacques, 3768.

Stockel, R. F.
Reaction of 1,2-dichlorohexafluorocyclopentene with phenol and *p*-nitrothiophenol. R. F. Stockel, 2302.

Stoessl, A.
The structures of some stress metabolites from *Solanum melongena*. A. Stoessl, J. B. Stothers, and E. W. B. Ward, 3351.
On the alkaline degradation of 2-furylidene-10-methyl-*trans*-1-decalone. A. Stoessl and J. B. Stothers, 3359.

Stojanac, N.
Catalyzed orientation reversals in Diels-Alder reactions. Ž. Stojanac, R. A. Dickinson, N. Stojanac, R. J. Woznow, and Z. Valenta, 616.
A synthetic approach to quassin. Introduction of functionality and stereochemistry by a Diels-Alder reaction. N. Stojanac, A. Sood, Ž. Stojanac, and Z. Valenta, 619.

Stojanac, Ž.
Catalyzed orientation reversals in Diels-Alder reactions. Ž. Stojanac, R. A. Dickinson, N. Stojanac, R. J. Woznow, and Z. Valenta, 616.
A synthetic approach to quassin. Introduction of functionality and stereochemistry by a Diels-Alder reaction. N. Stojanac, A. Sood, Ž. Stojanac, and Z. Valenta, 619.

Stone, J. A.
The formation and reactions of disulfide radical anions in aqueous solution. T.-L. Tung and J. A. Stone, 3153.

Storr, A.
Synthesis and crystal and molecular structures of the *N,N*-dimethylethanolaminogallane and *N,N*-dimethylethanolaminogallium dimethyl dimers. S. J. Retting, A. Storr, and J. Trotter, 58.
Crystal and molecular structure of a novel polycyclic Ga, O, N cage compound: $(\text{GaH})_6(\text{GaH}_2)_2(\mu_3\text{-O})_2(\mu_3\text{-NCH}_2\text{-CH}_2\text{NMe}_2)_4(\mu\text{-NHCH}_2\text{CH}_2\text{NMe}_2)_2$. S. J. Retting, A. Storr, and J. Trotter, 753.
The crystal and molecular structures of pyrazolyl-, 3-methylpyrazolyl-, and indazolylgallium dimethyl dimers. D. F. Rendle, A. Storr, and J. Trotter, 2930.
The crystal and molecular structures of the 3,5-dimethylpyrazolylgallium dimethyl dimer, $[\text{Me}_2\text{Ga} \cdot \text{N}_2\text{C}_5\text{H}_7]_2$, and the hydroxy-bridged species, $[\text{Me}_2\text{Ga}(\text{OH})(\text{N}_2\text{C}_5\text{H}_7)\text{GaMe}_2 \cdot 2\text{N}_2\text{C}_5\text{H}_8]$. D. F. Rendle, A. Storr, and J. Trotter, 2944.

Stothers, J. B.
Nuclear magnetic resonance studies. XXVII. Homoenolization of fenchone. A mechanistic study utilizing ^{13}C and ^2H NMR. A. L. Johnson, J. B. Stothers, and C. T. Tan, 212.

¹³C nuclear molecular resonance studies. 45. The ¹³C spectra of some β,γ unsaturated polycyclic ketones. J. B. Stothers, J. R. Swenson, and C. T. Tan, 581.

¹³C nuclear magnetic resonance studies. 47. ¹³C spectra of some *exo*-methylene cycloalkanes and -norbornanes. S. H. Grover and J. B. Stothers, 589.

¹³C nuclear magnetic resonance studies. Part 48. ¹³C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 1351.

¹³C nuclear magnetic resonance studies of methylated anthracenes. M. L. Caspar, J. B. Stothers, and N. K. Wilson, 1958.

Erratum: Application of carbon-13 nuclear magnetic resonance to conformational analysis of trimethylene sulfites. G. W. Buchanan, J. B. Stothers, and G. Wood, 2359.

Erratum: Bicyclooctanone rearrangement, [3.2.1] \rightarrow [3.3.0], via β -enolization. Evidence for γ -enolization in bicyclo[3.3.0]octan-2-one. A. L. Johnson, N. O. Petersen, M. B. Rampersad, and J. B. Stothers, 2808.

Erratum: ¹³C nuclear magnetic resonance studies. Part 48. ¹³C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 2808.

The structures of some stress metabolites from *Solanum melongena*. A. Stoessl, J. B. Stothers, and E. W. B. Ward, 3351.

On the alkaline degradation of 2-furylidene-10-methyl-*trans*-1-decalone. A. Stoessl and J. B. Stothers, 3359.

Stoute, V. A.
Secondary β -hydrogen isotope effects in ketal formation equilibria. V. A. Stoute and M. A. Winnik, 3503.

St-Pierre, S.
L'effet de la longueur de la chaîne et du pH sur la conformation de polyampholytes alternes du type (L-lysyl-L-aspartyl)_n. H. Daoust et S. St-Pierre, 1861.

Strathdee, G.
The kinetics and mechanism of H₂-D₂ exchange catalyzed by hydridochlorotris(triphenylphosphine)ruthenium(II). G. Strathdee and R. Given, 106.

Homogeneous catalysis of hydrogen isotope exchange between D₂ and ethanol by dichlorotris(triphenylphosphine)-ruthenium(II). G. Strathdee and R. Given, 1402.

Strunz, G. M.
An epitetraethiodioxopiperazine with 3S,6S configuration from *Hyalodendron* sp. G. M. Strunz, M. Kakushima, and M. A. Stillwell, 295.

Stuart, R. S.
3,4-Dihydro-2*H*-1,5-benzodioxepins. A novel class of β -adrenergic stimulants. C. S. Rooney, R. S. Stuart, B. K. Wasson, and H. W. R. Williams, 2279.

Sugihara, Y.
A general, selective synthesis of thiol esters. S. Masamune, S. Kamata, J. Diakur, Y. Sugihara, and G. S. Bates, 3693.

Sundararajan, P. R.
Conformational studies on oligomethylene glycol derivatives. III. Ethylene glycol diacetate. P. R. Sundararajan, P. Labrie, and R. H. Marchessault, 3557.

Virtual bond method in conformational analysis of polymers. P. R. Sundararajan and R. H. Marchessault, 3563.

Suszka, A.
Reaction of 4,4'-bis(dimethylamino)triphenylmethyl tetrafluoroborate with alkoxide ions. I. Determination of ion-pair dissociation constant for sodium alkoxides. K. T. Leffek and A. Suszka, 1537.

Sutherland, R. G.
Isotopic scrambling and mass spectral fragmentation studies with 2-ferrocenylethyl and 2-ferrocenylethyl-1,1-d₂ systems. C. C. Lee, S.-C. Chen, and R. G. Sutherland, 232.

The ultrasonic degradation of thymine. E. L. Mead, R. G. Sutherland, and R. E. Verrall, 2394.

Swaddle, T. W.
Hydrothermal formation of ferrite spinels. A. R. Gainsford, M. J. Sisley, and T. W. Swaddle, 12.

Reagents for high temperature aqueous chemistry: trifluoromethanesulfonic acid and its salts. L. Fabes and T. W. Swaddle, 3053.

Mechanistic information from the effect of pressure on the kinetics of hydrolysis of iodopentaaquochromium(II) ion. M. C. Weekes and T. W. Swaddle, 3697.

Swenson, J. R.
¹³C nuclear molecular resonance studies. 45. The ¹³C spectra of some β,γ unsaturated polycyclic ketones. J. B. Stothers, J. R. Swenson, and C. T. Tan, 581.

Sykes, R. J.
Carbon-13 Fourier transform nuclear magnetic resonance. IX. Complete assignments of some prodigiosins. Bioincorporation of label. R. J. Cushley, R. J. Sykes, C.-K. Shaw, and H. H. Wasserman, 148.

Szarek, W. A.
Carbon-13 nuclear magnetic resonance spectra of some dendroketoase and other furanose derivatives. D. M. Vyas, H. C. Jarrell, and W. A. Szarek, 2748.

Sze, Y-K.
A Raman spectral study of the kinetics of hydrolysis of acetonitrile catalyzed by Hg(II). Y-K. Sze and D. E. Irish, 427.

Taguchi, V. Y.

Synthesis of methyl 12S- and 12R-hydroxylabd-8(17)-en-19-oates. R. A. Bell, M. B. Gravestock, and V. Y. Taguchi, 2869.

Taillefer, R. J.

The hydrolysis of cyclic orthoesters. Stereoelectronic control in the cleavage of hemi-orthoester tetrahedral intermediates. P. Deslongchamps, R. Chênevert, R. J. Taillefer, C. Moreau, and J. K. Saunders, 1601.

The hydrolysis of imide salts. Stereoelectronic control in the cleavage of the hemiorthoamide tetrahedral intermediate. P. Deslongchamps, S. Dubé, C. Lebreux, D. R. Patterson, and R. J. Taillefer, 2791.

The mechanism of hydrolysis of imide salts. The importance of stereoelectronic control and pH of the reaction medium on the cleavage of tetrahedral intermediates. P. Deslongchamps and R. J. Taillefer, 3029.

Tait, J. C.

An electron spin resonance study of some reactions of pentafluorosulfuranyl (SF₅). J. C. Tait and J. A. Howard, 2361.

Takats, J.

Complexes of the early transition metals with *o*-mercaptophenol and 1,2-dihydroxybenzene. J. L. Martin and J. Takats, 572.

Tam, S. Y-K.

Lithium aluminum hydride reductive rearrangement of allylic acetals to vinyl ethers: a synthesis of 3-deoxy glycals. B. Fraser-Reid, S. Y-K. Tam, and B. Radatus, 2005.

Tamura, T.

Radiation-sensitized thermal cracking of *n*-butane. II. Ionic reactions. S. Matsuoka, T. Tamura, K. Oshima, and Y. Oshima, 92.

Tan, C. T.

Nuclear magnetic resonance studies. XXVII. Homoenoilization of fenchone. A mechanistic study utilizing ¹³C and ²H NMR. A. L. Johnson, J. B. Stothers, and C. T. Tan, 212.

¹³C nuclear molecular resonance studies. 45. The ¹³C spectra of some β, γ unsaturated polycyclic ketones. J. B. Stothers, J. R. Swenson, and C. T. Tan, 581.

¹³C nuclear magnetic resonance studies. Part 48. ¹³C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 1351.

Erratum: ¹³C nuclear magnetic resonance studies. Part 48. ¹³C spectra of a variety of bicyclic ketones. S. H. Grover, D. H. Marr, J. B. Stothers, and C. T. Tan, 2808.

Tanaka, R.

A micrometer syringe dilatometer: application to the measurement of the excess volumes of some ethylbenzene systems at 298.15 K. R. Tanaka, O. Kiyohara, P. J. D'Arcy, and G. C. Benson, 2262.

Tanguy, M.

Effet de substituant et de solvant sur l'enthalpie de dimérisation de diméthyl-2,6 phénols. Etude par résonance magnétique nucléaire. D. Baron, M. Tanguy et N. Lumbroso-Bader, 1129.

Tanner, D. D.

Polar radicals. VIII. Kinetic studies on the mechanism of the vapor phase bromination of 1-chlorobutane. The role of reversible hydrogen abstraction. D. D. Tanner, T. Pace, and T. Ochiai, 2202.

Taylor, A.

The chemistry of cochlidiolin, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 727.

Erratum: The chemistry of cochlidiolin, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 2031.

Taymaz, K.

Stereochemical determination of key substrates of the Cope rearrangement by ¹³C nuclear magnetic resonance spectroscopy. D. C. Wigfield and K. Taymaz, 3591.

Tchir, P. O.

The infrared spectrum and force field of matrix isolated *cis*-thionylimide (HNSO). P. O. Tchir and R. D. Spratley, 2311.

The photolysis of matrix isolated *cis*-thionylimide: 1. The identification and infrared spectra of *cis*-HOSN, HSNO, and SNO. P. O. Tchir and R. D. Spratley, 2318.

The photolysis of matrix isolated *cis*-thionylimide: 2. The identification and infrared spectra of *trans*-HNSO and NSO. P. O. Tchir and R. D. Spratley, 2331.

Templeton, J. F.

Synthesis of some A-ring steroidal cyclopropanols. J. F. Templeton and C. W. Wie, 1693.

Teng, T.-T.

The water-activity of supersaturated aqueous solutions of NaCl, KCl, and K₂SO₄ at 25 °C. F. Lenzi, T.-T. Tran, and T.-T. Teng, 3133.

Terhune, S. J.

Four new sesquiterpene analogs of common monoterpenes. S. J. Terhune, J. W. Hogg, A. C. Bromstein, and B. M. Lawrence, 3285.

Terlouw, J. K.
Metastable ion studies. V. The identification of $C_2H_4O^{+}$ ion structures from their characteristic kinetic energy releases. J. L. Holmes and J. K. Terlouw, 2076.

Thankachan, C.
Steric crowding and the reactivity of substituted *tert*-Butyl perbenzoates. S. Icli, K. A. Kandil, C. Thankachan, and T. T. Tidwell, 979.

Thavard, D.
Réactions du phénol-1 diméthyl-3,4 phosphole avec divers chlorures d'acides aromatiques. F. Mathey, D. Thavard et B. Bartet, 855.

Théophanides, T.
Etude des succinates simples et complexes de cobalt(II). P. Sharrock et T. Théophanides, 98.

Thomas, M. T.
The behavior of thiochromanone and isothiochromanone sulfoxides in the Schmidt reaction: isolation of a novel azide product from thiochromone sulfone. I. W. J. Still, M. T. Thomas, and A. M. Clish, 276.

Thompson, J. C.
Preparation and properties of some trimethylgermyl and trimethylplumbyl esters of dimethylcarbamic and dimethylthiocarbamic acid. A. E. Lemire and J. C. Thompson, 3727.
Studies of hindered rotation in some group IV esters of dimethylcarbamic and dimethylthiocarbamic acids. A. E. Lemire and J. C. Thompson, 3732.

Thompson, L. M.
Stereospecific synthesis and acetolysis of *anti*-tricyclo[4.4.1.1^{2,5}]dodecan-11-yl and related derivatives. J. Haywood-Farmer, B. T. Friedlander, A. Crawford, L. M. Thompson, and W. Wetzer, 3078.

Thompson, R. C.
Magnetic and spectral studies on cobalt(II) and copper(II) salts of methylsulfuric, trifluoromethylsulfuric, and paratolylsulfuric acids. A. L. Arduini, M. Garnett, R. C. Thompson, and T. C. T. Wong, 3812.

Thompson, W. T.
The activity of AgCl in AgCl-LiCl-KCl melts. A. C. Gruner and W. T. Thompson, 1084.

Thomson, M. L.
Effects of the *N*-phenyl substituent on the pyrolyses of 1-phenyl-2-benzothiazolinone and 1-phenyl-2-benzothiazolinethione. D. C. K. Lin, M. L. Thomson, and D. C. DeJongh, 2293.

Thorpe, R. V.
Raman spectral studies of cadmium-nitrite interactions in aqueous solutions and crystals. D. E. Irish and R. V. Thorpe, 1414.

Tidwell, T. T.
Steric crowding and the reactivity of substituted *tert*-butyl perbenzoates. S. Icli, K. A. Kandil, C. Thankachan, and T. T. Tidwell, 979.

Tomkiewicz, M.
Chemically induced dynamic nuclear polarization during irradiation of phenol in the presence of amides. S. P. Vaish, H. E. Chen, M. Tomkiewicz, R. D. McAlpine, and M. Cocivera, 2459.

Tonnet, M. L.
Effect of pressure on the alkaline hydrolysis of ethyl acetate in acetone-water solutions. Parameters of activation at constant volume. M. L. Tonnet and E. Whalley, 3414.

Tong, J. P. K.
Solvent effects on solvent exchange reactions at nickel(II) centers. C. H. Langford, J. P. K. Tong, and A. Merbach, 702.

Toogood, G. E.
Structure of $(NO)_2[Ho(NO_3)_5]$, a 10-coordinate species. G. E. Toogood and C. Chieh, 831.

Toone, T. W.
Substituent effects on the ionization equilibria of 9-aryl-9-fluorenols and 10-aryl-10-hydroxyanthracen-9-ones. T. W. Toone, E. Lee-Ruff, and A. C. Hopkinson, 1635.

Torgerson, D. F.
Energetics of the ionization and fragmentation of phosphorus trifluoride by electron impact. D. F. Torgerson and J. B. Westmore, 933.

Torupka, E. J.
Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.
Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrosine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Tosi, C.
Complexes of cobalt(II), nickel(II), and copper acetates, perchlorates, and tetrafluoroborates with heterocyclic ligands containing VA and VIA group donor atoms. C. Preti and G. Tosi, 177.

Tournoux, M.Structure cristalline de Tl_2CO_3 . R. Marchand, Y. Piffard et M. Tournoux, 2454.**Tracey, A. S.**

The use of deuterium magnetic resonance in the determination of the structure and location of the anilinium ion in an aqueous anisotropic surfactant solution. P. Diehl and A. S. Tracey, 2755.

Tran, T.-T.The water-activity of supersaturated aqueous solutions of $NaCl$, KCl , and K_2SO_4 at 25 °C. F. Lenzi, T.-T. Tran, and T.-T. Teng, 3133.**Trend, J. E.**

Organoselenium chemistry. Addition of tolueneselenenyl chloride to ethylene: concerning the reported isolation of a stable episelenurane. H. J. Reich and J. E. Trend, 1922.

Trotter, J.Synthesis and crystal and molecular structures of the *N,N*-dimethylethanolaminogallane and *N,N*-dimethylethanolaminogallium dimethyl dimers. S. J. Rettig, A. Storr, and J. Trotter, 58.Crystal and molecular structure of a novel polycyclic Ga, O, N cage compound: $(GaH)_6(GaH_2)_2(\mu_3-O)_2(\mu_3-NCH_2-CH_2NMe_2)_4(\mu-NHCH_2CH_2NMe_2)_2$. S. J. Rettig, A. Storr, and J. Trotter, 753.Crystal and molecular structure of (\pm) -7,7-(2',2'-dimethyl)pentamethylene-1-methyl-norbornane-2-oxime. S. J. Rettig and J. Trotter, 765.

Crystal and molecular structure of 2,5-bis(2'-hydroxyethylamino)-1,4-benzoquinone. S. J. Rettig and J. Trotter, 777.

Crystal and molecular structure of *B*-phenyl-*diplych*boroxazolidine, $C_6H_5BN(CH_2CH_2O)_2$. S. J. Rettig and J. Trotter, 1393.The two-step synthesis and crystal and molecular structure of tetracyclo[6.4.0^{2,11}.0^{4,9}]dodec-6-ene-3,10-dione. Y.-M. Ngan, S. J. Rettig, J. R. Scheffer, and J. Trotter, 2068.The crystal and molecular structure of the dihydrochloride of 2-*trans*-6-diethyl-2,4,4,6,8,8-hexamethylcyclotetraphosphazene. H. P. Calhoun, R. T. Oakley, N. L. Paddock, and J. Trotter, 2413.

The crystal and molecular structures of pyrazolyl-, 3-methylpyrazolyl-, and indazolylgallium dimethyl dimers. D. F. Rendle, A. Storr, and J. Trotter, 2930.

The crystal and molecular structures of the 3,5-dimethylpyrazolylgallium dimethyl dimer, $[Me_2Ga \cdot N_2C_5H_7]_2$, and the hydroxy-bridged species, $[Me_2Ga(OH)(N_2C_5H_7)GaMe_2 \cdot 2N_2C_5H_8]$. D. F. Rendle, A. Storr, and J. Trotter, 2944.**Tsai, A. I-M.**¹³C chemical shifts of quinolizidines. 2. ¹³C Spectra of some *Nuphar* alkaloids. R. T. LaLonde, T. N. Donvito, and A. I-M. Tsai, 1714.**Tsipis, C. A.**

Five-coordinate bromobis(dialkyldithiocarbamate) complexes of arsenic, antimony, and bismuth. G. E. Manousakis, C. A. Tsipis, and C. C. Hadjikostas, 1530.

Tsuchiya, T.Sodium borohydride reduction of 1-acyl-1,2(1*H*)-diazepines and their iron tricarbonyl complexes. Some reactions of 2,3-dihydro-1,2(1*H*)-diazepines. T. Tsuchiya and V. Snieckus, 519.**Tuck, D. G.**

The Raman spectra of some tricoordinate halogenocadmate(II) anions in the solid state. J. G. Contreras and D. G. Tuck, 3487.

Coordination compounds of indium. Part XXX. Pyrrole complexes of indium(III) and dimethylindium(III). H. L. Chung and D. G. Tuck, 3492.

Tung, T.-L.

The formation and reactions of disulfide radical anions in aqueous solution. T.-L. Tung and J. A. Stone, 3153.

Turnbull, J. K.Microbiological transformations of 17-norkauran-16-one, *ent*-17 norkauran-16-one, and 17-norphyllocladan-16-one by *Aspergillus niger*. A. B. Anderson, R. McCrindle, and J. K. Turnbull, 1181.**Turner, G.**The crystal and molecular structure of pentane-2,4-dionato-(2,3,5,6-tetrahapto-2,3-dicarbomethoxo[2.2.1]bicycloheptadiene)rhodium(I), $Rh(C_5H_7O_2)(C_7H_6(CO_2CH_3)_2)$. D. Allen, C. J. L. Lock, G. Turner, and J. Powell, 2707.**Turner, R. C.**The equilibrium constant for the formation of $Al_2(OH)_2^{4+}$ in aqueous solutions. R. C. Turner, 2811.**Udupa, H. V.**

Consumption of cetyl trimethyl ammonium bromide (CTAB) during electrodeposition of lead dioxide. K. C. Narasimham, S. Vasundara, and H. V. Udupa, 3327.

Unrau, A. M.

Reduction of some alkylisoxazoles with lithium aluminum hydride. A. L. Khurana and A. M. Unrau, 3011.

Vaes, J.Etude par spectrométrie infrarouge de la complexation entre les *N,N*-diméthyl-*N'*-phénylformamidines et quelques donneurs de proton. J. Vaes, F. Fouquet et Th. Zeegers-Huyskens, 604.

Vaish, S. P.

Chemically induced dynamic nuclear polarization during irradiation of phenol in the presence of amides. S. P. Vaish, H. E. Chen, M. Tomkiewicz, R. D. McAlpine, and M. Cocivera, 2459.

Study of chemically induced dynamic nuclear polarization of aliphatic aldehydes in D_2O and other solvents. H. E. Chen, M. Cocivera, and S. P. Vaish, 2548.

Valenta, Z.

Catalyzed orientation reversals in Diels-Alder reactions. Ž. Stojanac, R. A. Dickinson, N. Stojanac, R. J. Woznow, and Z. Valenta, 616.

A synthetic approach to quassin. Introduction of functionality and stereochemistry by a Diels-Alder reaction. N. Stojanac, A. Sood, Ž. Stojanac, and Z. Valenta, 619.

Valverde, S.

Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

van der Heijden, S. P. N.

Conformations of bridged diphenyls. VII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenoxy)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, E. A. H. Griffith, W. D. Chandler, and B. E. Robertson, 2084.

Conformations of bridged diphenyls. IX. Crystal structure of 2-(4'-carbomethoxy-2'-nitrothiophenyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2102.

Conformations of bridged diphenyls. X. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenoysulfinyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2108.

Conformations of bridged diphenyls. XI. Crystal structure of 2-(4'-carbomethoxy-2'-nitrophenoysulfonyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2115.

Conformations of bridged diphenyls. XII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrobenzyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2121.

Conformations of bridged diphenyls. XIII. Crystal structure of 2-(4'-carbomethoxy-2'-nitrobenzoyl)-1,3,5-trimethylbenzene. S. P. N. van der Heijden, W. D. Chandler, and B. E. Robertson, 2127.

van Haverbeke, Y.

Mise en évidence des tautomères énoliques des hydroxypyridines dans la source du spectromètre de masse. A. Maquestiau, Y. van Haverbeke, C. de Meyer, A. R. Katritzky, M. J. Cook et A. D. Page, 490.

Van Paasschen, J. M.

Preparation of the piperazine- and triethylenediamine-monoborane adducts of BH_3 , BH_2F , BHF_2 , and BF_3 . J. M. Van Paasschen and R. A. Geanangel, 723.

Vasundara, S.

Consumption of cetyl trimethyl ammonium bromide (CTAB) during electrodeposition of lead dioxide. K. C. Narasimham, S. Vasundara, and H. V. Udupa, 3327.

Vaughan, K.

4-Methylene-1,2,3-benzotriazines. H. Fong and K. Vaughan, 3714.

Vekris, J. E.

The radical ion $S_3N_2^+$. Preparation, electron spin resonance spectrum, and crystal structure of thiodithiazyll hexa-fluoroarsenate $S_3N_2^+AsF_6^-$. R. J. Gillespie, P. R. Ireland, and J. E. Vekris, 3147.

Verbestel, W.

The synthesis of 4a-aminoalkyl-1,2,3,4,4a,9-hexahydrophenanthrenes. Versatile intermediates for potential CNS drugs. B. Belleau, T. T. Conway, T. W. Doyle, L. Morris, and W. Verbestel, 237.

Verrall, R. E.

The ultrasonic degradation of thymine. E. L. Mead, R. G. Sutherland, and R. E. Verrall, 2394.

Veysey, S. W.

Rate constants for the reaction of fluorine atoms with nitric oxide in the presence of various third bodies. E. G. Skolnik, S. W. Veysey, M. G. Ahmed, and W. E. Jones, 3188.

Viallet, P.

Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Vincent, E.-J.

Etudes expérimentales et théoriques des déplacements chimiques du carbone-13 en série isothiazolique. R. Faure, J.-R. Llinas, E.-J. Vincent et M. Rajzmann, 1677.

Analyse en résonance magnétique nucléaire du 1H et du ^{13}C de dérivés azuléniques extraits de l'*Eriocophalae punctulatus*. J.-R. Llinas, D. Roard, M. Derbesy et E.-J. Vincent, 2911.

Vincent, H.

Erratum: Sur l'existence des composés P_4Se_x ($x \leq 3$) et $P_4Se_{3-n}S_n$ ($n = 1, 2$). Y. Monteil et H. Vincent, 1536.

Virlet, J.

1H , ^{13}C , ^{14}N , ^{19}F Nuclear magnetic resonance contact shifts and electron spin distribution in aniline and fluor-anilines-Ni II acetylacetone complexes. C. Chachaty, A. Forchioni, and J. Virlet, 648.

von Carstenn-Lichterfelde, C.

Correlation of the diterpenoids sideritol and jativatriol. C. von Carstenn-Lichterfelde, F. M. Panizo, T. G. de Quesada, B. Rodriguez, S. Valverde, W. A. Ayer, and J. H. Ball, 1172.

Vuik, C.

The *trans*-effect in octahedral complexes. VI. Base hydrolysis of *trans*-hydroxybromo and *trans*-hydroxychloro-bis(ethylenediamine)rhodium(III) complexes. A. Poë and C. Vuik, 1842.

Vuik, C. P. J.

Ligand field photochemistry of cobalt(III) phenanthroline and bipyridyl complexes. C. P. J. Vuik, N. A. P. Kane-Maguire, and C. H. Langford, 3121.

Vukov, V.

Secondary deuterium isotope effects on carbonyl ylide intermediates. V. Vukov and R. J. Crawford, 1367.

Vyas, D. M.

Studies on the synthesis of novel carbohydrates with sulfur in the ring. Part III. The synthesis of derivatives of 2,6-dithio-hex-4-en-2-ulopyranosidonoronitriles. D. M. Vyas and G. W. Hay, 1362.

Carbon-13 nuclear magnetic resonance spectra of some dendroketose and other furanose derivatives. D. M. Vyas, H. C. Jarrell, and W. A. Szarek, 2748.

Wade, D. L.

Polymerization *in situ* accompanying field desorption mass spectrometry. G. W. Wood and D. L. Wade, 3500.

Walter, J. A.

The chemistry of cochliodinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 727.

Erratum: The chemistry of cochliodinol, a metabolite of *Chaetomium* spp. W. A. Jerram, A. G. McInnes, W. S. G. Maass, D. G. Smith, A. Taylor, and J. A. Walter, 2031.

Wan, C.

Studies of β -diketone complexes of rhodium. VII. The crystal and molecular structure of oxodichloropentane-2,4-dionato-triphenylphosphinerhenium(V). C. J. L. Lock and C. Wan, 1548.

Ward, E. W. B.

The structures of some stress metabolites from *Solanum melongena*. A. Stoessl, J. B. Stothers, and E. W. B. Ward, 3351.

Ward, J. E. H.

^{13}C Nuclear magnetic resonance studies of organometallic compounds. IX. Phenylaminocarbene derivatives. H. C. Clark, J. E. H. Ward, and K. Yasufuku, 186.

Variable temperature nuclear magnetic resonance studies of some five-membered ring chelate complexes. W. R. Cullen, L. D. Hall, and J. E. H. Ward, 1038.

Warkentin, J.

2-Hydroxy-2,5,5-trimethyl- Δ^3 -1,3,4-oxadiazoline. Novel induced decomposition by radical attack at the hydroxyl group. P. Knittel and J. Warkentin, 2275.

Warnock, W. D. C.

Synthetic studies in the *Veratrum* alkaloid series. I. Introduction and the total synthesis of appropriate C-nor-D-homo steroid derivatives. J. P. Kutney, A. By, J. Cable, W. A. F. Gladstone, T. Inaba, S. Y. Leong, P. Roller, E. J. Torupka, and W. D. C. Warnock, 1775.

Synthetic studies in the *Veratrum* alkaloid series. II. The total synthesis of verarine, veratramine, jervine, and veratrosinine. J. P. Kutney, J. Cable, W. A. F. Gladstone, H. W. Hanssen, G. V. Nair, E. J. Torupka, and W. D. C. Warnock, 1796.

Warren, D. K.

Structural studies of $(\pi\text{-C}_5\text{H}_5)_2\text{MX}_2$ complexes and their derivatives. The structure of bis(π -cyclopentadienyl) titanium dichloride. A. Clearfield, D. K. Warren, C. H. Saldarriaga-Molina, R. Ropal, and I. Bernal, 1622.

Wartel, M.

Détermination du pouvoir sulfonant des acides disulfurique et chlorosulfurique dans le sulfolane. P. Pierens, Y. Auger, J. C. Fischer et M. Wartel, 2989.

Wasserman, H. H.

Carbon-13 Fourier transform nuclear magnetic resonance. IX. Complete assignments of some prodigiosins. Bioincorporation of label. R. J. Cushley, R. J. Sykes, C.-K. Shaw, and H. H. Wasserman, 148.

Wasson, B. K.

3,4-Dihydro-2H-1,5-benzodioxepins. A novel class of β -adrenergic stimulants. C. S. Rooney, R. S. Stuart, B. K. Wasson, and H. W. R. Williams, 2279.

Wasylissen, R. E.

Nuclear magnetic resonance evidence for high barrier of conformational inversion in hexahydro-3,3,7,7-tetramethyl-1,2-oxazepine-5-one. R. E. Wasylissen, K. C. Rice, and U. Weiss, 414.

Nuclear molecular resonance chemical shifts of some monosubstituted isothiazoles. R. E. Wasylissen, T. R. Clem, and E. D. Becker, 596.

Wayda, A.

Models for the role of magnesium in enzymic catalysis. The effect of magnesium ion on the general base catalyzed enolization of methyl acetylphosphonate. R. Kluger and A. Wayda, 2354.

Webb, J. G. K.

The 1,3,5-trinitrobenzene-phenoxide σ -complex. Ambident phenoxide ion in S_NAr systems. E. Buncel, A. Jończyk, and J. G. K. Webb, 3761.

Weekes, M. C.

Mechanistic information from the effect of pressure on the kinetics of hydrolysis of iodopentaaquochromium(II) ion. M. C. Weekes and T. W. Swaddle, 3697.

Weir, N. A.

Photolysis of pyridazine in the gas phase. J. R. Fraser, L. H. Low, and N. A. Weir, 1456.

Weiss, U.

Nuclear magnetic resonance evidence for high barrier of conformational inversion in hexahydro-3,3,7,7-tetramethyl-1,2-oxazepine-5-one. R. E. Wasylshen, K. C. Rice, and U. Weiss, 414.

Weissflog, E.

Preparation and properties of carboxylic, monothiocarboxylic, dithiocarboxylic, and sulfinic acid derivatives of trithiane, tetraothiocane, and pentathiecan. M. E. Peach, M. Schmidt, and E. Weissflog, 3720.

Werstiuk, E. S.

Oligoribonucleotide synthesis. VIII. Insertion of terminal 5'-phosphate groupings. T. Neilson, K. V. Deugau, T. E. England, and E. S. Werstiuk, 1093.

Werstiuk, N. H.

The determination of the preferred stereochemistry and the magnitude of the hydrogen isotope effect for 1,3 elimination in the locked norbornyl system methyl-*exo*-2-bromo-1-norbornanecarboxylate-*endo*, *endo*-5,6-*d*₂. N. H. Werstiuk, 26.

On the mechanism of base-catalyzed hydrogen isotope exchange in cyclic ketones. S. Banerjee and N. H. Werstiuk, 1099.

Base-catalyzed exchange of cyclic diketones under homoenolization conditions; facile exchange at the bridgehead and C-7 in 3,3,6,6-tetramethyl bicyclo[2.2.1]heptan-2,5-dione. N. H. Werstiuk, 2211.

West, P. R.

Electron spin resonance studies and electronic structure of *trans*-[Ti(H₂O)₄F₂]⁺. P. I. Premović and P. R. West, 1593.

Electron spin resonance studies on Ti(H₂O)₆³⁺ in frozen aqueous solutions of titanium(III) chloride, bromide, iodide, and sulfate. P. I. Premović and P. R. West, 1630.

Westaway, K. C.

Isotope effects in nucleophilic substitution reactions. I. The mechanism of the reaction of phenylbenzyldimethylammonium ion with thiophenoxyde ion. K. C. Westaway and R. A. Poirier, 3216.

Westmore, J. B.

Energetics of the ionization and fragmentation of phosphorus trifluoride by electron impact. D. F. Torgerson and J. B. Westmore, 933.

Wetzer, W.

Stereospecific synthesis and acetolysis of *anti*-tricyclo[4.4.1.1^{2,5}]dodecan-11-yl and related derivatives. J. Haywood-Farmer, B. T. Friedlander, A. Crawford, L. M. Thompson, and W. Wetzer, 3078.

Whalley, E.

Effect of pressure on the alkaline hydrolysis of ethyl acetate in acetone-water solutions. Parameters of activation at constant volume. M. L. Tonnet and E. Whalley, 3414.

Whangbo, M.-H.

A correlation between bond length and ionic bond order. Application to the ylide-ylene problem. M.-H. Whangbo, S. Wolfe, and F. Bernardi, 3040.

Whitehead, M. A.

The electronic structure and localized molecular orbitals in S₄N₄ by the CNDO/BW theory. M. S. Gopinathan and M. A. Whitehead, 1343.

Whitla, W. A.

Crystal structures of K₂MgCl₄ and Cs₂MgCl₄. C. S. Gibbons, V. C. Reinsborough, and W. A. Whitla, 114.

Wie, C. W.

Synthesis of some A-ring steroidal cyclopropanols. J. F. Templeton and C. W. Wie, 1693.

Wiebe, H. A.

The role of excess kinetic energy in the reactions of O(¹D) atoms. R. Overend, G. Paraskevopoulos, J. R. Crawford, and H. A. Wiebe, 1915.

Wiesner, K.

On the construction of delphinine type alkaloids via the rearrangement of substituted denudatine derivatives. K. Wiesner, P. Ho, W.-C. Liu, and M. N. Shanbhag, 2140.

Wigfield, D. C.

Stereochemical determination of key substrates of the Cope rearrangement by ¹³C nuclear magnetic resonance spectroscopy. D. C. Wigfield and K. Taymaz, 3591.

Wiles, D. M.

The photolyses of fully aromatic amides. D. J. Carlsson, L. H. Gan, and D. M. Wiles, 2337.

Williams, H. W. R.

3,4-Dihydro-2H-1,5-benzodioxepins. A novel class of β -adrenergic stimulants. C. S. Rooney, R. S. Stuart, B. K. Wasson, and H. W. R. Williams, 2279.

Williams, R. E.

Water-soluble lysine-containing polypeptides. II. The interaction of several sequential lysine-glycine polypeptides with DNA. A circular dichroism study of DNA conformation in annealed complexes. R. E. Williams and S. L. Kielland, 542.

Erratum: Water-soluble lysine-containing polypeptides. II. The interaction of several sequential lysine-glycine polypeptides with DNA. A circular dichroism study of DNA conformation in annealed complexes. R. E. Williams and S. L. Kielland, 2210.

The use of the *n*-propylammonium and *n*-butylammonium salts of *d*-10-camphorsulfonic acid for the calibration of spectropolarimeters: circular dichrometer calibration. M. F. Gillen and R. E. Williams, 2351.

Willis, C. J.

Fluorinated alkoxides. Part VIII. Mixed ligand complexes of perfluoropinacol with Ni^{2+} , Pd^{2+} , Pt^{2+} , and Cu^{2+} . Solvation equilibria between 4- and 5-coordinate Ni^{2+} . W. S. Cripps and C. J. Willis, 809.

Fluorinated alkoxides. Part IX. The resolution of perfluoro(2,3-diphenylbutane-2,3-diol) and its use in preparing optically active complexes of Ni^{2+} and Cu^{2+} . W. S. Cripps and C. J. Willis, 817.

Wilson, N. K.

^{13}C nuclear magnetic resonance studies of methylated anthracenes. M. L. Caspar, J. B. Stothers, and N. K. Wilson, 1958.

Wingfield, J. N.

Complexes of dimethylaminophosphazenes with metal ions. H. P. Calhoun, N. L. Paddock, and J. N. Wingfield, 1765.

Winnik, M. A.

Secondary β -hydrogen isotope effects in ketal formation equilibria. V. A. Stoute and M. A. Winnik, 3503.

Winter, J. G.

Studies in solvolysis. Part VI. An examination of the heat capacity of activation for the hydrolysis of 4-methoxybenzyl trifluoroacetate. J. G. Winter, J. P. Barron, and J. M. W. Scott, 1051.

Wolfe, S.

Sulfur-free penicillin derivatives. V. Preparation, hydrolysis, and oxidative rearrangement of fused oxazoline-azetidinones. S. Wolfe, S.-L. Lee, J.-B. Ducep, G. Kannengiesser, and W. S. Lee, 497.

On the π -donating abilities of sulfur and oxygen. A comparative quantum chemical investigation of the static and dynamic properties and gas phase acidities of CH_2OH and CH_2SH . F. Bernardi, I. G. Csizmadia, H. B. Schlegel, and S. Wolfe, 1144.

A correlation between bond length and ionic bond order. Application to the ylide-ylene problem. M.-H. Whangbo, S. Wolfe, and F. Bernardi, 3040.

The structure of acetaldehyde enolate anion. S. Wolfe, H. B. Schlegel, I. G. Csizmadia, and F. Bernardi, 3365.

A novel base-promoted rearrangement of penicillin G. S. Wolfe, J.-B. Ducep, and J. D. Greenhorn, 3435.

Ab initio computation of force constants. II. The estimation of dissociation energies from *ab initio* SCF calculations. H. B. Schlegel, S. Wolfe, and F. Bernardi, 3599.

Wolkoff, P.

A new method of preparing hydrazonyl halides. P. Wolkoff, 1333.

Reaction of hydrazonyl halides with derivatives of thiourea and thiosemicarbazide; a new source of C-amino- and C-hydrazino-1,2,4-triazoles. P. Wolkoff, S. T. Nemeth, and M. S. Gibson, 3211.

Wong, C.

Thiobinupharidines epimeric at C-1 and C-1'. R. T. LaLonde and C. Wong, 3545.

Wong, C. F. C.

The photolyses of chloropentamine and chloropentakis(alkylamine) chromium(III) complexes in acetone/water mixtures. C. F. C. Wong and A. D. Kirk, 419.

Synthesis and spectral properties of $[\text{Cr}(\text{en})_2\text{NH}_3\text{X}]^{n+}$ compounds. C. F. C. Wong and A. D. Kirk, 3388.

Wong, C. M.

Stereospecific synthesis of *dl*-triacetyl daunosamine. C. M. Wong, T.-L. Ho, and W. P. Niemczura, 3144.

Wong, H.

Synthetic morphinans and hasubanans. Part IV. Total synthesis of 3,14-dihydroxyisomorphinans, 3-methoxy- $\Delta^{8,14}$ -morphinans, and 9 α -hydroxy-3-methoxyhasuban. I. Monković, H. Wong, B. Belleau, I. J. Pachter, and Y. G. Perron, 2515.

Oxilorphan and butorphanol. Potent narcotic antagonists and nonaddicting analgesics in the 3,14-dihydroxy-morphinan series. Part V. I. Monković, H. Wong, A. W. Pircio, Y. G. Perron, I. J. Pachter, and B. Belleau, 3094.

Wong, L. L.

Isomerization of bicyclic hydrazine monoesters to *N*-amino-2-pyridone esters, precursors to bicyclic "isosydnone". D. Mackay and L. L. Wong, 1973.

Wong, N.

Predicting the most favored path and the overall rate of multistep 2-norbornyl cation rearrangements. The assignment of a trial activation energy for each unique step. R. Haseltine, E. Huang, K. Ranganayakulu, T. S. Sorensen, and N. Wong, 1876.

A kinetic and thermodynamic behavioral comparison of observable secondary and tertiary 2-norbornyl cations. R. Haseltine, N. Wong, T. S. Sorensen, and A. J. Jones, 1891.

Reaction sequences involving the mutual interconversion of all 10 tertiary dimethyl-2-norbornyl cations. A comparison of predicted products and rates with experiment. R. Haseltine, K. Ranganayakulu, N. Wong, and T. S. Sorensen, 1901.

Wong, T. C. T.
Magnetic and spectral studies on cobalt(II) and copper(II) salts of methylsulfuric, trifluoromethylsulfuric, and paratolylsulfuric acids. A. L. Arduini, M. Garnett, R. C. Thompson, and T. C. T. Wong, 3812.

Wood, D. J.
A proton magnetic resonance study of the ultraviolet photoproduct of d(TpT) in aqueous solution. F. E. Hruska, D. J. Wood, K. K. Ogilvie, and J. L. Charlton, 1193.
Proton magnetic resonance studies of dinucleotide conformation in aqueous solution. 2'-Deoxythymidyl-(3',5')-2'-deoxy-3'-thymidylate, d(TpTp). D. J. Wood, K. K. Ogilvie, and F. E. Hruska, 2781.

Wood, G.
Erratum: Application of carbon-13 nuclear magnetic resonance to conformational analysis of trimethylene sulfites. G. W. Buchanan, J. B. Stothers, and G. Wood, 2359.

Wood, G. W.
Polymerization *in situ* accompanying field desorption mass spectrometry. G. W. Wood and D. L. Wade, 3500.

Woodhams, F. W. D.
Pyrophosphates of tetravalent elements and a Mössbauer study of SnP₂O₇. C.-H. Huang, O. Knop, D. A. Othen, F. W. D. Woodhams, and R. A. Howie, 79.

Woznow, R. J.
Catalyzed orientation reversals in Diels-Alder reactions. Ž. Stojanac, R. A. Dickinson, N. Stojanac, R. J. Woznow, and Z. Valenta, 616.

Wright, J. S.
Allowed and forbidden reaction paths for the H₂ + D₂ exchange reaction. J. S. Wright, 549.

Wychick, D.
Electric dipole moments of a series of $\Delta^{8(14)}$ cholestenyl esters. J. M. Pochan, J. E. Kuder, J. Y. C. Chu, D. Wychick, and D. Hinman, 578.

Yaffe, L.
Formation cross sections of iodine and tellurium isomers produced in the fission of ²³⁸U by protons of energies 30-85 MeV. M. Dikšić and L. Yaffe, 3116.
The distribution of oxidation states of iodine isotopes in the fission by protons of natural uranium. M. Dikšić and L. Yaffe, 3801.

Yamazaki, C.
The structure of isothiosemicarbazones. C. Yamazaki, 610.

Yasufuku, K.
¹³C nuclear magnetic resonance studies of organometallic compounds. IX. Phenylaminocarbene derivatives. H. C. Clark, J. E. H. Ward, and K. Yasufuku, 186.

Yates, P.
Arid azines. II. Hydrogenation of *p*-tolyl monoazine. P. Yates and E. M. Levi, 748.
Bridged xanthenes. I. An intermolecular cycloaddition route. P. Yates and D. J. Bichan, 2045.
Bridged xanthenes. II. An intramolecular cycloaddition route. D. J. Bichan and P. Yates, 2054.

Yeager, H. L.
Conductance study of ion pairing of alkali metal tetrafluoroborates and hexafluorophosphates in acetonitrile. H. L. Yeager and B. Kratochvil, 3448.

Young, J. C.
Diazomethane-catalyzed transesterification of oxalic acid esters. J. C. Young, 2530.

Zador, M.
 Cinétique de la formation de la métalloporphyrine Cu(II)-hématorphyrine IX dans l'acide acétique aqueux. G. Paquette et M. Zador, 2375.

Zajdela, F.
Oxidation of dibenzo(*a,e*)fluoranthene by osmium tetroxide. P. Jacquignon, O. Perin-Roussel, F. Perin, O. Chalvet, J. M. Lhoste, A. Mathieu, B. Saperas, P. Viallet, and F. Zajdela, 1670.

Zamecnik, J.
Conversion of bicyclo[2.2.2]octane systems into tricyclo[3.2.1.0^{2,7}]octanes: a third synthesis of the diterpenoid trachylobane. R. B. Kelly, B. A. Beckett, J. Eber, H.-K. Hung, and J. Zamecnik, 143.
Synthesis of *cis*-9-cyano-1,10-dimethyl-6-ethylenedioxy-1-octalin and its conversion into an intermediate for a synthesis of theleopagine. R. B. Kelly, S. J. Alward, and J. Zamecnik, 2441.

Zaw, K.
The structure and stability of Ni(II) complexes of thiourea and related ligands. D. R. Eaton and K. Zaw, 633.

Zeegers-Huyskens, Th.
Etude par spectrométrie infrarouge de la complexation entre les *N,N*-diméthyl-*N'*-phénylformamidines et quelques donneurs de proton. J. Vaes, F. Fouquet et Th. Zeegers-Huyskens, 604.

Zeya, M.
Diprotonation of 5-acyl-1,2,3,4,5-pentamethylcyclopentadienes. R. F. Childs and M. Zeya, 3425.



